

# 14 3 Skills Practice Probability Of Compound Events

Name \_\_\_\_\_ Date \_\_\_\_\_ Class \_\_\_\_\_

LESSON

5-3

**Experimental Probability of Compound Events**  
*Practice and Problem Solving: A/B*

- Solve.
1. A coin was tossed and a spinner with three equal sections numbered 1 to 3 was spun. The results are shown in the table.

	Heads	Tails
1	53	65
2	49	71
3	54	62

What is the experimental probability that the next toss and spin will result in 3 and Tails?

2. A receptionist recorded the number of people who took an elevator up from his floor and the number who took an elevator down. He also noted the number of men and women. The table shows the results.

	Elevator Up	Elevator Down
Men	36	43
Women	39	42

What is the experimental probability that the next person will be a woman taking the elevator up?

3. Sandwich shop customers can choose the bread and meat they want. The table shows the sandwiches that were sold on a given day.

	White Bread	Wheat Bread
Ham	22	24
Turkey	21	22
Tuna	25	23

What is the experimental probability that the next sandwich sold will be tuna on wheat bread?

4. A store sells a coat in three sizes: small, medium, and large. The coat comes in red, navy, and tan. Sales numbers are shown in the table.

	Small	Medium	Large
Red	18	21	19
Navy	24	22	20
Tan	19	25	22

What is the experimental probability that the next coat sold is **not** a large navy?

Original content Copyright © by Houghton Mifflin Harcourt. Additions and changes to the original content are the responsibility of the instructor.

**14 3 SKILLS PRACTICE PROBABILITY OF COMPOUND EVENTS** IS A VITAL CONCEPT IN PROBABILITY THEORY, PARTICULARLY WHEN DEALING WITH THE LIKELIHOOD OF MULTIPLE EVENTS OCCURRING. UNDERSTANDING COMPOUND EVENTS IS CRUCIAL FOR STUDENTS AND PROFESSIONALS ALIKE AS IT LAYS THE GROUNDWORK FOR MORE ADVANCED STATISTICAL ANALYSES AND REAL-WORLD APPLICATIONS. THIS ARTICLE WILL DELVE INTO THE DEFINITION OF COMPOUND EVENTS, THE METHODS FOR CALCULATING THEIR PROBABILITIES, AND PRACTICAL EXAMPLES TO ENHANCE UNDERSTANDING.

## UNDERSTANDING COMPOUND EVENTS

COMPOUND EVENTS ARE FORMED BY COMBINING TWO OR MORE SIMPLE EVENTS. IN PROBABILITY, A SIMPLE EVENT IS AN OUTCOME THAT CANNOT BE BROKEN DOWN FURTHER, WHILE A COMPOUND EVENT CONSISTS OF TWO OR MORE SIMPLE EVENTS HAPPENING TOGETHER. FOR EXAMPLE, ROLLING A DIE AND FLIPPING A COIN SIMULTANEOUSLY CREATES A COMPOUND EVENT, WITH THE INDIVIDUAL OUTCOMES OF THE DIE ROLL AND COIN FLIP BEING THE SIMPLE EVENTS.

# TYPES OF COMPOUND EVENTS

THERE ARE TWO PRIMARY TYPES OF COMPOUND EVENTS:

1. INDEPENDENT EVENTS: THESE ARE EVENTS WHERE THE OCCURRENCE OF ONE EVENT DOES NOT AFFECT THE OCCURRENCE OF ANOTHER. FOR EXAMPLE, ROLLING A DIE AND FLIPPING A COIN ARE INDEPENDENT EVENTS. THE OUTCOME OF ONE DOES NOT INFLUENCE THE OUTCOME OF THE OTHER.
2. DEPENDENT EVENTS: THESE ARE EVENTS WHERE THE OUTCOME OR OCCURRENCE OF ONE EVENT AFFECTS THE OUTCOME OF ANOTHER. FOR INSTANCE, DRAWING TWO CARDS FROM A DECK WITHOUT REPLACEMENT IS A DEPENDENT EVENT BECAUSE THE FIRST DRAW AFFECTS THE PROBABILITIES OF THE SECOND DRAW.

# CALCULATING PROBABILITIES OF COMPOUND EVENTS

THE CALCULATION OF PROBABILITIES FOR COMPOUND EVENTS DEPENDS ON WHETHER THE EVENTS ARE INDEPENDENT OR DEPENDENT.

## PROBABILITY OF INDEPENDENT EVENTS

WHEN DEALING WITH INDEPENDENT EVENTS, THE PROBABILITY OF BOTH EVENTS OCCURRING IS FOUND BY MULTIPLYING THE PROBABILITIES OF EACH INDIVIDUAL EVENT. THE FORMULA IS:

$$P(A \text{ AND } B) = P(A) \times P(B)$$

EXAMPLE: CONSIDER THE PROBABILITY OF ROLLING A 4 ON A DIE AND FLIPPING HEADS ON A COIN.

- THE PROBABILITY OF ROLLING A 4 ( $P(A)$ ) =  $1/6$ .
- THE PROBABILITY OF FLIPPING HEADS ( $P(B)$ ) =  $1/2$ .

USING THE FORMULA:

$$P(A \text{ AND } B) = P(A) \times P(B) = \frac{1}{6} \times \frac{1}{2} = \frac{1}{12}$$

## PROBABILITY OF DEPENDENT EVENTS

FOR DEPENDENT EVENTS, THE PROBABILITY OF BOTH EVENTS OCCURRING IS CALCULATED BY FINDING THE PROBABILITY OF THE FIRST EVENT AND THEN MULTIPLYING IT BY THE PROBABILITY OF THE SECOND EVENT OCCURRING GIVEN THAT THE FIRST HAS OCCURRED. THE FORMULA IS:

$$P(A \text{ AND } B) = P(A) \times P(B|A)$$

EXAMPLE: SUPPOSE WE HAVE A STANDARD DECK OF 52 CARDS, AND WE WANT TO FIND THE PROBABILITY OF DRAWING AN ACE FIRST AND THEN DRAWING A KING WITHOUT REPLACEMENT.

- THE PROBABILITY OF DRAWING AN ACE ( $P(A)$ ) =  $4/52$ .
- AFTER DRAWING AN ACE, THERE ARE NOW 51 CARDS LEFT, AND THE PROBABILITY OF DRAWING A KING ( $P(B|A)$ ) =  $4/51$ .

USING THE FORMULA:

$$P(A \text{ AND } B) = P(A) \times P(B|A) = \frac{4}{52} \times \frac{4}{51} = \frac{16}{2652} = \frac{4}{663}$$

# PRACTICE PROBLEMS FOR 14 3 SKILLS PRACTICE PROBABILITY OF COMPOUND EVENTS

TO SOLIDIFY UNDERSTANDING, PRACTICE PROBLEMS CAN BE AN EFFECTIVE WAY TO APPLY THE CONCEPTS LEARNED. BELOW ARE SOME PRACTICE PROBLEMS ALONG WITH THEIR SOLUTIONS.

## INDEPENDENT EVENTS PRACTICE PROBLEMS

1. PROBLEM 1: A BAG CONTAINS 5 RED BALLS AND 3 BLUE BALLS. IF A BALL IS DRAWN AND THEN REPLACED, WHAT IS THE PROBABILITY OF DRAWING A RED BALL AND THEN A BLUE BALL?
2. PROBLEM 2: A SIX-SIDED DIE IS ROLLED, AND A COIN IS FLIPPED. WHAT IS THE PROBABILITY OF ROLLING AN EVEN NUMBER AND FLIPPING A TAIL?

## DEPENDENT EVENTS PRACTICE PROBLEMS

1. PROBLEM 3: IN A CLASS OF 30 STUDENTS, 12 ARE GIRLS AND 18 ARE BOYS. IF TWO STUDENTS ARE SELECTED AT RANDOM WITHOUT REPLACEMENT, WHAT IS THE PROBABILITY THAT BOTH ARE GIRLS?
2. PROBLEM 4: YOU HAVE A JAR WITH 10 MARBLES: 4 GREEN, 3 RED, AND 3 BLUE. IF YOU DRAW ONE MARBLE, DO NOT REPLACE IT, AND THEN DRAW A SECOND MARBLE, WHAT IS THE PROBABILITY THAT BOTH MARBLES DRAWN ARE RED?

## SOLUTIONS TO PRACTICE PROBLEMS

### INDEPENDENT EVENTS SOLUTIONS

1. SOLUTION TO PROBLEM 1:
  - PROBABILITY OF DRAWING A RED BALL  $(P(A)) = 5/8$ .
  - PROBABILITY OF DRAWING A BLUE BALL  $(P(B)) = 3/8$ .
  - THEREFORE,  $(P(A \text{ AND } B)) = P(A) \times P(B) = \frac{5}{8} \times \frac{3}{8} = \frac{15}{64}$ .
2. SOLUTION TO PROBLEM 2:
  - PROBABILITY OF ROLLING AN EVEN NUMBER  $(P(A)) = 3/6 = 1/2$ .
  - PROBABILITY OF FLIPPING A TAIL  $(P(B)) = 1/2$ .
  - THEREFORE,  $(P(A \text{ AND } B)) = P(A) \times P(B) = \frac{1}{2} \times \frac{1}{2} = \frac{1}{4}$ .

### DEPENDENT EVENTS SOLUTIONS

1. SOLUTION TO PROBLEM 3:
  - PROBABILITY OF SELECTING THE FIRST GIRL  $(P(A)) = 12/30$ .
  - AFTER SELECTING ONE GIRL, THERE ARE NOW 29 STUDENTS LEFT, WITH 11 GIRLS REMAINING, SO  $(P(B|A)) = 11/29$ .
  - THEREFORE,  $(P(A \text{ AND } B)) = P(A) \times P(B|A) = \frac{12}{30} \times \frac{11}{29} = \frac{132}{870} = \frac{22}{145}$ .
2. SOLUTION TO PROBLEM 4:
  - PROBABILITY OF DRAWING THE FIRST RED MARBLE  $(P(A)) = 3/10$ .
  - AFTER DRAWING ONE RED MARBLE, THERE ARE NOW 9 MARBLES LEFT WITH 2 RED MARBLES REMAINING, SO  $(P(B|A)) = 2/9$ .

- THEREFORE,  $P(A \text{ AND } B) = P(A) \times P(B|A) = \frac{3}{10} \times \frac{2}{9} = \frac{6}{90} = \frac{1}{15}$ .

## CONCLUSION

THE CONCEPT OF 14 3 SKILLS PRACTICE PROBABILITY OF COMPOUND EVENTS IS ESSENTIAL FOR BOTH ACADEMIC PURSUITS AND PRACTICAL APPLICATIONS. UNDERSTANDING HOW TO CALCULATE THE PROBABILITIES OF INDEPENDENT AND DEPENDENT EVENTS PREPARES STUDENTS TO HANDLE MORE COMPLEX PROBABILITY PROBLEMS EFFECTIVELY. BY PRACTICING VARIOUS PROBLEMS AND ANALYZING THEIR SOLUTIONS, INDIVIDUALS CAN DEVELOP A STRONGER GRASP OF STATISTICAL PRINCIPLES, ENHANCING THEIR ANALYTICAL SKILLS. AS PROBABILITY THEORY CONTINUES TO PLAY A CRUCIAL ROLE IN FIELDS SUCH AS FINANCE, SCIENCE, AND DATA ANALYSIS, MASTERING THESE FOUNDATIONAL CONCEPTS IS MORE IMPORTANT THAN EVER.

## FREQUENTLY ASKED QUESTIONS

### WHAT IS A COMPOUND EVENT IN PROBABILITY?

A COMPOUND EVENT IS AN EVENT THAT INVOLVES TWO OR MORE SIMPLE EVENTS, AND ITS PROBABILITY IS CALCULATED BASED ON THE INDIVIDUAL PROBABILITIES OF THE SIMPLE EVENTS.

### HOW DO YOU FIND THE PROBABILITY OF INDEPENDENT COMPOUND EVENTS?

TO FIND THE PROBABILITY OF INDEPENDENT COMPOUND EVENTS, YOU MULTIPLY THE PROBABILITIES OF EACH INDIVIDUAL EVENT TOGETHER.

### WHAT IS THE DIFFERENCE BETWEEN INDEPENDENT AND DEPENDENT EVENTS?

INDEPENDENT EVENTS ARE THOSE WHOSE OUTCOMES DO NOT AFFECT EACH OTHER, WHILE DEPENDENT EVENTS ARE THOSE WHERE THE OUTCOME OF ONE EVENT AFFECTS THE OUTCOME OF ANOTHER.

### CAN YOU GIVE AN EXAMPLE OF A COMPOUND EVENT?

AN EXAMPLE OF A COMPOUND EVENT IS ROLLING A DIE AND FLIPPING A COIN. THE OUTCOME CAN BE EXPRESSED AS A PAIR (DIE RESULT, COIN RESULT).

### HOW DO YOU CALCULATE THE PROBABILITY OF DEPENDENT COMPOUND EVENTS?

TO CALCULATE THE PROBABILITY OF DEPENDENT COMPOUND EVENTS, YOU FIRST FIND THE PROBABILITY OF THE FIRST EVENT AND THEN MULTIPLY IT BY THE CONDITIONAL PROBABILITY OF THE SECOND EVENT GIVEN THAT THE FIRST EVENT HAS OCCURRED.

### WHAT IS THE FORMULA FOR CALCULATING THE PROBABILITY OF EITHER EVENT OCCURRING (UNION) IN COMPOUND EVENTS?

THE FORMULA FOR THE PROBABILITY OF EITHER EVENT A OR EVENT B OCCURRING IS  $P(A \text{ OR } B) = P(A) + P(B) - P(A \text{ AND } B)$ .

### WHAT DOES IT MEAN IF TWO EVENTS ARE MUTUALLY EXCLUSIVE?

TWO EVENTS ARE MUTUALLY EXCLUSIVE IF THEY CANNOT OCCUR AT THE SAME TIME, MEANING THE OCCURRENCE OF ONE EVENT MEANS THE OTHER CANNOT OCCUR.

### HOW CAN VENN DIAGRAMS HELP IN UNDERSTANDING COMPOUND EVENTS?

VENN DIAGRAMS VISUALLY REPRESENT THE RELATIONSHIPS BETWEEN EVENTS, HELPING TO ILLUSTRATE INTERSECTIONS, UNIONS, AND THE PROBABILITIES OF COMPOUND EVENTS.



Jun 8, 2025 · MateBook 14 Linux

ThinkBook 14+/16+ 2025  500    
 ThinkBook 14+ 2025  ...

[illegible][illegible]

199

12 14-16 14-16 14

...

Jun 10, 2025 · 14+

Dec 12, 2024 · 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 1.5 1.6v 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2.0 2.1 2.2 2.3 2.4 2.5 2.6 2.7 2.8 2.9 3.0 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4.0 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8 4.9 5.0 5.1 5.2 5.3 5.4 5.5 5.6 5.7 5.8 5.9 6.0 6.1 6.2 6.3 6.4 6.5 6.6 6.7 6.8 6.9 7.0 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8 7.9 8.0 8.1 8.2 8.3 8.4 8.5 8.6 8.7 8.8 8.9 9.0 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 10.0 10.1 10.2 10.3 10.4 10.5 10.6 10.7 10.8 10.9 11.0 11.1 11.2 11.3 11.4 11.5 11.6 11.7 11.8 11.9 12.0 12.1 12.2 12.3 12.4 12.5 12.6 12.7 12.8 12.9 13.0 13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14.0 14.1 14.2 14.3 14.4 14.5 14.6 14.7 14.8 14.9 15.0 15.1 15.2 15.3 15.4 15.5 15.6 15.7 15.8 15.9 16.0 16.1 16.2 16.3 16.4 16.5 16.6 16.7 16.8 16.9 17.0 17.1 17.2 17.3 17.4 17.5 17.6 17.7 17.8 17.9 18.0 18.1 18.2 18.3 18.4 18.5 18.6 18.7 18.8 18.9 19.0 19.1 19.2 19.3 19.4 19.5 19.6 19.7 19.8 19.9 20.0 20.1 20.2 20.3 20.4 20.5 20.6 20.7 20.8 20.9 21.0 21.1 21.2 21.3 21.4 21.5 21.6 21.7 21.8 21.9 22.0 22.1 22.2 22.3 22.4 22.5 22.6 22.7 22.8 22.9 23.0 23.1 23.2 23.3 23.4 23.5 23.6 23.7 23.8 23.9 24.0 24.1 24.2 24.3 24.4 24.5 24.6 24.7 24.8 24.9 25.0 25.1 25.2 25.3 25.4 25.5 25.6 25.7 25.8 25.9 26.0 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 27.0 27.1 27.2 27.3 27.4 27.5 27.6 27.7 27.8 27.9 28.0 28.1 28.2 28.3 28.4 28.5 28.6 28.7 28.8 28.9 29.0 29.1 29.2 29.3 29.4 29.5 29.6 29.7 29.8 29.9 30.0 30.1 30.2 30.3 30.4 30.5 30.6 30.7 30.8 30.9 31.0 31.1 31.2 31.3 31.4 31.5 31.6 31.7 31.8 31.9 32.0 32.1 32.2 32.3 32.4 32.5 32.6 32.7 32.8 32.9 33.0 33.1 33.2 33.3 33.4 33.5 33.6 33.7 33.8 33.9 34.0 34.1 34.2 34.3 34.4 34.5 34.6 34.7 34.8 34.9 35.0 35.1 35.2 35.3 35.4 35.5 35.6 35.7 35.8 35.9 36.0 36.1 36.2 36.3 36.4 36.5 36.6 36.7 36.8 36.9 37.0 37.1 37.2 37.3 37.4 37.5 37.6 37.7 37.8 37.9 38.0 38.1 38.2 38.3 38.4 38.5 38.6 38.7 38.8 38.9 39.0 39.1 39.2 39.3 39.4 39.5 39.6 39.7 39.8 39.9 40.0 40.1 40.2 40.3 40.4 40.5 40.6 40.7 40.8 40.9 41.0 41.1 41.2 41.3 41.4 41.5 41.6 41.7 41.8 41.9 42.0 42.1 42.2 42.3 42.4 42.5 42.6 42.7 42.8 42.9 43.0 43.1 43.2 43.3 43.4 43.5 43.6 43.7 43.8 43.9 44.0 44.1 44.2 44.3 44.4 44.5 44.6 44.7 44.8 44.9 45.0 45.1 45.2 45.3 45.4 45.5 45.6 45.7 45.8 45.9 46.0 46.1 46.2 46.3 46.4 46.5 46.6 46.7 46.8 46.9 47.0 47.1 47.2 47.3 47.4 47.5 47.6 47.7 47.8 47.9 48.0 48.1 48.2 48.3 48.4 48.5 48.6 48.7 48.8 48.9 49.0 49.1 49.2 49.3 49.4 49.5 49.6 49.7 49.8 49.9 50.0 50.1 50.2 50.3 50.4 50.5 50.6 50.7 50.8 50.9 51.0 51.1 51.2 51.3 51.4 51.5 51.6 51.7 51.8 51.9 52.0 52.1 52.2 52.3 52.4 52.5 52.6 52.7 52.8 52.9 53.0 53.1 53.2 53.3 53.4 53.5 53.6 53.7 53.8 53.9 54.0 54.1 54.2 54.3 54.4 54.5 54.6 54.7 54.8 54.9 55.0 55.1 55.2 55.3 55.4 55.5 55.6 55.7 55.8 55.9 56.0 56.1 56.2 56.3 56.4 56.5 56.6 56.7 56.8 56.9 57.0 57.1 57.2 57.3 57.4 57.5 57.6 57.7 57.8 57.9 58.0 58.1 58.2 58.3 58.4 58.5 58.6 58.7 58.8 58.9 59.0 59.1 59.2 59.3 59.4 59.5 59.6 59.7 59.8 59.9 60.0 60.1 60.2 60.3 60.4 60.5 60.6 60.7 60.8 60.9 61.0 61.1 61.2 61.3 61.4 61.5 61.6 61.7 61.8 61.9 62.0 62.1 62.2 62.3 62.4 62.5 62.6 62.7 62.8 62.9 63.0 63.1 63.2 63.3 63.4 63.5 63.6 63.7 63.8 63.9 64.0 64.1 64.2 64.3 64.4 64.5 64.6 64.7 64.8 64.9 65.0 65.1 65.2 65.3 65.4 65.5 65.6 65.7 65.8 65.9 66.0 66.1 66.2 66.3 66.4 66.5 66.6 66.7 66.8 66.9 67.0 67.1 67.2 67.3 67.4 67.5 67.6 67.7 67.8 67.9 68.0 68.1 68.2 68.3 68.4 68.5 68.6 68.7 68.8 68.9 69.0 69.1 69.2 69.3 69.4 69.5 69.6 69.7 69.8 69.9 70.0 70.1 70.2 70.3 70.4 70.5 70.6 70.7 70.8 70.9 71.0 71.1 71.2 71.3 71.4 71.5 71.6 71.7 71.8 71.9 72.0 72.1 72.2 72.3 72.4 72.5 72.6 72.7 72.8 72.9 73.0 73.1 73.2 73.3 73.4 73.5 73.6 73.7 73.8 73.9 74.0 74.1 74.2 74.3 74.4 74.5 74.6 74.7 74.8 74.9 75.0 75.1 75.2 75.3 75.4 75.5 75.6 75.7 75.8 75.9 76.0 76.1 76.2 76.3 76.4 76.5 76.6 76.7 76.8 76.9 77.0 77.1 77.2 77.3 77.4 77.5 77.6 77.7 77.8 77.9 78.0 78.1 78.2 78.3 78.4 78.5 78.6 78.7 78.8 78.9 79.0 79.1 79.2 79.3 79.4 79.5 79.6 79.7 79.8 79.9 80.0 80.1 80.2 80.3 80.4 80.5 80.6 80.7 80.8 80.9 81.0 81.1 81.2 81.3 81.4 81.5 81.6 81.7 81.8 81.9 82.0 82.1 82.2 82.3 82.4 82.5 82.6 82.7 82.8 82.9 83.0 83.1 83.2 83.

[illegible][illegible]

Jun 8, 2025 · MateBook 14 Linux

[Back to Home](#)