


# 100 Useful Pico Questions For Nursing Research



## 100 Useful PICO Questions for Nursing Research

In the field of nursing research, formulating a well-structured question is crucial for guiding inquiry and ensuring relevant and impactful results. One effective method for developing research questions is the PICO framework, which stands for Patient/Population, Intervention, Comparison, and Outcome. This approach allows researchers to clearly define the components of their study, facilitating a focused investigation. In this article, we will explore 100 useful PICO questions for nursing research, covering various topics such as patient care, interventions, and outcomes.

## Understanding the PICO Framework

The PICO framework is a systematic way of formulating research questions that can lead to evidence-based practice. Each component of the PICO acronym serves a specific purpose:

- **P (Patient/Population):** Identifies the patient group or population of interest.
- **I (Intervention):** Describes the intervention or treatment being studied.
- **C (Comparison):** Explains the alternative intervention or the control group (if applicable).
- **O (Outcome):** Specifies the expected outcomes or effects of the intervention.

By utilizing this framework, nurses and researchers can create focused and answerable questions that contribute to the body of nursing knowledge.

# Categories of PICO Questions

PICO questions can be categorized based on various areas of nursing practice, including chronic disease management, mental health, pediatrics, geriatrics, and more. Below are several categories, along with corresponding PICO question examples.

## 1. Chronic Disease Management

1. In adults with diabetes (P), how does a low-carbohydrate diet (I) compared to a standard diet (C) affect blood sugar control (O)?
2. In patients with hypertension (P), does regular physical activity (I) lead to lower blood pressure (O) compared to a sedentary lifestyle (C)?
3. In individuals with chronic obstructive pulmonary disease (COPD) (P), how effective is pulmonary rehabilitation (I) versus standard care (C) in improving quality of life (O)?

## 2. Mental Health

4. In adolescents with anxiety disorders (P), does cognitive-behavioral therapy (I) improve symptom management (O) compared to medication alone (C)?
5. In older adults experiencing depression (P), how does group therapy (I) compare to individual therapy (C) in reducing depressive symptoms (O)?
6. In patients with schizophrenia (P), does early intervention (I) lead to better long-term outcomes (O) compared to delayed treatment (C)?

## 3. Pediatrics

7. In children with asthma (P), how does the use of a spacer device (I) compared to nebulization (C) affect medication delivery (O)?
8. In infants born prematurely (P), does kangaroo care (I) improve weight gain (O) compared to conventional care (C)?
9. In children with attention-deficit/hyperactivity disorder (ADHD) (P), does behavioral therapy (I) lead to improved academic performance (O) compared to medication treatment (C)?

## 4. Geriatrics

10. In elderly patients with dementia (P), does structured daily activity (I) affect cognitive decline (O) when compared to standard care (C)?
11. In older adults with heart failure (P), does a home monitoring program (I) reduce hospital readmissions (O) compared to usual care (C)?

12. In frail elderly patients (P), how does a multidisciplinary team approach (I) impact overall health outcomes (O) compared to standard medical care (C)?

## **5. Pain Management**

13. In patients with chronic back pain (P), does acupuncture (I) reduce pain levels (O) compared to standard pain management treatment (C)?

14. In post-operative patients (P), how effective is a multimodal analgesia approach (I) in reducing opioid consumption (O) compared to opioid monotherapy (C)?

15. In cancer patients experiencing pain (P), does palliative care (I) improve pain control (O) compared to conventional treatment (C)?

## **6. Infection Control**

16. In hospitalized patients (P), how does the implementation of hand hygiene protocols (I) reduce the incidence of healthcare-associated infections (O) compared to no intervention (C)?

17. In patients undergoing surgery (P), does the use of preoperative antibiotics (I) decrease the risk of surgical site infections (O) compared to placebo (C)?

18. In long-term care facilities (P), how effective are vaccination programs (I) in reducing influenza cases (O) compared to standard care (C)?

## **7. Health Promotion and Prevention**

19. In adults aged 50 and older (P), does participation in a health education program (I) increase screening rates for colorectal cancer (O) compared to no intervention (C)?

20. In pregnant women (P), how does education on breastfeeding (I) affect breastfeeding initiation rates (O) compared to standard prenatal care (C)?

21. In adolescents (P), does a school-based sexual health program (I) reduce rates of sexually transmitted infections (O) compared to no program (C)?

## **8. Quality of Life Interventions**

22. In patients with chronic illness (P), does a mindfulness-based intervention (I) improve quality of life (O) compared to usual care (C)?

23. In patients receiving chemotherapy (P), how does the use of music therapy (I) affect anxiety levels (O) compared to standard care (C)?

24. In individuals with obesity (P), does participation in a weight loss support group (I) improve self-esteem (O) compared to no support (C)?

# Expanding the PICO Question List

The following is a continuation of PICO questions across various nursing research domains, illustrating the versatility of the framework.

## 9. Nutrition and Diet

- 25. In patients with heart disease (P), does a Mediterranean diet (I) improve cardiovascular health (O) compared to a low-fat diet (C)?
- 26. In diabetic patients (P), how does a plant-based diet (I) compare to a traditional diet (C) in terms of glycemic control (O)?
- 27. In elderly patients (P), does nutritional supplementation (I) improve muscle strength (O) compared to standard dietary intake (C)?

## 10. Patient Safety

- 28. In acute care settings (P), does the implementation of a falls prevention program (I) reduce the incidence of falls (O) compared to usual practices (C)?
- 29. In surgical patients (P), how does the use of checklists (I) affect the rate of surgical errors (O) compared to no checklist (C)?
- 30. In pediatric units (P), does the use of technology to monitor vital signs (I) improve patient safety outcomes (O) compared to manual monitoring (C)?

## 11. Technology in Nursing

- 31. In patients with chronic illnesses (P), does telehealth (I) improve access to care (O) compared to traditional face-to-face visits (C)?
- 32. In nursing education (P), how does simulation-based learning (I) affect clinical skills proficiency (O) compared to traditional lectures (C)?
- 33. In home care patients (P), does the use of mobile health applications (I) enhance medication adherence (O) compared to non-use (C)?

## 12. End-of-Life Care

- 34. In terminally ill patients (P), does hospice care (I) improve quality of life (O) compared to standard medical care (C)?
- 35. In families of patients receiving palliative care (P), does bereavement support (I) reduce traumatic grief symptoms (O) compared to no support (C)?
- 36. In patients with advanced cancer (P), how does early palliative care involvement (I) compare to delayed involvement (C) in terms of symptom management (O)?

## 13. Health Disparities

- 37. In low-income populations (P), does community health nursing intervention (I) improve access to preventive services (O) compared to standard care (C)?
- 38. In racial minorities (P), how does culturally competent care (I) affect patient satisfaction (O) compared to standard care practices (C)?
- 39. In rural patients (P), does mobile health outreach (I) improve chronic disease management (O) compared to conventional healthcare access (C)?

## 14. Nursing Education

- 40. In nursing students (P), does active learning (I) enhance critical thinking skills (O) compared to traditional lecture-based learning (C)?
- 41. In graduate nursing programs (P), how does interprofessional education (I) affect collaborative practice readiness (O) compared to no interprofessional training (C)?
- 42. In new graduate nurses (P), does mentorship (I) improve job satisfaction (O) compared to independent practice (C)?

## 15. Substance Abuse

- 43. In adolescents with substance use disorders (P), does motivational interviewing (I) improve treatment outcomes (O) compared to standard counseling (C)?
- 44. In pregnant women with addiction issues (P), does integrated treatment (I) improve neonatal outcomes (O) compared to standard treatment (C)?
- 45. In adults in recovery (P), does participation in a support group (I) reduce relapse rates (O) compared to no participation (C)?

## Conclusion

The PICO

## Frequently Asked Questions

### What are pico questions and why are they important in nursing research?

PICO questions are a framework used to formulate clinical research questions in a systematic way, focusing on Patient/Population, Intervention, Comparison, and Outcome. They are important in nursing research as they help to clarify the research focus and guide literature reviews, study designs,

and evidence-based practice.

## **How can I create effective PICO questions for nursing research?**

To create effective PICO questions, identify a specific patient population or problem, determine the intervention you are interested in, consider a comparison intervention or control, and define the desired outcome. Make sure the question is clear and concise to facilitate focused research.

## **What are some examples of PICO questions relevant to nursing practice?**

Examples of PICO questions include: 1) In elderly patients (P), does the use of mobility aids (I) compared to no aids (C) improve fall prevention (O)? 2) In patients with chronic pain (P), does cognitive-behavioral therapy (I) reduce pain levels (O) compared to standard pain management (C)?

## **How can PICO questions enhance evidence-based practice in nursing?**

PICO questions enhance evidence-based practice by providing a structured approach to developing clinical inquiries, allowing nurses to search for specific evidence, evaluate research studies, and apply findings to improve patient care and outcomes.

## **What resources are available for finding PICO questions in nursing research?**

Resources for finding PICO questions include academic databases like PubMed and CINAHL, nursing journals, evidence-based practice guidelines, and textbooks focused on nursing research methodologies. Additionally, many universities offer workshops on formulating PICO questions.

## **Can PICO questions be adapted for qualitative nursing research?**

Yes, PICO questions can be adapted for qualitative nursing research by modifying the framework to include concepts such as Experience, Perception, Context, and Outcome, allowing for a focus on understanding patient experiences and phenomena rather than quantifiable outcomes.

Find other PDF article:

<https://soc.up.edu.ph/42-scope/pdf?trackid=qdW12-9085&title=motorized-pallet-jack-training.pdf>

## 100 Useful Pico Questions For Nursing Research

□□□□□□□□□□□□? - □□

120mmHg 80mmHg 30 50 140 90 150 100 ...

□□ - □□□□□□□□



2011 年 1 月 ...

## Excel ( )





[illegible][illegible][illegible]

□□□□□□□□□□ □□□□□□□□□□1□□□□□□□□□□□□□□÷ |□□□□×100%□□□□3□□□□100□□□□3□□□□300□□  
□□□□□□□ ...

[illegible]

Oct 2, 2024 ·    
 ...

1-6 2025 ...

Feb 5, 2025 ·   
   ...

400 □□□□□□□□□□□□□□□□□□□□□□□□

Oct 10, 2023 ·

□□2025□7□□□□□□□□□□□□□□□□□□□□

Jul 21, 2025 · 100% P2 Lite / VXE R1 SE / IN6 / ATK A9 SE PAW3311 ...

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ - □ □ □ □

Sep 11, 2024 · 1. ...

□□□□□□□□□□□□? - □□

120mmHg 80mmHg 30 50 140 90 150 100 ...

<div style="border: 1px solid black; width: 20px; height: 20px; display: flex; align-items: center; justify-content: center; margin: 2px;"> <div style="border: 1px solid black; width: 10px; height: 10px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 5px; height: 5px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 2px; height: 2px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 1px; height: 1px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.5px; height: 0.5px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.2px; height: 0.2px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.1px; height: 0.1px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.05px; height: 0.05px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.02px; height: 0.02px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.01px; height: 0.01px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.005px; height: 0.005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.002px; height: 0.002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.001px; height: 0.001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0005px; height: 0.0005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0002px; height: 0.0002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0001px; height: 0.0001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00005px; height: 0.00005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00002px; height: 0.00002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00001px; height: 0.00001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000005px; height: 0.000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000002px; height: 0.000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000001px; height: 0.000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000005px; height: 0.0000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000002px; height: 0.0000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000001px; height: 0.0000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000005px; height: 0.00000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000002px; height: 0.00000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000001px; height: 0.00000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000005px; height: 0.000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000002px; height: 0.000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000001px; height: 0.000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000005px; height: 0.0000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000002px; height: 0.0000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000001px; height: 0.0000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000005px; height: 0.00000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000002px; height: 0.00000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000001px; height: 0.00000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000005px; height: 0.000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000002px; height: 0.000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000001px; height: 0.000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000005px; height: 0.0000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000002px; height: 0.0000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000001px; height: 0.0000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000005px; height: 0.00000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000002px; height: 0.00000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000001px; height: 0.00000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000005px; height: 0.000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000002px; height: 0.000000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000001px; height: 0.000000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000000005px; height: 0.0000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000000002px; height: 0.0000000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000000001px; height: 0.0000000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000000005px; height: 0.00000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000000002px; height: 0.00000000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000000001px; height: 0.00000000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000000005px; height: 0.000000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000000002px; height: 0.000000000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000000001px; height: 0.000000000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000000000005px; height: 0.0000000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000000000002px; height: 0.0000000000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.0000000000000000001px; height: 0.0000000000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000000000005px; height: 0.00000000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000000000002px; height: 0.00000000000000000002px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.00000000000000000001px; height: 0.00000000000000000001px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000000000005px; height: 0.000000000000000000005px; display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid black; width: 0.000000000000000000002px; height: 0.000000000000000000002px; display: flex; align-items: center; justify-content: center;"> </div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
--

2011 年 1 月 ...

## Excel 関数 (関数)

Feb 19, 2025 · number1 [\[Title\]](#)

[\[Title\]](#)  
[Description]  
...

[\[Title\]](#)  
[Description]  
[Equation] ...

[\[Title\]](#)  
Oct 2, 2024 · [Description]  
[Title] ...

[\[Title\]](#)  
Feb 5, 2025 · [Description]  
[Title] ...

[400 \[Title\]](#)  
Oct 10, 2023 · [Description]

[\[Title\]](#)  
Jul 21, 2025 · 100 [Title] P2 Lite / VXE [Title] R1 SE / [Title] IN6 [Title] / ATK A9 SE [Title]  
[Title] PAW3311 [Title] ...

[\[Title\] - \[Title\]](#)  
Sep 11, 2024 · [Description]  
[Title] ...

Explore 100 useful pico questions for nursing research to enhance your study design and improve patient outcomes. Discover how to elevate your research today!

[Back to Home](#)