

# Advanced Algebra Problems With Solutions

## SOLVING RATIONAL EQUATIONS

$$1. \left( \frac{1}{6k^2} = \frac{1}{3k^2} - \frac{1}{k} \right) 6k^2$$

$$1 = 2 - 6k$$

$$1 - 2 = -6k$$

$$\frac{-1}{-6} = \frac{-6k}{-6}$$

$$\boxed{-\frac{1}{6} = k}$$

$$2. \left( \frac{1}{n^2} + \frac{1}{n} = \frac{1}{2n^2} \right) 2n^2$$

$$2 + 2n = 1$$

$$2n = 1 - 2$$

$$\frac{2n}{2} = \frac{-1}{2}$$

$$\boxed{n = -\frac{1}{2}}$$

$$3. \left( \frac{1}{6b^2} + \frac{1}{6b} = \frac{1}{6b^2} \right) 6b^2$$

$$1 + b = 6$$

$$b = 6 - 1$$

$$\boxed{b = 5}$$

$$4. \left( \frac{b+6}{4b^2} + \frac{3}{2b^2} = \frac{b+4}{2b^2} \right) 4b^2$$

$$b + 6 + 6 = 2b + 8$$

$$b + 12 = 2b + 8$$

$$b - 2b = 8 - 12$$

$$\frac{-b}{-1} = \frac{-4}{-1}$$

$$\boxed{b = 4}$$

$$5. \left( \frac{1}{x} = \frac{6}{5x} + 1 \right) 5x$$

$$5 = 6 + 5x$$

$$5 - 6 = 5x$$

$$\frac{-1}{5} = \frac{5x}{5}$$

$$\boxed{-\frac{1}{5} = x}$$

$$6. \left( \frac{1}{6x^2} = \frac{1}{2x} + \frac{7}{6x^2} \right) 6x^2$$

$$1 - 7 = 3x$$

$$\frac{-6}{3} = \frac{3x}{3}$$

$$\boxed{-2 = x}$$

$$7. \left( \frac{1}{v} + \frac{3v+12}{v^2-5v} = \frac{7v-56}{v^2-5v} \right) v^2-5v$$

$$v - 5v + 3v + 12 = 7v - 56$$

$$-1v + 12 = 7v - 56$$

$$-1v - 7v = -56 + 12$$

$$\frac{-8v}{-8} = \frac{-44}{-8}$$

$$\boxed{v = \frac{44}{8} \text{ or } \frac{11}{2} \text{ or } 5\frac{1}{2}}$$

## Advanced Algebra Problems with Solutions

Algebra is a branch of mathematics that deals with symbols and the rules for manipulating those symbols. It is a foundational element of mathematics, applicable in various fields like physics, engineering, economics, and more. In this article, we will explore advanced algebra problems that challenge students and enthusiasts alike. Each problem will be accompanied by a detailed solution to enhance understanding. We will cover topics such as polynomial equations, systems of equations, inequalities, and functions.

# Advanced Polynomial Equations

Polynomial equations are equations that involve variables raised to whole number powers. Here we will discuss two advanced problems involving polynomials.

## Problem 1: Roots of a Polynomial

Consider the polynomial equation:

$$p(x) = x^4 - 5x^3 + 6x^2 + 4x - 8 = 0$$

Problem: Find the roots of the polynomial.

Solution:

To find the roots of the polynomial, we can use the Rational Root Theorem, synthetic division, or numerical methods.

1. Check for possible rational roots by testing the factors of  $-8$  (the constant term) over the factors of  $1$  (the leading coefficient). The possible rational roots are  $\pm 1, \pm 2, \pm 4, \pm 8$ .

2. Testing  $x = 2$ :

$$p(2) = 2^4 - 5(2^3) + 6(2^2) + 4(2) - 8 = 16 - 40 + 24 + 8 - 8 = 0$$

Thus,  $x = 2$  is a root.

3. Now perform synthetic division of  $p(x)$  by  $(x - 2)$ :

$$\begin{array}{r|rrrrr} 2 & 1 & -5 & 6 & 4 & -8 \\ & & 2 & -6 & 0 & 8 \\ \hline & 1 & -3 & 0 & 4 & 0 \end{array}$$

This gives us  $x^3 - 3x^2 + 4 = 0$ .

4. Now we need to find the roots of  $x^3 - 3x^2 + 4 = 0$ :

We can use the Rational Root Theorem again. Testing  $x = 1$ :

$$1^3 - 3(1^2) + 4 = 1 - 3 + 4 = 2 \quad (\text{not a root})$$

Testing  $x = -1$ :

$$(-1)^3 - 3(-1)^2 + 4 = -1 - 3 + 4 = 0 \quad (\text{is a root})$$

5. Perform synthetic division again:

$$\begin{array}{r|rrr} -1 & 1 & -3 & 4 \\ & & -1 & 4 \\ \hline & 1 & -4 & 0 \end{array}$$

```

\hline
& 1 & -4 & 0 \\
\end{array}
\]
This gives us  $(x^2 - 4 = 0)$ , which factors to:
\begin{aligned}
& (x - 2)(x + 2) = 0
\end{aligned}
\]

```

Thus, the roots of the original polynomial are:

```

\begin{aligned}
& x = 2, x = -1, x = 2, x = -2
\end{aligned}
\]

```

## Problem 2: Polynomial Remainder Theorem

Problem: Using the Polynomial Remainder Theorem, find the remainder when  $p(x) = 3x^3 - 2x^2 + 5x - 7$  is divided by  $(x - 4)$ .

Solution:

According to the Polynomial Remainder Theorem, the remainder of the division of a polynomial  $p(x)$  by  $(x - c)$  is  $p(c)$ .

```

1. Calculate  $p(4)$ :
\begin{aligned}
& p(4) = 3(4^3) - 2(4^2) + 5(4) - 7 \\
& = 3(64) - 2(16) + 20 - 7 \\
& = 192 - 32 + 20 - 7 = 173
\end{aligned}
\]

```

Therefore, the remainder when  $p(x)$  is divided by  $(x - 4)$  is 173.

## Systems of Equations

Systems of equations can be solved using various methods such as substitution, elimination, or matrix approaches. Here we will go through a couple of advanced problems involving systems.

## Problem 3: Solving a Nonlinear System

Problem: Solve the following system of equations:

```

\begin{align}
& x^2 + y^2 = 25 \quad \text{(1)} \\
& y = 3x - 4 \quad \text{(2)}
\end{align}
\]

```

Solution:

1. Substitute equation (2) into equation (1):

$$x^2 + (3x - 4)^2 = 25$$

$$x^2 + (9x^2 - 24x + 16) = 25$$

$$10x^2 - 24x + 16 = 25$$

$$10x^2 - 24x - 9 = 0$$

2. Using the quadratic formula, where  $(a = 10, b = -24, c = -9)$ :

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{24 \pm \sqrt{(-24)^2 - 4(10)(-9)}}{2(10)} = \frac{24 \pm \sqrt{576 + 360}}{20}$$

$$= \frac{24 \pm \sqrt{936}}{20} = \frac{24 \pm 6\sqrt{26}}{20} = \frac{12 \pm 3\sqrt{26}}{10}$$

3. Finding  $(y)$  using equation (2):

$$y = 3x - 4$$

By substituting the values of  $(x)$ , we can calculate the corresponding values of  $(y)$ .

## Problem 4: Linear Combination of Equations

Problem: Solve the following system of equations using the elimination method:

$$\begin{aligned} 2x + 3y &= 8 \quad \text{(1)} \\ 4x - y &= 2 \quad \text{(2)} \end{aligned}$$

Solution:

1. Multiply equation (1) by 2 to align coefficients:

$$4x + 6y = 16 \quad \text{(3)}$$

2. Now subtract equation (2) from equation (3):

$$\begin{aligned} & \backslash[ \\ & (4x + 6y) - (4x - y) = 16 - 2 \\ & \backslash] \\ & \backslash[ \\ & 7y = 14 \rightarrow y = 2 \\ & \backslash] \end{aligned}$$

3. Substitute  $(y = 2)$  back into equation (1):

$$\begin{aligned} & \backslash[ \\ & 2x + 3(2) = 8 \rightarrow 2x + 6 = 8 \rightarrow 2x = 2 \rightarrow x = 1 \\ & \backslash] \end{aligned}$$

Thus, the solution to the system is  $(x = 1)$  and  $(y = 2)$ .

## Inequalities and Functions

Understanding inequalities and functions is essential in advanced algebra. Below we will work through a couple of advanced problems involving these concepts.

### Problem 5: Solving Inequalities

Problem: Solve the inequality:

$$\begin{aligned} & \backslash[ \\ & 3x - 5 < 2x + 1 \\ & \backslash] \end{aligned}$$

Solution:

1. Isolate the variable  $(x)$ :

$$\begin{aligned} & \backslash[ \\ & 3x - 2x < 1 + 5 \\ & \backslash] \\ & \backslash[ \\ & x < 6 \\ & \backslash] \end{aligned}$$

Thus, the solution to the inequality is  $(x < 6)$ .

### Problem 6: Analyzing a Function

Problem: For the function  $(f(x) = x^3 - 3x^2 + 2x)$ , find the critical points and determine the local maxima and minima.

Solution:

1. Find the derivative  $(f'(x))$ :

$$\begin{aligned} & \backslash[ \\ & f'(x) = 3x^2 - 6x + 2 \\ & \backslash] \end{aligned}$$

2. Set the derivative to zero to find critical points:

## Frequently Asked Questions

**What is the solution to the equation  $3x^2 - 12x + 9 = 0$ ?**

The equation can be simplified to  $x^2 - 4x + 3 = 0$ , which factors to  $(x - 3)(x - 1) = 0$ . Thus, the solutions are  $x = 3$  and  $x = 1$ .

**How do you solve the system of equations  $2x + 3y = 6$  and  $x - y = 1$ ?**

From the second equation,  $x = y + 1$ . Substituting into the first equation gives  $2(y + 1) + 3y = 6$ , which simplifies to  $5y + 2 = 6$ . Thus,  $y = 0.8$  and  $x = 1.8$ .

**What is the value of  $x$  in the exponential equation  $2^{(x+1)} = 32$ ?**

Since 32 is  $2^5$ , we can set  $x + 1 = 5$ . Thus,  $x = 4$ .

**How do you factor the polynomial  $x^3 - 6x^2 + 11x - 6$ ?**

The polynomial can be factored as  $(x - 1)(x - 2)(x - 3)$  by using synthetic division or trial and error to find the roots.

**What is the vertex of the parabola represented by the equation  $y = 2x^2 - 8x + 5$ ?**

The vertex can be found using the formula  $x = -b/(2a)$ . Here,  $a = 2$  and  $b = -8$ , so  $x = 2$ . Plugging  $x$  back into the equation gives  $y = 2(2^2) - 8(2) + 5 = -3$ . Thus, the vertex is  $(2, -3)$ .

**How do you solve the logarithmic equation  $\log(x) + \log(x - 3) = 1$ ?**

Using the property of logarithms,  $\log(x(x - 3)) = 1$ . This implies  $x(x - 3) = 10$ . Solving the quadratic equation  $x^2 - 3x - 10 = 0$ , we find  $x = 5$  and  $x = -2$ . Since  $\log$  must be positive, the solution is  $x = 5$ .

Find other PDF article:

<https://soc.up.edu.ph/08-print/Book?ID=QDp93-1154&title=barrons-fe-fundamentals-of-engineering-exam.pdf>

## Advanced Algebra Problems With Solutions

Mar 25, 2012 · She is available most mornings, except Tuesday, with advanced notice. She is available ...

### **advanced ticket or advance ticket | WordReference For...**

Feb 2, 2014 · In the UK we use advance ticket. This is used mostly for train tickets, but can be used for concerts ...

### **Advanced Registered Nurse Practitioner (ARNP) - WordRef...**

Jan 18, 2012 · An Advanced Registered Nurse Practitioner (ARNP) or a Physician's Assistant (PA) practicing ...

### Advanced Placement (AP) course - WordReference Foru...

Jan 3, 2007 · Hello! Quand on parle du système scolaire américain, que signifie "advanced-placement class" (en ...

### Checked in advanced? - WordReference Forums

Nov 30, 2007 · Hola, estoy haciendo una traducción al castellano de un informe de accidente de trabajo. Tengo mil ...

### **advance vs advanced notice - WordReference Forums**

Mar 25, 2012 · She is available most mornings, except Tuesday, with advanced notice. She is available most mornings, except Tuesday, with advance notice. Can "advanced notice" and ...

### **advanced ticket or advance ticket | WordReference Forums**

Feb 2, 2014 · In the UK we use advance ticket. This is used mostly for train tickets, but can be used for concerts etc. Advance booking is used to describe the process of buying tickets in ...

### **Advanced Registered Nurse Practitioner (ARNP) - WordReference ...**

Jan 18, 2012 · An Advanced Registered Nurse Practitioner (ARNP) or a Physician's Assistant (PA) practicing under the protocol of a supervising physician is also allowed to sign.) También ...

### **Advanced Placement (AP) course - WordReference Forums**

Jan 3, 2007 · Hello! Quand on parle du système scolaire américain, que signifie "advanced-placement class" (en sachant qu'on parle d'un lycéen). Y a-t-il une notion équivalente en ...

### Checked in advanced? - WordReference Forums

Nov 30, 2007 · Hola, estoy haciendo una traducción al castellano de un informe de accidente de trabajo. Tengo mil dudas sobre esta sección. 1. Compliance safe report permit 1.1 Has the ...

### **My English is at an advanced level - WordReference Forums**

Jun 15, 2015 · In job applications, I tend to speak of my proficiencies, e.g. "I am highly proficient in English." This is a handy construct, as you can substitute English skill with almost any other ...

### **Meeting has been advanced by one hour. - WordReference Forums**

May 15, 2018 · How should I say this? A:The meeting has been rescheduled. B:What is the new time for the meeting? A: It has been advanced by one hour.

### The advance-level/ an advanced-level/ advanced level

Dec 24, 2017 · "Advanced-level" looks fine for a compound adjective in that sentence. I might be satisfied with "advanced" by itself to say the same thing: I had attained an advanced ...

### **Advance or advanced - WordReference Forums**

Jan 2, 2011 · Is it "Advance Happy Birthday" or "Advanced Happy Birthday"?

### **advanced delivery - WordReference Forums**

Nov 23, 2011 · Hi. If a customer bought and paid for 200 items of clothing and the company wants to send him 100 tomorrow and the other 100 next friday what do you call the fact that 100 will ...

Master advanced algebra problems with solutions! Dive into our comprehensive guide and boost your skills. Discover how to solve complex equations effectively!

[Back to Home](#)