

Chebyshev Polynomials In Numerical Analysis



8.3 Chebyshev Polynomials and Economization of Power Series

Pafnuty Lvovich Chebyshev (1821–1894) did exceptional mathematical work in many areas, including applied mathematics, number theory, approximation theory, and probability. In 1852, he traveled from St. Petersburg to visit mathematicians in France, England, and Germany. Lagrange and Legendre had studied individual sets of orthogonal polynomials, but Chebyshev was the first to see the important consequences of studying the theory in general. He developed the Chebyshev polynomials to study least squares approximation and probability and then applied his results to interpolation, approximate quadrature, and other areas.

The Chebyshev polynomials $\{T_n(x)\}$ are orthogonal on $(-1, 1)$ with respect to the weight function $w(x) = (1 - x^2)^{-1/2}$. Although they can be derived by the method in the previous section, it is easier to give their definition and then show that they satisfy the required orthogonality properties.

For $x \in [-1, 1]$, define

$$T_n(x) = \cos[n \arccos x], \quad \text{for each } n \geq 0. \quad (8.8)$$

It might not be obvious from this definition that for each n , $T_n(x)$ is a polynomial in x , but we will now show this. First, note that

$$T_0(x) = \cos 0 = 1 \quad \text{and} \quad T_1(x) = \cos(\arccos x) = x.$$

For $n \geq 1$, we introduce the substitution $\theta = \arccos x$ to change this equation to

$$T_n(\theta(x)) = T_n(\theta) = \cos(n\theta), \quad \text{where } \theta \in [0, \pi].$$

A recurrence relation is derived by noting that

$$T_{n+1}(\theta) = \cos(n+1)\theta = \cos \theta \cos(n\theta) - \sin \theta \sin(n\theta)$$

and

$$T_{n-1}(\theta) = \cos(n-1)\theta = \cos \theta \cos(n\theta) + \sin \theta \sin(n\theta).$$

Adding these equations gives

$$T_{n+1}(\theta) = 2 \cos \theta \cos(n\theta) - T_{n-1}(\theta).$$

Returning to the variable $x = \cos \theta$, we have, for $n \geq 1$,

$$T_{n+1}(x) = 2x \cos(n \arccos x) - T_{n-1}(x),$$

that is,

$$T_{n+1}(x) = 2xT_n(x) - T_{n-1}(x). \quad (8.9)$$

Because $T_0(x) = 1$ and $T_1(x) = x$, the recurrence relation implies that the next three Chebyshev polynomials are

$$T_2(x) = 2xT_1(x) - T_0(x) = 2x^2 - 1,$$

$$T_3(x) = 2xT_2(x) - T_1(x) = 4x^3 - 3x,$$

and

$$T_4(x) = 2xT_3(x) - T_2(x) = 8x^4 - 8x^2 + 1.$$

The recurrence relation also implies that when $n \geq 1$, $T_n(x)$ is a polynomial of degree n with leading coefficient 2^{n-1} . The graphs of T_1 , T_2 , T_3 , and T_4 are shown in Figure 8.10.

Chebyshev polynomials are a sequence of orthogonal polynomials that arise in various areas of numerical analysis, including approximation theory, interpolation, and numerical integration. They are named after the Russian mathematician Pafnuty Chebyshev, who contributed significantly to their study in the 19th century. Chebyshev polynomials are particularly useful because they minimize the problems of oscillation and provide better convergence properties for polynomial approximations. This article delves into the properties, applications, and implications of Chebyshev polynomials in numerical analysis.

Overview of Chebyshev Polynomials

Chebyshev polynomials are defined over the interval $[-1, 1]$ and can be expressed using the following recurrence relation:

- $T_0(x) = 1$
- $T_1(x) = x$
- $T_n(x) = 2x T_{n-1}(x) - T_{n-2}(x)$ for $n \geq 2$

Alternatively, they can be expressed in a closed form as:

$$T_n(x) = \cos(n \arccos(x))$$

for $x \in [-1, 1]$. The Chebyshev polynomials of the first kind, denoted as $T_n(x)$, are the most commonly used, but there are also Chebyshev polynomials of the second kind, denoted $U_n(x)$, which are defined similarly.

Properties of Chebyshev Polynomials

Chebyshev polynomials exhibit several key properties that make them particularly valuable in numerical analysis:

- Orthogonality:** Chebyshev polynomials are orthogonal with respect to the weight function $w(x) = \frac{1}{\sqrt{1-x^2}}$ over the interval $[-1, 1]$. This means that:

$$\int_{-1}^1 T_m(x) T_n(x) w(x) dx = \begin{cases} 0 & \text{if } m \neq n \\ \pi & \text{if } m = n = 0 \\ \frac{\pi}{2} & \text{if } m = n \neq 0 \end{cases}$$

- Extremal Properties:** The Chebyshev polynomials minimize the maximum error in polynomial interpolation, a property known as the minimax property. This makes them ideal for polynomial approximation.

- Roots:** The roots of the Chebyshev polynomials are given by:

$$x_k = \cos\left(\frac{(2k-1)\pi}{2n}\right) \quad \text{for } k = 1, 2, \dots, n$$

These roots are evenly distributed in the interval $[-1, 1]$ and are used in polynomial interpolation methods.

4. **Recurrence Relation:** The recurrence relation provides an efficient way to compute Chebyshev polynomials without directly calculating their coefficients.

5. **Transformation Properties:** Chebyshev polynomials can be transformed to other intervals, which is essential when applying them in practical numerical problems.

Applications in Numerical Analysis

Chebyshev polynomials have a wide range of applications in various fields of numerical analysis:

1. Polynomial Approximation

One of the primary applications of Chebyshev polynomials is in polynomial approximation. The Chebyshev approximation theorem states that any continuous function can be approximated uniformly by a Chebyshev polynomial. This is particularly useful in minimizing the error in function approximation.

- **Chebyshev Series:** Any function $f(x)$ can be expressed in terms of Chebyshev polynomials as:

$$f(x) \approx \sum_{n=0}^N a_n T_n(x)$$

where (a_n) are the coefficients obtained by:

$$a_n = \frac{2}{\pi} \int_{-1}^1 f(x) T_n(x) w(x) dx$$

- **Error Minimization:** Using Chebyshev polynomials helps to reduce the Runge phenomenon, which is the large oscillation that can occur when using polynomials of high degree for interpolation.

2. Numerical Integration

Chebyshev polynomials also play a crucial role in numerical integration, particularly in the development of quadrature rules.

- Chebyshev Quadrature: The Chebyshev quadrature rule uses the roots of Chebyshev polynomials to evaluate integrals. The integral of a function can be approximated as:

$$\int_{-1}^1 f(x) w(x) dx \approx \sum_{i=1}^n f(x_i) \frac{\pi}{n}$$

where (x_i) are the roots of $(T_n(x))$.

- Efficient Computation: Chebyshev quadrature is particularly efficient for integrating functions that can be expressed in terms of Chebyshev polynomials, allowing for rapid convergence.

3. Spectral Methods

In solving differential equations, Chebyshev polynomials are often employed in spectral methods, which provide high accuracy solutions.

- Chebyshev Spectral Collocation: By approximating a function with Chebyshev polynomials, one can convert a differential equation into a system of algebraic equations. The collocation method involves selecting specific points (the roots of Chebyshev polynomials) to enforce the differential equation.

- Efficiency and Convergence: Spectral methods based on Chebyshev polynomials exhibit exponential convergence, making them highly effective for problems requiring high accuracy.

4. Interpolation

Chebyshev polynomials are also extensively used in interpolation methods, specifically in polynomial interpolation.

- Chebyshev Nodes: Instead of using equally spaced nodes, Chebyshev nodes (the roots of Chebyshev polynomials) are used to minimize interpolation errors. This approach significantly reduces the oscillations that occur with traditional polynomial interpolation methods.

- Chebyshev Interpolation: The polynomial interpolation can be expressed as:

$$P(x) = \sum_{i=0}^N f(x_i) \frac{T_n(x)}{T_n(x_i)}$$

where (x_i) are the Chebyshev nodes.

Conclusion

Chebyshev polynomials are a cornerstone of numerical analysis, providing powerful tools for polynomial approximation, numerical integration, spectral methods, and interpolation. Their unique properties, such as orthogonality, minimax behavior, and efficient computation mechanisms, make them invaluable in both theoretical and practical applications. As numerical methods continue to evolve, the relevance of Chebyshev polynomials remains significant, offering solutions to complex problems with high precision and efficiency. Understanding and applying Chebyshev polynomials can lead to substantial improvements in numerical methods, making them an essential topic of study for mathematicians and engineers alike.

Frequently Asked Questions

What are Chebyshev polynomials and why are they important in numerical analysis?

Chebyshev polynomials are a sequence of orthogonal polynomials that are defined on the interval $[-1, 1]$. They are important in numerical analysis because they minimize the error in polynomial interpolation, making them useful in approximating functions and solving differential equations.

How do Chebyshev polynomials help in polynomial interpolation?

Chebyshev polynomials help in polynomial interpolation by using Chebyshev nodes, which are the roots of Chebyshev polynomials. These nodes provide a more uniform distribution of interpolation points, reducing the Runge's phenomenon and improving the accuracy of polynomial approximations.

What is the significance of the Chebyshev semi-norm in numerical analysis?

The Chebyshev semi-norm is used to measure the maximum deviation of a function from its polynomial approximation. It helps in optimizing the choice of polynomial degree and in assessing the accuracy and performance of numerical methods that utilize Chebyshev polynomials.

Can you explain the relationship between Chebyshev polynomials and **Fourier series**?

Chebyshev polynomials can be used to approximate functions in a manner similar to Fourier series. They are particularly useful in situations where the function is not periodic, providing a way to represent functions using a finite series of Chebyshev polynomials for efficient computation.

What are the computational advantages of using Chebyshev polynomials in numerical methods?

The computational advantages of using Chebyshev polynomials include their numerical stability and efficiency in approximating functions. Chebyshev polynomial expansions converge faster than Taylor series, especially near the endpoints of the interval, which leads to reduced computational costs in numerical methods.

How are Chebyshev polynomials used in approximating solutions to differential equations?

Chebyshev polynomials are used in spectral methods for approximating solutions to differential equations. By expanding the solution in terms of Chebyshev polynomials, one can convert a differential equation into a system of algebraic equations, making it easier to solve numerically.

What role do Chebyshev polynomials play in the field of numerical optimization?

In numerical optimization, Chebyshev polynomials can be employed in the construction of optimization algorithms, particularly in polynomial approximation and interpolation methods. They help in finding optimal solutions by effectively modeling and approximating objective functions.

Find other PDF article:

<https://soc.up.edu.ph/66-gist/pdf?ID=ZPa48-2402&title=what-languages-do-full-stack-developers-use.pdf>

[Chebyshev Polynomials In Numerical Analysis](#)

Used Chevrolet Silverado 1500 for Sale Near Me

Description: Used 2021 Chevrolet Silverado 1500 Work Truck with Rear-Wheel Drive, Convenience Package, Value Package, ...

Used Chevy Silverado 1500 for Sale Near Me - Autotrader

Test drive Used Chevrolet Silverado 1500 at home from the top dealers in your area. Search from 41616 Used Chevrolet ...

Used Chevrolet Silverado 1500 Pickup Trucks near me for sale

Used Chevrolet Silverado 1500 Pickup Trucks for sale on carmax.com. Search used cars, research vehicle models, and compare ...

Used Chevrolet Silverado 1500 For Sale - AutoNation USA

Browse Used Chevrolet Silverado 1500 Trucks for Sale at AutoNation USA When purchasing a used Chevy Silverado 1500 ...

Chevrolet Silverado 1500 Trucks for Sale by Owner - Kelley ...

Shop, watch video walkarounds and compare prices on Chevrolet Silverado 1500 Trucks listings. See Kelley Blue Book pricing to ...

Fix AT&T Email Error: 'It's Not You, It's Us' - FAQ - JustAnswer

When encountering 'it's not you, it's us' errors on AT&T email via Windows, first clear your browser cache and cookies. Try accessing the account using a different browser or incognito mode to ...

ATT/Yahoo email account - Microsoft Community

Nov 9, 2022 · My ATT/Yahoo email account will work online and on my mobile device but not on my laptop with new Windows 10 install and new Microsoft Office 365 installed. I had this problem ...

How to Fix AT&T 'Something's Gone Wrong' Error Screen

Please try accessing the email account from another device, like mobile device, or from another computer. Please navigate to the same login page on the other device and see if you can access ...

When I sign into my email account it says logout ... - JustAnswer

Customer: Hello Pearl, Technician's Assistant: Hi. How can I help? Customer: When I sign into my email account it says logout successful. After ten seconds it goes back to the sign in page. And ...

17 April 2021 - Here is why ATT Email Cannot LOGIN to your ...

17 April 2021 - ATT Email Cannot LOGIN to your Desktop OUTLOOK 2010I have an Ameritech email address that I have used for over 20 years. I had it setup with my Desktop Version of OUTLOOK ...

Fix AT&T/Yahoo Email Login Error on Chrome - Q&A - JustAnswer

Try accessing the email in incognito mode to rule out extension interference. If issues persist, check AT&T/Yahoo server status for outages. Resetting your password or using a different browser can ...

Fix AT&T Email Logout Issue on Chrome & Edge | Q&A - JustAnswer

Frequent automatic logout and session timeouts when accessing email on laptop browsers. If you experience 'successful logout' messages when opening AT&T email on Chrome or Edge, clear ...

Troubleshooting AT&T Email Login Issues: Expert Q&A - JustAnswer

I cannot access my ATT email accounts because I have an overriding message from Yahoo asking for me to sign into each account. I want to verify this is a legitimate request from Yahoo and not ...

I'm getting an IMAP error when trying to link my ATT mail to outlook ...

Nov 24, 2023 · I'm attempting to link my ATT email account to Outlook, but I keep getting an IMAP error message.

I can't add my att email to outlook - Microsoft Community

Aug 18, 2024 · I'm having trouble setting up my att email in outlook. My IT person at work said ATT doesn't play well with outlook but I don't know what that means. Please help

Explore the role of Chebyshev polynomials in numerical analysis. Discover how they enhance approximation methods and improve computation accuracy. Learn more!

[Back to Home](#)