

Colligative Properties Worksheet Answers

| CHEMISTRY | COLLIGATIVE PROPERTIES WORKSHEET |
|--|--|
| D. Solve the following Problems | |
| 11. What is the boiling point of a solution made by dissolving 31 g of NaCl in 559 g of water? (Assume 100% ionization of NaCl.) | 14. What is the molecular mass of a substance if 22.5 g dissolved in 250 g of water produces a solution whose freezing point is -0.930°C ? |
| 12. Calculate the freezing point of an a nonionizing antifreeze solution containing 388g ethylene glycol, $\text{C}_2\text{H}_6\text{O}_2$, and 409 g of water. | 15 If 4.18 g of a nonionic solute is dissolved in 36.30 g of benzene, C_6H_6 , the freezing point is 2.70°C . Find the molar mass of this solute. The freezing point of benzene is 5.53°C and the K_f is $5.12^{\circ}\text{C}/\text{m}$. |
| 13. Calculate the boiling point of an ionic solution containing 29.7 g Na_2SO_4 and 84.4 g water. (Assume 100% ionization.) | |

Colligative properties worksheet answers are essential for understanding how the physical properties of solutions change when solutes are added. These properties depend on the number of solute particles in a solution, rather than the identity of the solute. As a result, they play a crucial role in various scientific fields, including chemistry, biology, and environmental science. This article will delve into the fundamental concepts surrounding colligative properties, explore the types of properties that fall under this category, and provide a guide on how to approach common worksheet problems related to these properties.

What are Colligative Properties?

Colligative properties are those properties of solutions that depend on the ratio of solute to solvent

particles rather than the specific chemical identities of the solute and solvent. These properties are significant because they can affect the physical behavior of solutions in various ways, making them a key focus in both theoretical and practical chemistry.

Key Characteristics of Colligative Properties

1. **Dependence on Solute Concentration:** The magnitude of the colligative properties is directly related to the number of solute particles present in the solution.
2. **Non-volatile Solute:** The properties are typically measured with non-volatile solutes, meaning that the solute does not evaporate under the conditions being studied.
3. **Applicable to All Types of Solutions:** Colligative properties can be observed in both ionic and molecular solutes, although ionic solutes dissociate into multiple particles.

Types of Colligative Properties

There are four primary colligative properties that are commonly studied:

1. Vapor Pressure Lowering

The addition of a non-volatile solute to a solvent results in a lowering of the solvent's vapor pressure. This phenomenon occurs because solute particles occupy space at the surface of the liquid, preventing some solvent molecules from escaping into the vapor phase.

- **Raoult's Law:** This law states that the vapor pressure of a solvent in a solution is directly proportional to the mole fraction of the solvent in the solution.

- **Formula:**

$$P_{\text{solution}} = P_{\text{solvent}} \times X_{\text{solvent}}$$

$$P_{\text{solution}} = X_{\text{solvent}} \times P^0_{\text{solvent}}$$

\]

Where P_{solution} is the vapor pressure of the solution, X_{solvent} is the mole fraction of the solvent, and P^0_{solvent} is the vapor pressure of the pure solvent.

2. Boiling Point Elevation

The boiling point of a solution is higher than that of the pure solvent. This occurs because the presence of solute particles disrupts the formation of vapor bubbles, requiring a higher temperature to reach the boiling point.

- Formula:

\[

$$\Delta T_b = i \cdot K_b \cdot m$$

\]

Where ΔT_b is the boiling point elevation, i is the van 't Hoff factor (number of particles the solute dissociates into), K_b is the ebullioscopic constant of the solvent, and m is the molality of the solution.

3. Freezing Point Depression

The freezing point of a solution is lower than that of the pure solvent. The presence of solute particles disrupts the orderly arrangement of solvent molecules, making it more difficult for the solution to solidify.

- Formula:

\[

$$\Delta T_f = i \cdot K_f \cdot m$$

\]

Where ΔT_f is the freezing point depression, K_f is the cryoscopic constant of the solvent, and m is the molality of the solution.

4. Osmotic Pressure

Osmotic pressure is the pressure required to stop the flow of solvent into a solution through a semipermeable membrane. The addition of solute increases the osmotic pressure of the solution.

- Formula:

$$\Pi = i \cdot C \cdot R \cdot T$$

Where Π is the osmotic pressure, C is the molar concentration of the solute, R is the universal gas constant, and T is the temperature in Kelvin.

Solving Colligative Properties Problems

When tackling colligative properties worksheet answers, it is essential to follow a systematic approach.

Here are some steps to guide you:

Step 1: Identify the Given Information

Carefully read the problem to identify what information is provided and what is being asked. Look for:

- The type of colligative property involved.
- The amount of solute and solvent.
- The specific constants needed for calculations (e.g., K_b , K_f).

Step 2: Choose the Appropriate Formula

Select the correct formula based on the type of colligative property you are dealing with. Ensure you understand each variable in the formula and how it relates to the problem.

Step 3: Calculate the Required Values

Perform the necessary calculations, keeping track of units and significant figures. If the problem involves a van 't Hoff factor, be sure to account for the dissociation of ionic compounds.

Step 4: Interpret Your Results

Once you have calculated the answer, interpret its significance in the context of the problem. Consider whether your results make sense based on the information provided.

Common Examples of Worksheet Problems

Here are some examples of colligative properties problems that are often found in worksheets, along with their answers:

Example 1: Vapor Pressure Lowering

Problem: A solution is prepared by dissolving 0.5 moles of a non-volatile solute in 1 kg of a solvent. The vapor pressure of the pure solvent is 100 mmHg. What is the vapor pressure of the solution?

Solution:

1. Calculate the mole fraction of the solvent:

- Moles of solvent = 1 kg / (molar mass of solvent)

- Assume the solvent is water (molar mass = 18 g/mol). So, moles of solvent = 1000 g / 18 g/mol = 55.56 moles.

- Mole fraction of solvent, $X_{\text{solvent}} = \frac{55.56}{55.56 + 0.5} = 0.991$.

2. Apply Raoult's Law:

$$P_{\text{solution}} = X_{\text{solvent}} \times P^0_{\text{solvent}} = 0.991 \times 100 = 99.1 \text{ mmHg}.$$

Example 2: Boiling Point Elevation

Problem: Calculate the boiling point of a solution made by dissolving 2 moles of sodium chloride (NaCl) in 1 kg of water. K_b for water is 0.51 °C/m.

Solution:

1. Determine the van 't Hoff factor for NaCl, which dissociates into 2 particles (Na^+ and Cl^-), so $i = 2$.

2. Calculate the molality of the solution:

- Molality $m = \frac{2 \text{ moles}}{1 \text{ kg}} = 2 \text{ m}$.

3. Use the boiling point elevation formula:

$$\Delta T_b = i \cdot K_b \cdot m = 2 \cdot 0.51 \cdot 2 = 2.04 \text{ °C}.$$

4. The boiling point of water is 100 °C, so the boiling point of the solution is:

$$100 \text{ °C} + 2.04 \text{ °C} = 102.04 \text{ °C}.$$

\]

Example 3: Freezing Point Depression

Problem: A solution is prepared by dissolving 3 moles of a non-ionic solute in 2 kg of water. What is the freezing point of the solution? (K_f) for water is $1.86\text{ }^{\circ}\text{C/m}$.

Solution:

1. Calculate the molality:

$$m = \frac{3 \text{ moles}}{2 \text{ kg}} = 1.5 \text{ m}$$

2. Apply the freezing point depression formula:

\[

$$\Delta T_f = i \cdot K_f \cdot m = 1 \cdot 1.86 \cdot 1.5 = 2.79\text{ }^{\circ}\text{C}$$

\]

3. The freezing point of pure water is $0\text{ }^{\circ}\text{C}$, so the freezing point of the solution is:

\[

$$0\text{ }^{\circ}\text{C} - 2.79\text{ }^{\circ}\text{C} = -2.79\text{ }^{\circ}\text{C}$$

\]

Conclusion

Understanding colligative properties and their implications is crucial for solving various problems related to solutions in chemistry. By familiarizing oneself with the definitions, formulas, and problem-solving techniques, students can effectively tackle colligative properties worksheet answers. These properties not only serve to illustrate fundamental principles of chemistry but also have practical applications in fields

Frequently Asked Questions

What are colligative properties?

Colligative properties are properties of solutions that depend on the number of solute particles in a given amount of solvent, rather than the identity of the solute.

What are the four main types of colligative properties?

The four main types of colligative properties are vapor pressure lowering, boiling point elevation, freezing point depression, and osmotic pressure.

How do you calculate boiling point elevation?

Boiling point elevation can be calculated using the formula: $\Delta T_b = i K_b m$, where ΔT_b is the change in boiling point, i is the van't Hoff factor, K_b is the ebullioscopic constant, and m is the molality of the solution.

What is the van't Hoff factor?

The van't Hoff factor (i) is the number of particles into which a solute dissociates in solution. For example, sodium chloride (NaCl) dissociates into two ions, so $i = 2$.

How does freezing point depression work?

Freezing point depression occurs when a solute is added to a solvent, lowering the temperature at which the solvent freezes. It can be calculated using the formula: $\Delta T_f = i K_f m$.

What is osmotic pressure?

Osmotic pressure is the pressure required to stop the flow of solvent into a solution through a semipermeable membrane and can be calculated using the formula: $\Pi = i C R T$, where Π is the osmotic pressure, C is the concentration, R is the gas constant, and T is the temperature in Kelvin.

Why are colligative properties important in real-world applications?

Colligative properties are important in various applications such as antifreeze formulations, food preservation, and understanding biological processes in cells.

What is the significance of the K_f and K_b constants?

The K_f (freezing point depression constant) and K_b (boiling point elevation constant) are specific to each solvent and determine how much the freezing or boiling point will change based on the concentration of solute.

How can a colligative properties worksheet help students?

A colligative properties worksheet provides practice problems that help students understand and apply the concepts of colligative properties, calculations, and their significance in chemistry.

Find other PDF article:

<https://soc.up.edu.ph/21-brief/pdf?trackid=ocH31-8719&title=examples-of-sociology-questions.pdf>

Colligative Properties Worksheet Answers

2025) 000000 000000 000000 000000 000000 000000 12 0000)

Jan 31, 2025 · 12 00000 000000 000 000000 000000 000000 00000000 000000000 00000000 0000 00
0000 on 31 2025 00000

...00 0& 00000) 2025 000 00 00000 00000 00000 0000000 10 0000

00000000 0000 000000 00000000 0000000 00 0000 000000 00000 000000 000000 :00000 00000000
... 000000000 000000 000000 0000000 0000000 00000 000 0000000

2025 00 0000000 0000000 000000 000000 000000 000000 **10** 0000

00000 000 00000 .0000000 00 0000 00 0000000 00000 0 0000 0000000 00000 0000 0000 10 0000
.00000000 00000000 000000 000000 000000 00000 00 000000000

00000 - 000000 0000000 0000000 0000000 10 0000

Mar 10, 2025 · 0000 00000 000 0000000 0000000 10 000 :0000 00000 000 0000000 0000000 10 0000
00000 :000000000 0000000 Trello ... 00000000 000000 000 000000 000

00000000 0000000 0000 00000 :00000 000000 - Teamdeck

0000 0000 000000000 00000000 0000000 00000000 00000 00 000000000 00000000 0000000 000 0000000 000

██████████ ███████████████ █████████ ███████████.

Vault 7: CIA Hacking Tools Revealed - WikiLeaks

In a statement to WikiLeaks the source details policy questions that they say urgently need to be debated in public, including whether the CIA's hacking capabilities exceed its mandated ...

WikiLeaks - Vault 7: Projects

Today, September 7th 2017, WikiLeaks publishes four secret documents from the Protego project of the CIA, along with 37 related documents (proprietary hardware/software manuals ...

WikiLeaks

How to contact WikiLeaks? What is Tor? Tips for Sources After Submitting Vault 7: CIA Hacking Tools Revealed Releases Documents Navigation:

Vault 7: CIA Hacking Tools Revealed - our.wikileaks.org

Vault 7 is a series of WikiLeaks releases on the CIA and the methods and means they use to hack, monitor, control and even disable systems ranging from smartphones, to TVs, to even ...

WikiLeaks - Vault 8

Nov 9, 2017 · Source code and analysis for CIA software projects including those described in the Vault7 series. This publication will enable investigative journalists, forensic experts and the ...

Unlock your understanding of colligative properties with our detailed worksheet answers. Enhance your study experience—learn more and ace your chemistry tests today!

[Back to Home](#)