

Medical Patient Assessment Emt



National Registry of Emergency Medical Technicians Advanced Level Psychomotor Examination

PATIENT ASSESSMENT - MEDICAL

Candidate: _____ Examiner: _____

Date: _____ Signature: _____

Scenario: _____

	Possible Points	Points Awarded
Actual Time Started:		
Takes or verbalizes body substance isolation precautions	1	
SCENE SIZE-UP		
Determines the scene/situation is safe	1	
Determines the mechanism of injury/nature of illness	1	
Determines the number of patients	1	
Requests additional help if necessary	1	
Considers stabilization of spine	1	
PRIMARY SURVEY		
Verbalizes general impression of the patient	1	
Determines responsiveness/level of consciousness	1	
Determines chief complaint/apparent life-threats	1	
Assesses airway and breathing		
-Assessment (1 point)	3	
-Assures adequate ventilation (1 point)		
-Initiates appropriate oxygen therapy (1 point)		
Assesses circulation		
-Assesses/controls major bleeding (1 point)	3	
-Assesses skin [either skin color, temperature, or condition] (1 point)		
-Assesses pulse (1 point)		
Identifies priority patients/makes transport decision	1	
HISTORY TAKING AND SECONDARY ASSESSMENT		
History of present illness		
-Onset (1 point)	8	
-Severity (1 point)		
-Provocation (1 point)		
-Time (1 point)		
-Quality (1 point)		
-Clarifying questions of associated signs and symptoms as related to OPQRST (2 points)		
-Radiation (1 point)		
Past medical history		
-Allergies (1 point)	5	
-Past pertinent history (1 point)		
-Events leading to present illness (1 point)		
-Medications (1 point)		
-Last oral intake (1 point)		
Performs secondary assessment [assess affected body part/system or, if indicated, completes rapid assessment]		
-Cardiovascular	5	
-Neurological		
-Integumentary		
-Reproductive		
-Pulmonary		
-Musculoskeletal		
-GI/GU		
-Psychological/Social		
Vital signs		
-Pulse (1 point)	5	
-Respiratory rate and quality (1 point each)		
-Blood pressure (1 point)		
-A/P/U (1 point)		
Diagnostics [must include application of ECG monitor for dyspnea and chest pain]	2	
States field impression of patient	1	
Verbalizes treatment plan for patient and calls for appropriate intervention(s)	1	
Transport decision re-evaluated	1	
REASSESSMENT		
Repeats primary survey	1	
Repeats vital signs	1	
Evaluates response to treatments	1	
Repeats secondary assessment regarding patient complaint or injuries	1	
Actual Time Ended:		
CRITICAL CRITERIA	TOTAL	48

- _____ Failure to initiate or call for transport of the patient within 15 minute time limit
- _____ Failure to take or verbalize body substance isolation precautions
- _____ Failure to determine scene safety before approaching patient
- _____ Failure to voice and ultimately provide appropriate oxygen therapy
- _____ Failure to assess/provide adequate ventilation
- _____ Failure to find or appropriately manage problems associated with airway, breathing, hemorrhage or shock [hypoperfusion]
- _____ Failure to differentiate patient's need for immediate transportation versus continued assessment and treatment at the scene
- _____ Does other detailed history or physical examination before assessing and treating threats to airway, breathing, and circulation
- _____ Failure to determine the patient's primary problem
- _____ Orders a dangerous or inappropriate intervention
- _____ Failure to provide for spinal protection when indicated

You must factually document your rationale for checking any of the above critical items on the reverse side of this form.

© 2011 National Registry of Emergency Medical Technicians, Inc., Columbus, OH
All materials subject to this copyright may be photocopied for the non-commercial purpose of educational or scientific advancement.

p302/10-11

Understanding Medical Patient Assessment in Emergency Medical Technician (EMT) Practice

Medical patient assessment EMT is a critical process that forms the backbone of emergency medical services (EMS). It involves a systematic evaluation of a patient's medical condition to determine the appropriate course of treatment. This assessment is vital not only for diagnosing the patient's current health issues but also for ensuring effective and timely care. In this article, we will delve into the various components of medical patient assessment, the steps involved, and the significance of thorough evaluations in emergency medical situations.

The Importance of Patient Assessment in EMS

Medical patient assessment serves several essential functions in the realm of emergency medical services:

- **Identification of Life-Threatening Conditions:** EMTs must quickly identify any immediate threats to a patient's life, such as severe bleeding, respiratory distress, or altered mental status.
- **Informed Decision-Making:** A comprehensive assessment allows EMTs to make informed decisions regarding treatment and transport, which can significantly impact patient outcomes.
- **Communication with Other Healthcare Providers:** Accurate assessment findings are crucial when transferring care to other medical professionals, ensuring continuity in patient care.
- **Documentation:** Proper assessment documentation is necessary for legal and medical record-keeping, providing a clear account of the patient's condition and treatments provided.

Components of Medical Patient Assessment

The process of medical patient assessment can be broken down into several key components:

1. Scene Size-Up

Before approaching the patient, EMTs perform a scene size-up to ensure their safety and the safety of others. This involves:

1. Assessing the environment for potential hazards (e.g., traffic, fire, chemical spills).
2. Determining the mechanism of injury or nature of the illness.
3. Identifying the number of patients and the need for additional resources.

The scene size-up helps EMTs prepare for the situation they are about to enter, ensuring that they are equipped to provide care effectively.

2. Primary Assessment

The primary assessment is a rapid evaluation conducted to identify and treat any immediate life threats. It follows the ABCDE approach:

- **A - Airway:** Check if the airway is clear and patent.
- **B - Breathing:** Assess the quality and rate of breathing; look for signs of respiratory distress.
- **C - Circulation:** Evaluate pulse, skin color, and temperature; check for severe bleeding.
- **D - Disability:** Perform a quick neurological assessment using the AVPU scale (Alert, Verbal, Pain, Unresponsive).
- **E - Expose:** Expose the patient as necessary to assess for any hidden injuries or conditions.

The primary assessment is crucial for identifying critical conditions that require immediate intervention.

3. History Taking

After completing the primary assessment, EMTs gather pertinent medical history from the patient or bystanders. Key components include:

- **Chief Complaint:** Understanding the main issue prompting the call for help.
- **Past Medical History:** Inquiring about any pre-existing medical conditions, surgeries, or chronic illnesses.
- **Medications:** Identifying any medications the patient is currently taking, including prescription and over-the-counter drugs.
- **Allergies:** Checking for any known allergies, particularly to medications.
- **Last Oral Intake:** Knowing when the patient last ate or drank can be important for treatment decisions.
- **Events Leading Up to the Illness/Injury:** Understanding the circumstances that led to the current state can provide valuable context.

This history-taking process helps EMTs develop a clearer picture of the patient's overall health and any factors that may influence treatment.

4. Secondary Assessment

The secondary assessment is a more detailed examination that focuses on identifying any additional injuries or illnesses. This step may include:

- Performing a head-to-toe physical examination.
- Using diagnostic tools such as blood pressure cuffs, stethoscopes, and pulse oximeters.
- Assessing vital signs, including heart rate, respiration rate, blood pressure, and temperature.

The secondary assessment is essential for uncovering conditions that may not have been immediately apparent during the primary assessment.

5. Reassessment

After initial treatment, EMTs conduct a reassessment to monitor the patient's response to interventions. This involves:

- Regularly checking vital signs.
- Observing changes in the patient's condition.
- Adjusting treatment plans as necessary based on the patient's status.

Reassessment ensures that EMTs can respond effectively to any changes in the patient's condition and provide ongoing care as needed.

Challenges in Patient Assessment

While the process of medical patient assessment is straightforward, EMTs often face challenges that can complicate their evaluations:

- **Patient Cooperation:** Patients may be unresponsive, confused, or in severe pain, making it difficult to gather necessary information.
- **Environmental Factors:** Noise, poor lighting, and chaotic scenes can hinder effective assessment.
- **Time Constraints:** EMTs often work under tight time limits, necessitating rapid decision-making and prioritization of actions.
- **Limited Resources:** In some situations, EMTs may lack access to advanced diagnostic tools or additional personnel.

Despite these challenges, EMTs are trained to adapt and utilize their skills to provide the best possible care under pressure.

Conclusion

In conclusion, **medical patient assessment EMT** is a crucial process that underpins effective emergency medical care. Through a systematic approach involving scene size-up, primary and secondary assessments, history taking, and reassessment, EMTs can identify life-threatening conditions and provide timely interventions. By understanding the importance of comprehensive assessments and being aware of the challenges they may face, EMTs can enhance patient outcomes and contribute to the overall effectiveness of emergency medical services. Continuous training, practice, and experience are essential for EMTs to refine their assessment skills and ensure the best possible care for their patients.

Frequently Asked Questions

What is the primary goal of a medical patient assessment for EMTs?

The primary goal of a medical patient assessment for EMTs is to identify the patient's medical condition and determine the appropriate treatment and transport needs.

What are the key components of a medical patient assessment?

The key components of a medical patient assessment include scene size-up, primary assessment, secondary assessment, vital signs measurement, and obtaining a medical history.

How do EMTs perform a primary assessment?

EMTs perform a primary assessment by checking the patient's airway, breathing, circulation, and level of consciousness (ABCs), along with identifying any immediate life threats.

Why is obtaining a patient's medical history important during assessment?

Obtaining a patient's medical history is important because it provides context for their current condition, including any pre-existing medical issues, medications, and allergies that may affect treatment.

What is the role of vital signs in the medical patient assessment process?

Vital signs play a crucial role in the medical patient assessment process as they help EMTs evaluate the patient's physiological status and detect any abnormalities that may indicate serious conditions.

How can EMTs effectively communicate with patients during an assessment?

EMTs can effectively communicate with patients during an assessment by using clear, simple language, actively listening, showing empathy, and involving the patient in the assessment process to build trust.

Find other PDF article:

<https://soc.up.edu.ph/50-draft/files?trackid=JqQ46-8757&title=real-housewives-of-new-york-dvd.pdf>

Medical Patient Assessment Emt

World Health Organization (WHO)

Jul 15, 2025 · The United Nations agency working to promote health, keep the world safe and serve the vulnerable.

International Classification of Diseases (ICD)

This includes lossless mapping of MedDRA (Medical Dictionary for Regulatory Activities) to facilitate accurate reporting of drug-related information, embedding medical device ...

Sexual health - World Health Organization (WHO)

3 days ago · Sexual health cannot be defined, understood or made operational without a broad consideration of sexuality, which underlies important behaviours and outcomes related to ...

Advice for the public - World Health Organization (WHO)

Mar 18, 2023 · This page includes advice from WHO on ways to protect yourself and prevent the spread of COVID-19. The downloadable infographics below provide guidance on general and ...

Breastfeeding - World Health Organization (WHO)

Jul 21, 2025 · Breastfeeding is the normal way of providing young infants with the nutrients they need for healthy growth and development. Virtually, all mothers can breastfeed, provided they ...

Technical guidance - World Health Organization (WHO)

Collection of WHO technical guidance on COVID-19, updated based on new scientific findings as the epidemic evolves.

Health topics - World Health Organization (WHO)

Marburg virus disease Maternal health Measles Medical devices Medicines Meningitis Micronutrients

Anatomical Therapeutic Chemical (ATC) Classification

In the Anatomical Therapeutic Chemical (ATC) classification system, the active substances are divided into different groups according to the organ or system on which they act and their ...

WHO Guidelines

Jul 14, 2025 · The development of global guidelines ensuring the appropriate use of evidence represents one of the core functions of WHO.

Global research on coronavirus disease (COVID-19)

Repository of latest international multilingual scientific findings and knowledge on COVID-19.

World Health Organization (WHO)

Jul 15, 2025 · The United Nations agency working to promote health, keep the world safe and serve the vulnerable.

International Classification of Diseases (ICD)

This includes lossless mapping of MedDRA (Medical Dictionary for Regulatory Activities) to facilitate accurate reporting of drug-related information, embedding medical device ...

Sexual health - World Health Organization (WHO)

3 days ago · Sexual health cannot be defined, understood or made operational without a broad consideration of sexuality, which underlies important behaviours and outcomes related to ...

Advice for the public - World Health Organization (WHO)

Mar 18, 2023 · This page includes advice from WHO on ways to protect yourself and prevent the spread of COVID-19. The downloadable infographics below provide guidance on general and ...

Breastfeeding - World Health Organization (WHO)

Jul 21, 2025 · Breastfeeding is the normal way of providing young infants with the nutrients they need for healthy growth and development. Virtually, all mothers can breastfeed, provided they ...

Technical guidance - World Health Organization (WHO)

Collection of WHO technical guidance on COVID-19, updated based on new scientific findings as the epidemic evolves.

Health topics - World Health Organization (WHO)

Marburg virus disease Maternal health Measles Medical devices Medicines Meningitis
Micronutrients

Anatomical Therapeutic Chemical (ATC) Classification

In the Anatomical Therapeutic Chemical (ATC) classification system, the active substances are divided into different groups according to the organ or system on which they act and their ...

WHO Guidelines

Jul 14, 2025 · The development of global guidelines ensuring the appropriate use of evidence represents one of the core functions of WHO.

Global research on coronavirus disease (COVID-19)

Repository of latest international multilingual scientific findings and knowledge on COVID-19.

Enhance your skills with our guide on medical patient assessment for EMTs. Learn essential techniques and best practices to improve patient care. Discover how!

[Back to Home](#)