

# Mayo Clinic Diet For Diverticulitis

<b>Purpose</b> Low-residue diet provides foods low in fiber, which will result in a reduced amount of fecal material in the lower intestinal tract.		
<b>General Principles</b> 1. This diet eliminates foods that are indigestible or stimulating to the intestinal tract to reduce the amount of residue in the colon. Foods should be included or excluded according to the following list. 2. Hot and cold foods should be eaten slowly. 3. Milk products are limited to 2 cups daily. For a more restricted-residue diet, milk should be eliminated.		
<b>FOOD</b>	<b>FOODS INCLUDED</b>	<b>FOODS EXCLUDED</b>
Beverages	Carbonated drinks, coffee, tea, cocoa, strained fruit juices	Alcohol, fruit juices with pulp
Bread	White bread, rolls, rusk, melba toast, crackers	Bread and crackers containing whole grain flour or bran; any hot breads such as biscuits, muffins, waffles, or pancakes
Cereals	Cooked, refined, or strained cereals: Cream of Wheat, Cream of Rice, farina, grits, dry cereals without bran, noodles, spaghetti, and macaroni	Whole grain cereals; cereals containing bran, nuts, and raisins; Shredded Wheat
Meat	Lean, tender ground beef, lamb, pork, veal or fish, broiled, stewed, or baked; canned tuna or salmon; shellfish; crisp bacon, chicken or turkey without skin, liver; creamy peanut butter	Fried, smoked, pickled, or cured meats, highly seasoned ham, fried fish, luncheon meats
Egg	All but fried	Fried or uncooked eggs
Cheese	Milk, cheese (American, cheddar), cottage cheese	All other cheeses
Milk	Limit to 1-2 cups (if tolerated), including that used in cooking; plain yogurt	Fruit yogurt
Fats	Butter, margarine, cream, oil, crisp bacon, mayonnaise, plain gravy	Any other; rich or spiced gravies
Soup	Cream and vegetable soups made from foods allowed and with milk allowed, bouillon, broth; strained vegetable juices	Cream and vegetable soups from foods not allowed (peas and dried beans)
Vegetables	Tender carrots, beets, or asparagus; strained vegetables; potatoes without skins; vegetable juices	Raw vegetables, all vegetables not strained, dried beans, peas, and legumes
Fruits	Strained fruit juices, ripe bananas, applesauce, pears, peaches, peeled apricots, Napoleon cherries, baked apple (no skin)	Raw fruits, fruits with skins, seeds
Desserts	Plain desserts (custards and puddings, plain ice cream for milk allowance), sherbet, plain gelatin desserts, angel food cake, sponge cake, plain butter cake, plain cookies	Nuts, coconut, raisins, rich desserts (pies, rich cakes, cobblers)
Condiments	Allspice, cinnamon, mace, paprika, salt, ground thyme, sugar, vinegar, lemon juice	All others
<b>BREAKFAST</b>	<b>LUNCH</b>	<b>DINNER</b>
<b>Sample Menu Plan</b>		
1/2 cup applesauce	Roast beef sandwich on 2 slices white bread (no lettuce or tomato)	Baked chicken
1/2 cup Cream of Wheat	1 tbs mayonnaise	Mashed potato
Scrambled egg	2 sugar cookies	Cooked carrots
White toast	Canned peach halves	White bread
Butter or jelly	Coffee	Butter
1 cup milk		Angel food cake
Coffee		1 cup milk
		Coffee

**Mayo Clinic diet for diverticulitis** is a dietary plan designed to help individuals manage the symptoms and complications associated with diverticulitis. Diverticulitis is a condition characterized by inflammation or infection of the diverticula, small pouches that can form in the walls of the colon. The Mayo Clinic emphasizes a balanced approach to diet that aims to reduce inflammation, improve digestive health, and promote overall well-being. This article will explore the essential components of the Mayo Clinic diet for diverticulitis, including recommended foods, meal ideas, and tips for successfully implementing this dietary plan.

## Understanding Diverticulitis

Before diving into the specifics of the Mayo Clinic diet, it's essential to understand what diverticulitis is and how it affects the body.

## **What is Diverticulitis?**

Diverticulitis occurs when diverticula become inflamed or infected. Symptoms may include:

- Abdominal pain, often on the lower left side
- Fever
- Nausea and vomiting
- Changes in bowel habits, such as constipation or diarrhea
- Bloating and gas

Diverticulitis can range from mild to severe, with complications such as abscesses or perforations occurring in more serious cases.

## **Causes and Risk Factors**

Several factors can contribute to the development of diverticulitis, including:

- Age: Risk increases as you get older.
- Diet: Low fiber intake may increase risk.
- Physical inactivity: Sedentary lifestyles can contribute to digestive issues.
- Obesity: Being overweight can increase pressure on the colon.
- Smoking: This habit is associated with a higher risk of diverticular disease.

## **The Role of Diet in Managing Diverticulitis**

A well-structured diet plays a vital role in managing diverticulitis and promoting colon health. The Mayo Clinic diet encourages a high-fiber intake, which can help prevent constipation and reduce pressure in the colon. However, dietary recommendations may vary depending on whether you are experiencing a flare-up or are in remission.

### **High-Fiber Foods**

When managing diverticulitis, incorporating high-fiber foods into your diet is essential. Fiber helps to soften stool and promotes regular bowel movements. Foods that are high in fiber include:

- Whole grains (e.g., brown rice, quinoa, whole wheat bread)
- Fruits (e.g., berries, apples, bananas, pears)
- Vegetables (e.g., broccoli, carrots, spinach, kale)
- Legumes (e.g., lentils, chickpeas, black beans)
- Nuts and seeds (in moderation)

### **Low-Fiber Diet During Flare-Ups**

During an active flare-up of diverticulitis, your doctor may recommend a

temporary low-fiber diet to allow your digestive system to rest. This diet may include:

- White bread and pasta
- Rice
- Cooked vegetables without skins or seeds
- Canned or cooked fruits without skins
- Clear broth and plain gelatin

It is crucial to follow your healthcare provider's advice during this time. Once symptoms improve, a gradual reintroduction of fiber is recommended.

## **Meal Planning with the Mayo Clinic Diet**

Planning meals can help you stick to the Mayo Clinic diet for diverticulitis and ensure that you are getting the right nutrients. Here are some meal ideas to consider:

### **Breakfast Options**

- Oatmeal topped with bananas and a sprinkle of cinnamon
- Whole grain toast with avocado
- Smoothie with spinach, almond milk, and a scoop of protein powder

### **Lunch Ideas**

- Quinoa salad with cherry tomatoes, cucumbers, and chickpeas
- Vegetable soup with whole grain crackers
- Grilled chicken salad with mixed greens and a vinaigrette dressing

### **Dinner Suggestions**

- Baked salmon with roasted vegetables and a side of brown rice
- Stir-fried tofu with broccoli, bell peppers, and a side of quinoa
- Lentil stew with carrots and spinach

### **Snacks**

- Fresh fruit (e.g., apples, oranges, or berries)
- Greek yogurt with honey and a sprinkle of nuts
- Carrot sticks or cucumber slices with hummus

## **Tips for Implementing the Mayo Clinic Diet**

Transitioning to the Mayo Clinic diet for diverticulitis may take some time and effort. Here are some tips to help you stay on track:

1. **Start Slowly:** If you're not used to a high-fiber diet, gradually increase your fiber intake to avoid bloating and gas.
2. **Stay Hydrated:** Drink plenty of water to help fiber do its job and prevent constipation.
3. **Read Labels:** When shopping for packaged foods, check for fiber content and choose whole grain options.
4. **Plan Meals Ahead:** Prepare meals in advance to avoid the temptation of unhealthy choices.
5. **Listen to Your Body:** Pay attention to how your body reacts to different foods and adjust your diet accordingly.

## Consulting Healthcare Professionals

While the Mayo Clinic diet for diverticulitis can serve as a guideline, it's essential to work closely with healthcare professionals, including registered dietitians and physicians. They can provide personalized recommendations based on your specific health needs, monitor your condition, and help you make necessary adjustments to your diet.

## When to Seek Medical Attention

If you experience severe pain, fever, or other concerning symptoms, it's important to seek medical attention promptly. Ongoing communication with your healthcare team can help manage symptoms effectively and prevent complications.

## Conclusion

The **Mayo Clinic diet for diverticulitis** offers a balanced approach to managing this condition. By focusing on high-fiber foods, avoiding triggers during flare-ups, and planning meals carefully, individuals can improve their digestive health and overall well-being. Remember, it is crucial to consult with healthcare professionals to create a tailored plan that meets your specific needs. With the right strategies in place, managing diverticulitis can become a more manageable part of your life.

## Frequently Asked Questions

### What is the Mayo Clinic Diet for diverticulitis?

The Mayo Clinic Diet for diverticulitis emphasizes a high-fiber diet to prevent flare-ups and manage symptoms. It includes plenty of fruits, vegetables, whole grains, and legumes, while limiting processed foods and red

meat.

## **How does a high-fiber diet help with diverticulitis?**

A high-fiber diet helps by softening stool and promoting regular bowel movements, which can reduce pressure in the colon and decrease the risk of developing diverticula or experiencing diverticulitis flare-ups.

## **What foods should be avoided on the Mayo Clinic Diet for diverticulitis?**

Foods to avoid include those that are low in fiber, such as white bread, processed snacks, and red meat. It's also recommended to limit foods that can cause gas or bloating, like beans, cabbage, and carbonated beverages during flare-ups.

## **Can I eat nuts and seeds while following the Mayo Clinic Diet for diverticulitis?**

Recent research has shown that nuts and seeds are generally safe to consume for individuals with diverticulitis. However, it's best to consult with a healthcare professional for personalized advice, especially during flare-ups.

## **What are some examples of high-fiber foods recommended by the Mayo Clinic?**

Examples of high-fiber foods include fruits like berries and apples, vegetables like broccoli and carrots, whole grains like oats and quinoa, and legumes such as lentils and chickpeas.

## **How can I gradually increase fiber intake on the Mayo Clinic Diet?**

To gradually increase fiber intake, start by adding one high-fiber food to your meals each day, drink plenty of water, and slowly introduce more fiber-rich foods over several days or weeks to allow your digestive system to adjust.

Find other PDF article:

<https://soc.up.edu.ph/13-note/files?docid=FYU62-9439&title=cheryl-dempsey-interview-real.pdf>

## **[Mayo Clinic Diet For Diverticulitis](#)**

### **Top-ranked Hospital in the Nation - Mayo Clinic**

Mayo Clinic is a top-ranked hospital in the U.S., with campuses in Arizona, Florida, and Minnesota

### **Mayo Clinic Information Service in Canada**

Learn more about Mayo Clinic's information office for patients and their families and referring physicians in Canada.

## **Patient-Centered Care - Mayo Clinic**

At Mayo Clinic, a world-class team of doctors and specialists will see you in one place, at one time. They'll listen to your story, learn your goals, and work together to accurately diagnose and treat your condition so you can get back to your life as quickly as possible.

## **Medical Diseases & Conditions - Mayo Clinic**

Explore comprehensive guides on hundreds of common and rare diseases and conditions from the experts at Mayo Clinic.

### Mayo Clinic

Access Mayo Clinic's Patient Portal to manage appointments, view medical records, and communicate with your care team securely online.

## **Mayo Clinic announces transformative \$1.9B investment in Arizona**

Mar 3, 2025 · Mayo Clinic announced a nearly \$1.9 billion investment in the continued transformation of its Phoenix campus as part of its Bold. Forward. strategy

### Symptoms - Symptoms - Mayo Clinic

Explore possible causes for your medical symptoms. Symptom Checker Check on one or more symptoms to find possible causes. About this Symptom Checker.

### *Kidney diet (renal diet) - Mayo Clinic*

If you have chronic kidney disease or limited kidney function, your health care provider may suggest a kidney diet (renal diet). Foods in a kidney diet have lower amounts of sodium, protein, potassium, or phosphorus. There are many foods you can still enjoy! Here are some kidney-friendly recipes that are tasty and good for you.

## **Kidney stones - Symptoms and causes - Mayo Clinic**

Get the latest health information from Mayo Clinic delivered to your inbox. Subscribe for free and receive your in-depth guide to digestive health, plus the latest on health innovations and news.

## **Mayo Clinic - Patient Online Services - Login Page**

Error: Please enable cookies to log in to Patient Online Services. Loading... Back Log in with your password for Mayo Clinic. Patient Online Services Username Patient Online Services ...

### *Top-ranked Hospital in the Nation - Mayo Clinic*

Mayo Clinic is a top-ranked hospital in the U.S., with campuses in Arizona, Florida, and Minnesota

## **Mayo Clinic Information Service in Canada**

Learn more about Mayo Clinic's information office for patients and their families and referring physicians in Canada.

### Patient-Centered Care - Mayo Clinic

At Mayo Clinic, a world-class team of doctors and specialists will see you in one place, at one time. They'll listen to your story, learn your goals, and work together to accurately diagnose ...

### Medical Diseases & Conditions - Mayo Clinic

Explore comprehensive guides on hundreds of common and rare diseases and conditions from the experts at Mayo Clinic.

### Mayo Clinic

Access Mayo Clinic's Patient Portal to manage appointments, view medical records, and communicate with your care team securely online.

#### Mayo Clinic announces transformative \$1.9B investment in Arizona

Mar 3, 2025 · Mayo Clinic announced a nearly \$1.9 billion investment in the continued transformation of its Phoenix campus as part of its Bold. Forward. strategy

#### **Symptoms - Symptoms - Mayo Clinic**

Explore possible causes for your medical symptoms. Symptom Checker Check on one or more symptoms to find possible causes. About this Symptom Checker.

#### Kidney diet (renal diet) - Mayo Clinic

If you have chronic kidney disease or limited kidney function, your health care provider may suggest a kidney diet (renal diet). Foods in a kidney diet have lower amounts of sodium, ...

#### Kidney stones - Symptoms and causes - Mayo Clinic

Get the latest health information from Mayo Clinic delivered to your inbox. Subscribe for free and receive your in-depth guide to digestive health, plus the latest on health innovations and news.

#### **Mayo Clinic - Patient Online Services - Login Page**

Error: Please enable cookies to log in to Patient Online Services. Loading... Back Log in with your password for Mayo Clinic. Patient Online Services Username Patient Online Services ...

Discover how the Mayo Clinic diet for diverticulitis can help manage symptoms and promote gut health. Learn more about effective dietary strategies today!

[Back to Home](#)