


# Neurostar Tms Therapy Side Effects



**NeuroStar TMS Therapy Side Effects** have become a topic of great interest as more patients seek non-invasive treatment options for mental health disorders such as depression. Transcranial Magnetic Stimulation (TMS) has emerged as a promising alternative, offering hope to those who have not responded well to traditional medications. While NeuroStar TMS is generally considered safe and effective, it's essential to be aware of potential side effects that can occur during and after treatment. This article will explore the nature of NeuroStar TMS therapy, its side effects, and important considerations for patients.

## Understanding NeuroStar TMS Therapy

NeuroStar TMS therapy is a non-invasive procedure that utilizes magnetic fields to stimulate nerve

cells in the brain. It is primarily used to treat major depressive disorder (MDD) in adults who have not found relief from antidepressant medications. The therapy works by delivering targeted magnetic pulses to specific areas of the brain associated with mood regulation.

## **How NeuroStar TMS Works**

1. **Magnetic Pulses:** The device generates magnetic fields that penetrate the skull without causing pain or discomfort.
2. **Neuronal Activation:** These magnetic pulses activate underactive neurons in the brain, particularly in the prefrontal cortex, which is often implicated in depression.
3. **Session Duration:** Each session lasts about 20 to 40 minutes, and treatments are typically administered five times a week for four to six weeks.

## **Common Side Effects of NeuroStar TMS Therapy**

While NeuroStar TMS therapy is generally well-tolerated, patients may experience some side effects. These side effects can vary in severity and duration.

### **1. Headaches**

- **Description:** Headaches are among the most frequently reported side effects. They can range from mild to moderate in intensity.
- **Management:** Over-the-counter pain relievers such as ibuprofen or acetaminophen can help alleviate headaches during the treatment period.

## **2. Scalp Discomfort**

- Description: Patients may experience localized discomfort at the site where the magnetic coil is placed on the scalp. This sensation can feel like tapping or mild pressure.
- Management: Adjusting the coil's position or using a different intensity during treatment can help reduce discomfort.

## **3. Dizziness**

- Description: Some patients report feelings of dizziness or lightheadedness during or shortly after treatment.
- Management: Staying hydrated and resting after sessions can help mitigate dizziness.

## **4. Fatigue**

- Description: Feeling tired or fatigued is another side effect that some patients experience following treatment.
- Management: It is advisable to avoid strenuous activities immediately after sessions and allow time for rest.

## **5. Sleep Disturbances**

- Description: Some patients may experience changes in sleep patterns, including insomnia or increased sleepiness.
- Management: Establishing a consistent sleep schedule and practicing good sleep hygiene can help.

# Less Common Side Effects

While the aforementioned side effects are more common, there are less frequent side effects that some patients may experience.

## 1. Anxiety

- Description: Some patients report increased feelings of anxiety during the treatment process.

However, this is generally short-lived and subsides after sessions.

- Management: Discussing any heightened anxiety with the treatment team can help tailor the therapy to individual needs.

## 2. Hearing Issues

- Description: The magnetic pulse device produces a clicking sound that some patients may find distracting. In rare cases, there have been reports of temporary changes in hearing.

- Management: Wearing earplugs during sessions can help mitigate this effect.

## 3. Mood Swings

- Description: Some patients may experience fluctuations in mood, including feelings of irritability or emotional instability.

- Management: Regular communication with a mental health professional can help in managing these changes.

# Serious Side Effects

Though rare, there are serious side effects associated with NeuroStar TMS therapy that warrant attention.

## 1. Seizures

- Description: One of the most serious risks associated with TMS therapy is the potential for inducing seizures, particularly in individuals with a history of seizure disorders.
- Management: Patients with epilepsy or a history of seizures are typically not candidates for TMS therapy. It's crucial to disclose all medical histories to healthcare providers.

## 2. Cognitive Changes

- Description: Rarely, patients may experience temporary cognitive changes, such as difficulty concentrating or memory issues.
- Management: If cognitive changes occur, they should be communicated immediately to the treatment team for evaluation.

## Who Should Avoid NeuroStar TMS Therapy?

Although NeuroStar TMS therapy is generally safe, certain individuals may be advised against this treatment.

1. Individuals with Metal Implants: Patients with metal implants in or near the head (e.g., cochlear implants, stents) may not be suitable candidates.

2. History of Seizures: As mentioned, those with a history of seizures or epilepsy should avoid TMS therapy.
3. Pregnant or Nursing Women: Safety during pregnancy and breastfeeding has not been established, so these individuals should consult their healthcare provider.

## **Conclusion**

NeuroStar TMS therapy provides an innovative and effective treatment option for patients suffering from major depressive disorder, especially those who have not responded to traditional treatments. While side effects exist, most are mild and manageable. Understanding the potential risks and communicating openly with healthcare providers can help patients navigate their treatment journey more effectively.

If you are considering NeuroStar TMS therapy, it is essential to have a thorough discussion with your healthcare provider to weigh the benefits against potential side effects. This collaborative approach will ensure that you receive the most appropriate care tailored to your individual needs.

## **Frequently Asked Questions**

### **What are the common side effects of NeuroStar TMS therapy?**

Common side effects of NeuroStar TMS therapy include headache, scalp discomfort at the site of stimulation, and lightheadedness.

### **Is there any risk of seizures with NeuroStar TMS therapy?**

While the risk is very low, there is a small possibility of seizures occurring with NeuroStar TMS therapy, particularly in individuals with a history of seizures.

## **How long do side effects from NeuroStar TMS therapy typically last?**

Most side effects from NeuroStar TMS therapy are mild and tend to resolve shortly after the session, often within a few hours.

## **Can NeuroStar TMS therapy cause mood changes or worsening depression?**

In some cases, patients may experience temporary mood changes or worsening of depressive symptoms, but this is generally uncommon and should be discussed with a clinician.

## **Are there any long-term side effects associated with NeuroStar TMS therapy?**

Long-term side effects are rare, and most patients do not experience any lasting adverse effects after completing their treatment course.

## **What should I do if I experience severe side effects from NeuroStar TMS therapy?**

If you experience severe side effects, it is important to contact your healthcare provider immediately to discuss your symptoms and determine the best course of action.

## **Are there any contraindications for NeuroStar TMS therapy related to side effects?**

Yes, individuals with certain medical conditions, such as a history of seizures, metal implants in the head, or specific psychiatric disorders, may be advised against undergoing NeuroStar TMS therapy due to potential side effects.

Find other PDF article:

[https://soc.up.edu.ph/41-buzz/files?trackid=Zpm79-3404&title=modern-gothic-literature-definition.p  
df](https://soc.up.edu.ph/41-buzz/files?trackid=Zpm79-3404&title=modern-gothic-literature-definition.pdf)

## Neurostar Tms Therapy Side Effects

**About Alpha-gal Syndrome | Alpha-gal Syndrome | CDC**

Jun 26, 2025 · Alpha-gal syndrome (AGS) is a serious, potentially life-threatening allergy to alpha-gal that can develop after a tick bite. Alpha-gal is a molecule found in most mammals, such as ...

## Alpha-gal syndrome - Symptoms and causes - Mayo Clinic

Nov 15, 2022 · Overview Alpha-gal syndrome is a type of food allergy. It makes people allergic to red meat and other products made from mammals. In the United States, the condition usually ...

## Alpha-gal Syndrome: Causes, Diagnosis & Treatment

Alpha-gal syndrome (AGS) is a serious food allergy to red meat. It occurs most often in adults bitten by certain types of ticks. Symptoms range from mild to severe and can vary over time. ...

## Alpha-gal syndrome - Wikipedia

Alpha-gal syndrome (AGS), also known as alpha-gal allergy or mammalian meat allergy (MMA), [1] is a type of acquired allergy characterized by a delayed onset of symptoms (3-8 hours) ...

## ALPHA GAL SYNDROME PATIENT FACTSHEET

Alpha-gal syndrome (AGS) is a serious, potentially life-threatening allergy to alpha-gal (galactose-alpha-1,3-galactose), a sugar found in most mammals. Products made from mammals or ...

## Alpha-Gal Syndrome, Lone Star Tick Allergy, and Red Meat Allergy

Alpha-gal allergy is an allergy to red meat triggered by a Lone Star tick bite. Learn the symptoms and treatment options.

## Alpha-gal Syndrome (AGS) &gt; Fact Sheets &gt; Yale Medicine

Alpha-gal syndrome (AGS) is an allergy in which people have an allergic reaction to a carbohydrate called alpha-gal that is found in all non-primate mammals. When people with ...

## Alpha-gal Syndrome | AGI - Alpha-gal Information

Nov 9, 2019 · Alpha-gal Information is an alpha-gal syndrome website w/ extensive resources for patients & providers & a searchable publications database.

## What Is Alpha-Gal Syndrome? - WebMD

Sep 28, 2024 · Alpha-gal syndrome is an allergy to things like beef, pork, lamb, venison, rabbit, and other animal products that come from mammals. It was first discovered in 2009. Alpha ...

## What Is Alpha-Gal Syndrome? - JAMA Network

Dec 8, 2023 · This JAMA Patient Page describes alpha-gal syndrome, a type of food allergy to red meat products, and its symptoms, diagnosis, and treatment.

Web

## Domino's Pizza 必胜客 - Pizza Delivery & Takeaway

META\_STORE\_DETAILS03-3808-0552 103-0003 11:0024:00 & 10:3024:00 ...



## Domino's Pizza 披萨 - Pizza Delivery & Takeaway

META\_STORE\_DETAILS03-5439-6611 105-0014 11:00-24:00 & 10:30-24:00 1 ...

™

™ 790 ...

16 ...

Discover the potential side effects of NeuroStar TMS therapy and what to expect during treatment. Learn more to make informed decisions about your mental health.

[Back to Home](#)