

Occupational Therapy Developmental Milestones

Occupational Therapy Developmental Checklist

Three-four months old			
Positioning	supine <ul style="list-style-type: none"> • Pull to sit - 1/2 head up • All 4s present • Frogged leg position • Bring hands to mouth & midline • Motoric creep • Motor reflex • Suckles reflex • Neck on body • Body on body 	prone <ul style="list-style-type: none"> • Prone on forearms • Elbows in line with shoulders • Head/neck ext. some bobbing • Chest up - buttocks down • Can lift head 2-3 inches • May begin to roll 	
Positioning	sitting <ul style="list-style-type: none"> • Pull to sit - head up 1/2 of the way • Shoulder elevate with pull to sit • Sit with motor support • Acquire abduction, straighten back • Right head 	crawling <ul style="list-style-type: none"> • Partial weight bearing on legs • May lift one leg at a time • Pelvic circle behind shoulders 	
Self care	ADL <ul style="list-style-type: none"> • Playful during feeding • Recognizes nipple • Sips 2nd day and most of night • Forks & swallow • Comforts with sucking 		
Fine motor	<ul style="list-style-type: none"> • Moves arms towards objects • Grip grasp • Hands open 50% of time • Grasp/release cube/items 	<ul style="list-style-type: none"> • Hands to mouth • Thumb outside of palm • Grasp/release of dolls 	
Other	social interaction/language <ul style="list-style-type: none"> • Looks for mom/others • Cries when hungry • Suckles • Co-regulation with mom begins 	cognitive <ul style="list-style-type: none"> • Looks at others longer • Recognizes voices • Some enjoyment • Aware of finger's own hand 	vision/hearing <ul style="list-style-type: none"> • Tracks horizontal • Vertical • Localizes - mom, rattle • Quiescent to familiar sound • Responds to sounds in home

Occupational therapy developmental milestones are critical benchmarks that reflect a child's progression in various domains of development, including physical, cognitive, social, and emotional skills. Occupational therapists (OTs) use these milestones to assess a child's abilities and tailor interventions to support their growth and development. Understanding these milestones is essential for parents, caregivers, and educators, as it provides insights into a child's development and helps identify potential areas requiring support.

Understanding Developmental Milestones

Developmental milestones are established indicators that denote the expected achievements in a child's development. They are categorized into several domains:

- **Physical Development:** Involves the development of motor skills, including both fine and gross motor abilities.
- **Cognitive Development:** Encompasses learning, problem-solving, and memory skills.
- **Social and Emotional Development:** Involves the ability to interact with others, express emotions, and develop relationships.
- **Language Development:** Encompasses both verbal and non-verbal communication skills.

The Role of Occupational Therapy in Development

Occupational therapy plays a vital role in helping children achieve their developmental milestones. OTs assess children's abilities and design individualized intervention plans that focus on enhancing their skills in daily living, play, and social interaction. The ultimate goal is to support children's independence and quality of life.

Key Developmental Milestones in Children

The following sections outline the key developmental milestones across various age ranges, emphasizing how occupational therapy can assist in achieving these goals.

Milestones by Age Group

1. Infants (0-12 months)

- **Physical Development:**
 - 2 months: Lifts head while lying on stomach.
 - 4 months: Pushes down on legs when feet are on a hard surface.
 - 6 months: Sits without support.
 - 9 months: Stands while holding on to something.
 - 12 months: Pulls up to stand and may take a few steps.
- **Cognitive Development:**
 - 4 months: Follows moving things with eyes from side to side.
 - 6 months: Looks around at things nearby.
 - 12 months: Explores things in different ways, like shaking, banging, throwing.
- **Social and Emotional Development:**
 - 2 months: Smiles at people.
 - 6 months: Knows familiar faces and begins to know if someone is a stranger.
 - 12 months: Has favorite things and people.
- **Language Development:**
 - 2 months: Coos, makes gurgling sounds.
 - 6 months: Babbling sounds, like "mama" and "baba."
 - 12 months: Says "mama" and "dada" and exclamations like "uh-oh!"

Role of Occupational Therapy:

OTs can assist infants in reaching these milestones through play-based activities that promote motor skills, sensory integration, and parent education.

2. Toddlers (1-3 years)

- Physical Development:

- 15 months: Walks alone and may walk up steps and run.
- 18 months: Knows what ordinary things are for; for example, telephone, brush, spoon.
- 24 months: Stands on tiptoe, kicks a ball, and begins to run.

- Cognitive Development:

- 15 months: Explores things in different ways, like shaking, banging, throwing.
- 24 months: Begins to sort shapes and colors and completes sentences and rhymes in familiar books.

- Social and Emotional Development:

- 15 months: Shows fear in some situations.
- 24 months: More excited about company of other children than about being with parents.

- Language Development:

- 15 months: Says several single words.
- 24 months: Points to things or pictures when they are named.

Role of Occupational Therapy:

OTs can support toddlers by providing structured activities that enhance fine motor skills, language skills, and social interactions, enabling them to better engage with their environment.

3. Preschoolers (3-5 years)

- Physical Development:

- 3 years: Climbs well, runs easily, and pedals a tricycle (3-wheel bike).
- 4 years: Can use scissors and hop on one foot.
- 5 years: Stands on one foot for 10 seconds or longer, hops; may be able to skip.

- Cognitive Development:

- 3 years: Can work toys with buttons, levers, and moving parts.
- 4 years: Can say first and last name.
- 5 years: Can count ten or more things and can draw a person with at least six body parts.

- Social and Emotional Development:

- 3 years: Shows fear of strangers.
- 4 years: Prefers to play with other children than by themselves.
- 5 years: Can distinguish between fantasy and reality.

- Language Development:

- 3 years: Follows 2-3 step instructions.
- 4 years: Knows the idea of "same" and "different."
- 5 years: Speaks very clearly.

Role of Occupational Therapy:

OTs can facilitate preschoolers' development through group activities that enhance social skills, cognitive abilities, and fine motor control, preparing them for school environments.

4. School-Aged Children (6-12 years)

- Physical Development:

- 6-8 years: Develops strength and coordination; can skip and ride a bicycle.
- 9-12 years: Engages in organized sports; shows increased endurance and coordination.

- Cognitive Development:

- 6-8 years: Begins to think logically about concrete events; understands the concept of time.
- 9-12 years: Develops problem-solving skills and the ability to think abstractly.

- Social and Emotional Development:

- 6-8 years: Forms friendships and understands the importance of teamwork.
- 9-12 years: Begins to understand and manage emotions and develops a sense of self.

- Language Development:

- 6-8 years: Follows multi-step directions and can tell a short story.
- 9-12 years: Expands vocabulary and can understand and use figurative language.

Role of Occupational Therapy:

OTs work with school-aged children to build skills for academic success, social interactions, and daily living tasks, helping them adapt to the demands of school life.

Conclusion

Occupational therapy developmental milestones are crucial in understanding a child's growth and providing support and interventions as necessary. By recognizing the benchmarks within physical, cognitive, social, emotional, and language development, parents and caregivers can play an active role in facilitating their child's journey. Occupational therapy serves as a vital resource that not only helps children reach their milestones but also empowers them to lead fulfilling, independent lives. With tailored interventions and supportive strategies, children can thrive and reach their fullest potential.

Frequently Asked Questions

What are the key developmental milestones for children that occupational therapy focuses on?

Occupational therapy focuses on milestones such as fine motor skills, gross motor skills, sensory processing, self-care abilities, and social skills, typically observed from birth to age five.

How can occupational therapy support children who are delayed in reaching developmental milestones?

Occupational therapists use tailored interventions to enhance skills through play, adaptive techniques, and family education, helping children develop essential skills at their own pace.

At what age should parents start monitoring their child's developmental milestones for occupational therapy needs?

Parents should begin monitoring developmental milestones as early as 2-3 months, with regular assessments through early childhood to identify any delays that may require occupational therapy.

What role does sensory processing play in developmental milestones assessed by occupational therapy?

Sensory processing is crucial as it affects a child's ability to interact with their environment. Occupational therapists assess how well children process sensory information to support milestones like self-regulation and social interaction.

What strategies do occupational therapists use to help children achieve developmental milestones?

Occupational therapists employ strategies such as play-based activities, environmental modifications, skill-building exercises, and parent training to encourage children to reach their developmental milestones.

How can early intervention in occupational therapy impact a child's long-term development?

Early intervention in occupational therapy can significantly enhance a child's skills, boost their confidence, and reduce the risk of future developmental challenges, leading to improved outcomes in academic and social settings.

Find other PDF article:

<https://soc.up.edu.ph/38-press/files?dataid=hhP32-7106&title=louise-hay-affirmations-for-children.pdf>

Occupational Therapy Developmental Milestones

Occupational health

Jun 12, 2025 · Occupational health is an area of work in public health to promote and maintain highest degree of physical, mental and social well-being of workers in all occupations. Its ...

Occupational hazards in the health sector : Training slides

Mar 6, 2025 · Overview Following the publication of our Caring for those who care: Guide for the development and implementation of occupational health and safety programmes for health ...

Occupational hazards in the health sector

This e-tool is intended for use by people in charge of occupational health and safety for health workers at the national, subnational and facility levels.

A life in motion: Lyle's journey as an Occupational Therapist

Mar 26, 2025 · Occupational therapy is a client-centred health profession concerned with promoting health and wellbeing through occupation. The primary goal of occupational therapy ...

Occupational health: health workers - World Health Organization ...

Nov 7, 2022 · Safeguarding the health, safety and well-being of health workers is fundamental for well-functioning and resilient health systems. Health workers face a range of occupational risks ...

Occupational injuries - World Health Organization (WHO)

Occupational injuries Common injuries among health workers are slips, trips and falls, road traffic injuries (ambulance crashes, motorbike and bicycle injuries), electric shock, explosions and fire.

Burn-out an "occupational phenomenon": International ...

May 28, 2019 · Burn-out is included in the 11th Revision of the International Classification of Diseases (ICD-11) as an occupational phenomenon. It is not classified as a medical condition. It ...

Guidelines for HIV post-exposure prophylaxis

Jul 22, 2024 · WHO's updated PEP guidelines prioritize broader access to PEP, including community-based delivery and task sharing to mitigate barriers such as stigma and to ensure ...

Occupational health

Jun 1, 2023 · Occupational health deals with all aspects of health and safety in the workplace and has a strong focus on primary prevention of hazards. The health of the workers has several ...

Protecting health and safety of health workers

Providing occupational health and safety measures for protecting health workers and is also fundamental for well-functioning and resilient health systems, quality of care and maintaining a ...

Occupational health

Jun 12, 2025 · Occupational health is an area of work in public health to promote and maintain highest degree of physical, mental and social well-being of workers in all occupations. Its objectives are: the maintenance and promotion of workers' health and working capacity; the improvement of working conditions and the working environment to become conducive to ...

Occupational hazards in the health sector : Training slides

Mar 6, 2025 · Overview Following the publication of our Caring for those who care: Guide for the development and implementation of occupational health and safety programmes for health workers, we have created a set of standard training slides to support learning and application. These slides have been actively used in training sessions, providing valuable insights and ...

Occupational hazards in the health sector

This e-tool is intended for use by people in charge of occupational health and safety for health workers at the national, subnational and facility levels.

A life in motion: Lyle's journey as an Occupational Therapist

Mar 26, 2025 · Occupational therapy is a client-centred health profession concerned with promoting health and wellbeing through occupation. The primary goal of occupational therapy is to enable people to participate in the activities of everyday life.

Occupational health: health workers - World Health Organization ...

Nov 7, 2022 · Safeguarding the health, safety and well-being of health workers is fundamental for well-functioning and resilient health systems. Health workers face a range of occupational risks associated with biological, chemical, physical, ergonomic and psychosocial hazards including violence, affecting the safety of both health workers and patients. The protection of health, ...

Occupational injuries - World Health Organization (WHO)

Occupational injuries Common injuries among health workers are slips, trips and falls, road traffic injuries (ambulance crashes, motorbike and bicycle injuries), electric shock, explosions and fire.

Burn-out an "occupational phenomenon": International ...

May 28, 2019 · Burn-out is included in the 11th Revision of the International Classification of Diseases (ICD-11) as an occupational phenomenon. It is not classified as a medical condition. It is described in the chapter: 'Factors influencing health status or contact with health services' – which includes reasons for which people contact health services but that are not classed as illnesses ...

Guidelines for HIV post-exposure prophylaxis

Jul 22, 2024 · WHO's updated PEP guidelines prioritize broader access to PEP, including community-based delivery and task sharing to mitigate barriers such as stigma and to ensure timely access post exposure. PEP involves administering antiretroviral (ARV) medication after potential HIV exposure to prevent infection.

Occupational health

Jun 1, 2023 · Occupational health deals with all aspects of health and safety in the workplace and has a strong focus on primary prevention of hazards. The health of the workers has several determinants, including risk factors at the workplace leading to cancers, accidents, musculoskeletal diseases, respiratory diseases, hearing loss, circulatory diseases, stress ...

Protecting health and safety of health workers

Providing occupational health and safety measures for protecting health workers and is also fundamental for well-functioning and resilient health systems, quality of care and maintaining a

productive health workforce.

Discover how occupational therapy supports developmental milestones in children. Learn more about key strategies and insights to enhance growth and skills today!

[Back to Home](#)