

Occupational Therapy Case Study Examples

[Step into the NHS on Facebook](#)

Case Studies

Seventy per cent of my time is spent dealing with the effects of accidents, especially fractures to fingers and wrists. Trampolines and monkey bars have got a lot to answer for!

Name:

Rachel Maton

Role:

Occupational therapist
Sheffield Children's Hospital

What do you do?

There are four occupational therapists attached to the Children's Hospital. We work mostly with in-patients plus some out-patients. In a nutshell, occupational therapy involves helping people who've been sick or injured do all the daily occupational activities that they need to do. For kids this would include getting dressed, having a bath, eating breakfast, getting to school, playing : all the normal things that most children take for granted.

What is your typical day?

I work with people right up to nineteen years old, though usually my patients are under sixteen. Last week I had a seven week old baby. The problems we see can be caused by short term things like injuries and recovery from operations, or they can be caused by long term illnesses, like cerebral palsy.

Seventy per cent of my time is spent dealing with the effects of accidents, especially fractures to fingers and wrists. Trampolines and monkey bars have got a lot to answer for! Obviously, if you can't use your hands normally, there's lots you can't do. With these types of injuries we help make a plastic, moulded splint for the kid which exactly fits the shape of the hand, to help support, stabilize and reduce pain.

Sometimes we have to help children to learn to walk again after an operation: for example, if their bones have been stretched or reshaped. We make foam coverings for metal surgical leg frames and we are specialists in making foam support shoes.

A normal day for me will often start with a ward round with the doctors to decide which patients need seeing. I also have out-patients to see, plus phone calls throughout the day to deal with. It's never the same. Yesterday I had to deal with a boy who'd damaged the nerves in his hand and needed a splint. Another kid had had a breast reduction operation and needed a special vest made of tight lycra to stop scar tissue and fluids from building up.

Occupational therapy case study examples are essential tools for illustrating the application of therapeutic practices in real-life scenarios. They provide valuable insights into how occupational therapists assess, plan, and implement interventions tailored to meet the unique needs of their clients. This article will explore various case study examples, highlighting the different contexts in which occupational therapy can be applied, the assessment processes involved, the interventions used, and the outcomes achieved.

Understanding Occupational Therapy

Occupational therapy (OT) is a client-centered health profession that focuses on helping individuals achieve independence in their daily activities. Occupational therapists work with clients of all ages who may be experiencing difficulties due to physical, mental, or developmental challenges. The primary goal of OT is to enhance the quality of life by promoting participation in meaningful activities, also known as "occupations."

The Role of Case Studies in Occupational Therapy

Case studies serve several purposes in the field of occupational therapy:

1. **Educational Tool:** They help students and new practitioners understand the complexities of client situations and the interventions employed.
2. **Research:** Case studies contribute to the body of knowledge in OT, enabling practitioners to learn from diverse experiences.
3. **Clinical Practice:** They provide a framework for evaluating and refining therapeutic techniques based on real-world applications.

Case Study Examples in Occupational Therapy

This section presents a variety of case study examples that demonstrate how OT can be applied in different contexts.

Case Study 1: Pediatric Occupational Therapy

Client Profile: Emily, a 6-year-old girl diagnosed with Autism Spectrum Disorder (ASD).

Assessment: Emily displayed difficulties with fine motor skills, social interactions, and sensory processing. The occupational therapist utilized standardized assessments such as the Peabody Developmental Motor Scales and the Sensory Profile to evaluate her strengths and challenges.

Intervention Plan:

- **Goal Setting:** Improve fine motor skills to enhance her ability to participate in classroom activities.
- **Activities:**
 - Engaging Emily in play-dough activities to strengthen her hand muscles.
 - Implementing a sensory diet that included swinging and jumping on a trampoline to help regulate her sensory input.
 - Facilitating social skills groups with peers to practice interactions in a structured setting.

Outcome: After 12 weeks of therapy, Emily demonstrated improved fine motor skills, allowing her to hold a pencil correctly and participate in classroom art projects. Her social interactions also improved, as evidenced by her increased willingness to play with peers.

Case Study 2: Geriatric Occupational Therapy

Client Profile: Mr. Johnson, a 75-year-old man recovering from hip

replacement surgery.

Assessment: The occupational therapist conducted a home assessment and evaluated Mr. Johnson's mobility, self-care skills, and home environment. The assessment revealed that he struggled with transferring from the bed to a chair and needed assistance with dressing.

Intervention Plan:

- Goal Setting: Enhance Mr. Johnson's independence in personal care and mobility.
- Activities:
 - Implementing transfer training techniques, such as using a transfer belt and teaching safe methods to get in and out of bed.
 - Modifying his home environment by adding grab bars in the bathroom and rearranging furniture to create clear pathways.
 - Introducing adaptive equipment like a long-handled reacher and a sock aid to facilitate dressing.

Outcome: After eight weeks, Mr. Johnson was able to transfer independently and perform most self-care tasks without assistance. His confidence increased, and he reported feeling more comfortable navigating his home.

Case Study 3: Mental Health Occupational Therapy

Client Profile: Sarah, a 34-year-old woman diagnosed with Major Depressive Disorder.

Assessment: The occupational therapist conducted a comprehensive evaluation, including the Occupational Self Assessment and the Beck Depression Inventory. Sarah reported difficulties in performing daily activities, such as maintaining her hygiene and managing household chores.

Intervention Plan:

- Goal Setting: Improve Sarah's daily functioning and engagement in meaningful activities.
- Activities:
 - Establishing a daily routine with small, achievable tasks to increase her sense of accomplishment.
 - Encouraging participation in a community art class as a form of expressive therapy.
 - Introducing mindfulness and relaxation techniques to manage stress and improve mood.

Outcome: Over a period of 10 weeks, Sarah reported feeling more motivated and capable of completing daily tasks. Her participation in the art class provided her with a sense of belonging, and she began to engage more socially.

Case Study 4: Hand Therapy

Client Profile: David, a 45-year-old man who sustained a traumatic hand injury in a workplace accident.

Assessment: The occupational therapist assessed David's range of motion, strength, and functional abilities using the Jebsen Hand Function Test and goniometric measurements.

Intervention Plan:

- **Goal Setting:** Restore David's hand function to return to work as a mechanic.
- **Activities:**
 - Implementing a customized exercise program to improve strength and range of motion.
 - Utilizing orthotics to support the injured hand and facilitate healing.
 - Teaching task-specific training, such as gripping and manipulation exercises using tools he would use in his job.

Outcome: After six weeks of therapy, David regained sufficient strength and function in his hand to return to work. He reported being able to perform his job duties effectively, and his overall satisfaction with life increased.

Conclusion

Occupational therapy case study examples illustrate the diverse applications of OT across various populations and settings. Each case highlights the importance of a client-centered approach, thorough assessment, tailored interventions, and measurable outcomes. By analyzing these examples, practitioners can gain insights into best practices and innovative strategies that can enhance their therapy services.

As OT continues to evolve, the sharing of case studies will remain a vital component in fostering professional development and improving client care. Whether in pediatric, geriatric, mental health, or hand therapy, understanding the intricacies of client experiences can lead to more effective interventions and ultimately, better outcomes for those seeking assistance in their daily lives.

Frequently Asked Questions

What are some common conditions treated in occupational therapy case studies?

Common conditions include stroke, traumatic brain injury, autism spectrum

disorders, multiple sclerosis, and orthopedic injuries.

How does an occupational therapy case study typically demonstrate treatment effectiveness?

It often includes detailed assessments, intervention strategies, progress notes, and outcome measures to show improvements in daily living skills and overall quality of life.

Can you provide an example of an intervention used in an occupational therapy case study?

An example would be using adaptive equipment, like modified utensils for individuals with hand dexterity issues, to enhance their ability to perform self-feeding tasks.

What role does client involvement play in occupational therapy case studies?

Client involvement is crucial as it ensures that the treatment goals align with the client's personal interests and daily challenges, leading to more effective and meaningful outcomes.

How can occupational therapy case studies inform best practices in the field?

They provide real-world examples of successful interventions, highlight challenges faced during treatment, and contribute to the evidence base that guides future clinical practices.

Find other PDF article:

<https://soc.up.edu.ph/54-tone/Book?ID=OkC73-7750&title=solution-focused-therapy-with-children.pdf>

Occupational Therapy Case Study Examples

Occupational health

Jun 12, 2025 · Occupational health is an area of work in public health to promote and maintain highest degree of physical, mental and social well-being of workers in all ...

Occupational hazards in the health sector : Training slides

Mar 6, 2025 · Overview Following the publication of our Caring for those who care: Guide for the development and implementation of occupational health ...

Occupational hazards in the health sector

This e-tool is intended for use by people in charge of occupational health and safety for health workers at the national, subnational and facility levels.

A life in motion: Lyle's journey as an Occupational Therapist

Mar 26, 2025 · Occupational therapy is a client-centred health profession concerned with promoting health and wellbeing through occupation. The primary goal of ...

Occupational health: health workers - World Health Organization (WHO)

Nov 7, 2022 · Safeguarding the health, safety and well-being of health workers is fundamental for well-functioning and resilient health systems. Health workers ...

Occupational health

Jun 12, 2025 · Occupational health is an area of work in public health to promote and maintain highest degree of physical, mental and social well-being of workers in all occupations. Its ...

Occupational hazards in the health sector : Training slides

Mar 6, 2025 · Overview Following the publication of our Caring for those who care: Guide for the development and implementation of occupational health and safety programmes for health ...

Occupational hazards in the health sector

This e-tool is intended for use by people in charge of occupational health and safety for health workers at the national, subnational and facility levels.

A life in motion: Lyle's journey as an Occupational Therapist

Mar 26, 2025 · Occupational therapy is a client-centred health profession concerned with promoting health and wellbeing through occupation. The primary goal of occupational therapy ...

Occupational health: health workers - World Health Organization ...

Nov 7, 2022 · Safeguarding the health, safety and well-being of health workers is fundamental for well-functioning and resilient health systems. Health workers face a range of occupational ...

Occupational injuries - World Health Organization (WHO)

Occupational injuries Common injuries among health workers are slips, trips and falls, road traffic injuries (ambulance crashes, motorbike and bicycle injuries), electric shock, explosions and fire.

Burn-out an "occupational phenomenon": International ...

May 28, 2019 · Burn-out is included in the 11th Revision of the International Classification of Diseases (ICD-11) as an occupational phenomenon. It is not classified as a medical ...

Guidelines for HIV post-exposure prophylaxis

Jul 22, 2024 · WHO's updated PEP guidelines prioritize broader access to PEP, including community-based delivery and task sharing to mitigate barriers such as stigma and to ensure ...

Occupational health

Jun 1, 2023 · Occupational health deals with all aspects of health and safety in the workplace and has a strong focus on primary prevention of hazards. The health of the workers has several ...

Protecting health and safety of health workers

Providing occupational health and safety measures for protecting health workers and is also fundamental for well-functioning and resilient health systems, quality of care and maintaining a ...

Explore insightful occupational therapy case study examples that showcase effective strategies and outcomes. Discover how these real-life scenarios can inspire your practice!

[Back to Home](#)