

Polynomial Long Division Worksheet With Answers

Algebra 2 Name _____ ID: 1
© 2014 Kuta Software LLC. All rights reserved.

EXAMPLES - Dividing Polynomials using LONG or SYNTHETIC DIVISION

Divide using LONG DIVISION. Show work!

1) $(k^3 + 8k^2 + 10k + 21) \div (k + 7)$

$$k^2 + k + 3$$

2) $(n^4 - 17n^3 + 81n^2 - 65n - 56) \div (n - 8)$

$$n^3 - 9n^2 + 9n + 7$$

3) $(7n^4 - 68n^3 + 46n^2 - 7n - 18) \div (n - 9)$

$$7n^3 - 5n^2 + n + 2$$

4) $(5k^4 + 14k^3 + 12k^2 + 14k + 12) \div (k + 2)$

$$5k^3 + 4k^2 + 4k + 6$$

5) $(-8x^3 + 40x^2 - 37x + 30) \div (x - 4)$

$$-8x^2 + 8x - 5 + \frac{10}{x - 4}$$

6) $(x^4 + 2x^3 - 87x^2 - 68x + 13) \div (x + 10)$

$$x^3 - 8x^2 - 7x + 2 - \frac{7}{x + 10}$$

7) $(12v^3 + 38v^2 - 16v - 20) \div (6v - 5)$

$$2v^2 + 8v + 4$$

8) $(4x^4 - 15x^3 - 28x^2 + 6x + 3) \div (4x + 1)$

$$x^3 - 4x^2 - 6x + 3$$

© 2014 Kuta Software LLC. All rights reserved. Made with Infinite Algebra 2.

Polynomial long division worksheet with answers is an essential resource for students and educators alike, aiming to enhance understanding and proficiency in polynomial division. Polynomial long division is a method used to divide polynomials, similar to the long division process used with integers. This article will provide a comprehensive overview of polynomial long division, including step-by-step instructions, example problems, and a worksheet that includes answers for self-assessment.

Understanding Polynomial Long Division

Polynomial long division is a technique used to divide a polynomial by another polynomial of lower or equal degree. It allows us to simplify complex polynomial expressions and is particularly useful in calculus and algebra when dealing with rational functions.

Basics of Polynomials

Before diving into polynomial long division, it's important to understand the components of polynomials:

1. **Definition:** A polynomial is an expression made up of variables and coefficients, combined using addition, subtraction, multiplication, and non-negative integer exponents. For example, $(2x^3 + 3x^2 - x + 5)$ is a polynomial.
2. **Terms:** Each part of the polynomial separated by a plus or minus sign is called a term. The degree of a polynomial is determined by the highest exponent of the variable in the expression.
3. **Standard Form:** Polynomials are typically written in standard form, which lists the terms in descending order of their degree.

Steps for Polynomial Long Division

The process of polynomial long division involves several key steps:

1. **Set Up the Division:** Write the dividend (the polynomial to be divided) under the long division symbol and the divisor (the polynomial you are dividing by) outside.
2. **Divide the Leading Terms:** Take the leading term of the dividend and divide it by the leading term of the divisor. This gives the first term of the quotient.
3. **Multiply and Subtract:** Multiply the entire divisor by the term found in step 2 and subtract this product from the dividend.
4. **Bring Down the Next Term:** If necessary, bring down the next term from the dividend to create a new polynomial.
5. **Repeat:** Continue the process of dividing, multiplying, and subtracting until all terms of the dividend have been used.
6. **Write the Remainder:** If there are no more terms to bring down and the

degree of the remainder is less than the degree of the divisor, write the remainder.

Example Problems

Understanding the steps with examples can greatly enhance comprehension. Below are some example problems solved using polynomial long division.

Example 1: Dividing $(x^3 + 2x^2 + 3x + 4)$ by $(x + 1)$

1. Set Up:

```
\[
\begin{array}{r|l}
x + 1 & x^3 + 2x^2 + 3x + 4 \\
\end{array}
\]
```

2. Divide Leading Terms:

```
\[
x^3 \div x = x^2
\]
```

First term of the quotient: (x^2) .

3. Multiply and Subtract:

```
\[
(x + 1)(x^2) = x^3 + x^2
\]
```

Subtract:

```
\[
(x^3 + 2x^2 + 3x + 4) - (x^3 + x^2) = (2x^2 - x^2) + 3x + 4 = x^2 + 3x + 4
\]
```

4. Bring Down the Next Term: No need to bring down since we have $(x^2 + 3x + 4)$.

5. Repeat:

- Divide leading terms: $(x^2 \div x = x)$.
- Multiply and subtract:

```
\[
(x + 1)(x) = x^2 + x
\]
```

```
\[
(x^2 + 3x + 4) - (x^2 + x) = 2x + 4
\]
```

- Divide leading terms: $(2x \div x = 2)$.

- Multiply and subtract:

$$(x + 1)(2) = 2x + 2$$

$$(2x + 4) - (2x + 2) = 2$$

6. Result: The quotient is $(x^2 + x + 2)$ with a remainder of (2) .

The final result can be expressed as:

$$\frac{x^3 + 2x^2 + 3x + 4}{x + 1} = x^2 + x + 2 + \frac{2}{x + 1}$$

Example 2: Dividing $(2x^4 - 3x^3 + x - 5)$ by $(x^2 - 1)$

1. Set Up:

$$\begin{array}{r|l} x^2 - 1 & 2x^4 - 3x^3 + 0x^2 + x - 5 \\ \hline \end{array}$$

2. Divide Leading Terms:

$$2x^4 \div x^2 = 2x^2$$

First term of the quotient: $(2x^2)$.

3. Multiply and Subtract:

$$(x^2 - 1)(2x^2) = 2x^4 - 2x^2$$

Subtract:

$$(2x^4 - 3x^3 + 0x^2 + x - 5) - (2x^4 - 2x^2) = -3x^3 + 2x^2 + x - 5$$

4. Bring Down the Next Term: No need to bring down since we have $(-3x^3 + 2x^2 + x - 5)$.

5. Repeat:

- Divide leading terms: $(-3x^3 \div x^2 = -3x)$.

- Multiply and subtract:

$$(x^2 - 1)(-3x) = -3x^3 + 3x$$

$$\begin{aligned} & \backslash [\\ & (-3x^3 + 2x^2 + x - 5) - (-3x^3 + 3x) = 2x^2 - 2x - 5 \end{aligned}$$

\backslash]
 - Divide leading terms: $\backslash (2x^2 \div x^2 = 2\backslash)$.
 - Multiply and subtract:

$$\begin{aligned} & \backslash [\\ & (x^2 - 1)(2) = 2x^2 - 2 \end{aligned}$$

$$\begin{aligned} & \backslash [\\ & (2x^2 - 2x - 5) - (2x^2 - 2) = -2x - 3 \end{aligned}$$

\backslash]

6. Result: The quotient is $\backslash (2x^2 - 3x + 2\backslash)$ with a remainder of $\backslash (-2x - 3\backslash)$.

The final result can be expressed as:

$$\begin{aligned} & \backslash [\\ & \frac{2x^4 - 3x^3 + x - 5}{x^2 - 1} = 2x^2 - 3x + 2 - \frac{2x + 3}{x^2 - 1} \end{aligned}$$

\backslash]

Polynomial Long Division Worksheet

To practice polynomial long division, here is a worksheet with a variety of problems. Each problem is followed by a solution for self-checking.

Worksheet Problems

1. Divide $\backslash (x^4 + 3x^3 + 2x^2 - 5\backslash)$ by $\backslash (x^2 + 2\backslash)$.
2. Divide $\backslash (4x^5 - x^4 + 2x^3 - 7x + 1\backslash)$ by $\backslash (2x^3 - 3\backslash)$.
3. Divide $\backslash (5x^3 + 4x^2 - 2x + 1\backslash)$ by $\backslash (x + 1\backslash)$.
4. Divide $\backslash (3x^4 - x^3 + x^2 - 2x + 7\backslash)$ by $\backslash (x^2 + 1\backslash)$.
5. Divide $\backslash (x^5 - 4x + 3\backslash)$ by $\backslash (x - 2\backslash)$.

Worksheet Answers

1. Quotient: $\backslash (x^2 + x + 0\backslash)$ with remainder: $\backslash (-5\backslash)$.
2. Quotient: $\backslash (2x^2 + 3x + \frac{1}{2}\backslash)$ with remainder: $\backslash (-\frac{13}{2}\backslash)$.
3. Quotient: $\backslash (5x^2 - 1\backslash)$ with remainder: $\backslash (0\backslash)$.
4. Quotient: $\backslash (3x^2 + 2\backslash)$ with remainder: $\backslash (-2x + 7\backslash)$.
5. Quotient: $\backslash (x^4 + 2x^3 +$

Frequently Asked Questions

What is polynomial long division?

Polynomial long division is a method used to divide a polynomial by another polynomial, similar to numerical long division. It involves dividing, multiplying, and subtracting until the remainder is less than the divisor.

How do I set up a polynomial long division problem?

To set up a polynomial long division problem, write the dividend (the polynomial being divided) under a long division symbol, and the divisor (the polynomial you are dividing by) outside the symbol.

What are the steps involved in polynomial long division?

The steps include: 1) Divide the leading term of the dividend by the leading term of the divisor. 2) Multiply the entire divisor by the result from step 1. 3) Subtract this from the dividend. 4) Bring down the next term and repeat until all terms are processed.

What should I do if the degree of the divisor is greater than the degree of the dividend?

If the degree of the divisor is greater than the degree of the dividend, the result is 0 with the original dividend as the remainder.

Can you provide an example of polynomial long division?

Sure! To divide $(2x^3 + 3x^2 - x + 5)$ by $(x + 2)$, you would start by dividing $2x^3$ by x , giving you $2x^2$. Multiply $(x + 2)$ by $2x^2$, subtract from the original polynomial, and repeat the process until finished.

What is a common mistake to avoid in polynomial long division?

A common mistake is misaligning terms when subtracting or bringing down the next term. Always ensure that like terms are aligned properly to avoid errors.

Where can I find polynomial long division worksheets with answers?

You can find polynomial long division worksheets with answers on educational websites, math resource platforms, or by searching for printable worksheets specifically designed for polynomial division practice.

How can I check my work after performing polynomial long division?

You can check your work by multiplying the quotient by the divisor and adding the remainder. The result should equal the original dividend.

Are there online tools available for polynomial long division?

Yes, there are various online calculators and tools that can perform polynomial long division. These can be useful for checking your work or understanding the steps involved.

Find other PDF article:

<https://soc.up.edu.ph/34-flow/Book?dataid=Bco25-7487&title=jamestown-questions-and-answers.pdf>

Polynomial Long Division Worksheet With Answers

order of polynomial | degree of polynomial

Apr 2, 2018 · 1. degree theorem of polynomial products | 2. degree of a polynomial | 3. the degree of polynomial | 4. Degree of ...

Origin | smooth -

Signal processing: smooth | Points of Window | Polynomial Order 1 2 3 4 5 ...

Orthogonal Polynomial Contrasts

Nov 18, 2024 · Orthogonal Polynomial Contrasts | ...

(Jones Polynomial) | ...

(Jones Polynomial) | Adams | The Knot Book | knot table | Jones 0 ...

C | -

Polynomial | ...

Polynomial -

Jul 9, 2025 · Freeman Dyson | Dyson | Dyson ...

polynomial chaos expansions

polynomial chaos Expansion | chaos | ...

Polynomial identity - In mathematics, in particular in algebra, polarization is a technique for expressing a ...

NP - polynomial time check NP oracle verifier $n=a*b$ verifier check ...

non-uniform polynomial time algorithm - Arora-Barak complexity zoo $P/poly$ (Complexity Zoo:P), non-uniform polynomial-time (class) decision problem ...

order of polynomial degree of polynomial Apr 2, 2018 · 1. degree theorem of polynomial products 2. degree of a polynomial | 3. the degree of polynomial 4. Degree of ...

Origin smooth-Points of Window Polynomial Order123 ...

Orthogonal Polynomial Contrasts Nov 18, 2024 · Orthogonal Polynomial Contrasts ...

(Jones Polynomial) ... (Jones Polynomial) [Adams] The Knot Book knot table Jones0 ...

C Polynomial ...

Polynomial - Jul 9, 2025 · Freeman Dyson Dyson Dyson ...

polynomial chaos expansions polynomial chaos chaos ...

Polarization identity - In mathematics, in particular in algebra, polarization is a technique for expressing ...

NP - polynomial time check NP oracle verifier $n=a*b$ verifier ...

non-uniform polynomial time algorithm - Arora-Barak complexity zoo $P/poly$ (Complexity Zoo:P), non-uniform polynomial-time (class) ...

Master polynomial long division with our comprehensive worksheet featuring answers! Enhance your skills and confidence in math. Discover how today!

[Back to Home](#)