

Pleurx Drainage Kit Instructions

Drainage instructions

PleurX® catheter system

These instructions are to be used only as a reference. Read the Instructions for Use that come with the drainage kits and watch the drainage video for more detailed instructions.

Getting started

Get all drainage supplies ready and thoroughly wash your hands.

- 1 Open all packaging. Unfold blue wrapping. Place bottle near wrapping and lay access tip on blue wrapping.
- 2 Tear open alcohol pads. Lay open pouches on blue wrapping a short distance from sterile items.
- 3 Pick up each glove by the wrist and put both of them on.
- 4 Open pouch containing valve cap and let it fall onto sterile blue wrapping.

Connecting the drainage bottle

Be sure to keep the end of the catheter and access tip clean.

- 5 Squeeze clamp on drainage line completely closed and remove cover from access tip.
- 6 Take valve cap off catheter.
- 7 Clean around valve opening with first alcohol pad.
- 8 Insert access tip into catheter valve.

Draining fluid

Do not drain more than 1000mL from your chest or 2000mL from your abdomen at any one time.

- 9 Remove support clip from top of drainage bottle and push down "T" plunger.
- 10 Release clamp on drainage line to begin draining.
- 11 Squeeze clamp on drainage line completely closed when finished draining.

Final steps and disposal

If you have any questions or concerns, contact your doctor or nurse.

- 12 Pull access tip out of valve; set drainage line down.
- 13 Clean around valve opening with second alcohol pad.
- 14 Place new cap on catheter valve and twist it until it snaps into its locked position.
- 15 Clean around catheter site with third alcohol pad.
- 16 Place foam catheter pad around catheter and wind catheter on top of pad. Cover catheter with gauze pads.
- 17 Place self-adhesive dressing over gauze pads and remove plastic covering.
- 18 Push down "T" plunger and move plunger in a circular motion to further puncture the foil seal so fluid can be poured out.
- 19 Remove flexible cap and drainage line from bottle.
- 20 Empty bottle into toilet. Place bottle in a plastic bag, seal tightly and discard.

© 2016 CareFusion. All rights reserved. CareFusion, the CareFusion logo, and the CareFusion logo are trademarks of CareFusion Corporation. All other trademarks are the property of their respective owners.

CareFusion
Waukegan, IL
carefusion.com

 **CareFusion**

PLEURX DRAINAGE KIT INSTRUCTIONS ARE ESSENTIAL FOR PATIENTS WHO REQUIRE THIS MEDICAL DEVICE TO MANAGE PLEURAL EFFUSIONS OR ASCITES. THE PLEURX CATHETER SYSTEM IS DESIGNED TO ALLEVIATE SYMPTOMS CAUSED BY FLUID ACCUMULATION IN THE PLEURAL SPACE OR ABDOMINAL CAVITY. THIS ARTICLE PROVIDES COMPREHENSIVE INSTRUCTIONS ON HOW TO USE A PLEURX DRAINAGE KIT EFFECTIVELY, ENSURING SAFETY AND COMFORT FOR PATIENTS AND CAREGIVERS ALIKE.

UNDERSTANDING THE PLEURX DRAINAGE KIT

THE PLEURX DRAINAGE KIT CONTAINS VARIOUS COMPONENTS NECESSARY FOR THE SAFE AND EFFECTIVE DRAINAGE OF EXCESS FLUID. UNDERSTANDING THESE COMPONENTS IS CRUCIAL FOR PROPER USAGE. HERE ARE THE KEY ELEMENTS OF THE KIT:

- **PLEURX CATHETER:** A FLEXIBLE TUBE INSERTED INTO THE BODY TO DRAIN FLUID.
- **DRAINAGE BOTTLE:** A STERILE CONTAINER THAT COLLECTS THE DRAINED FLUID.
- **NEEDLE AND SYRINGE:** USED FOR INITIAL ACCESS AND TO HELP WITH FLUID REMOVAL.
- **ALCOHOL PADS:** FOR STERILIZING THE AREA AND COMPONENTS BEFORE USE.
- **ADHESIVE DRESSING:** TO SECURE THE CATHETER IN PLACE AFTER INSERTION.

PREPARATION BEFORE DRAINAGE

BEFORE USING THE PLEURX DRAINAGE KIT, CERTAIN PREPARATIONS NEED TO BE MADE TO ENSURE A STERILE AND SAFE PROCEDURE.

GATHER YOUR SUPPLIES

ENSURE YOU HAVE ALL THE COMPONENTS OF THE PLEURX DRAINAGE KIT READY AND ACCESSIBLE. ADDITIONALLY, CONSIDER GATHERING THE FOLLOWING ITEMS TO FACILITATE THE PROCESS:

- GLOVES (PREFERABLY STERILE)
- GAUZE PADS
- WASTE CONTAINER FOR DISPOSAL OF USED MATERIALS
- COMFORTABLE CHAIR OR BED FOR THE PATIENT

PERSONAL HYGIENE

BEFORE STARTING THE PROCEDURE, WASH YOUR HANDS THOROUGHLY WITH SOAP AND WATER OR USE AN ALCOHOL-BASED HAND SANITIZER. IF YOU ARE A CAREGIVER PERFORMING THE PROCEDURE, PUT ON STERILE GLOVES TO MAINTAIN A CLEAN ENVIRONMENT.

PATIENT PREPARATION

MAKE SURE THE PATIENT IS IN A COMFORTABLE POSITION, EITHER SITTING UPRIGHT OR LYING DOWN, DEPENDING ON THEIR COMFORT AND THE LOCATION OF THE CATHETER. IT IS ALSO IMPORTANT TO EXPLAIN THE PROCEDURE TO THE PATIENT TO EASE ANY ANXIETY.

STEP-BY-STEP INSTRUCTIONS FOR USING THE PLEURX DRAINAGE KIT

FOLLOW THESE DETAILED STEPS TO EFFECTIVELY USE THE PLEURX DRAINAGE KIT:

STEP 1: PREPARE THE DRAINAGE SYSTEM

1. REMOVE THE CAP FROM THE DRAINAGE BOTTLE: CAREFULLY TAKE OFF THE PROTECTIVE CAP TO ACCESS THE DRAINAGE PORT.
2. CONNECT THE CATHETER: IF THE CATHETER IS NOT ALREADY CONNECTED, ATTACH IT SECURELY TO THE DRAINAGE PORT ON THE BOTTLE.

STEP 2: INSERT THE CATHETER

1. LOCATE THE CATHETER INSERTION SITE: THE CATHETER SHOULD ALREADY BE IN PLACE, BUT IF YOU ARE PERFORMING THE PROCEDURE FOR THE FIRST TIME, THE HEALTHCARE PROVIDER WILL GUIDE YOU ON THE CORRECT LOCATION.
2. CLEAN THE INSERTION SITE: USE AN ALCOHOL PAD TO DISINFECT THE AREA AROUND THE CATHETER ENTRY POINT.
3. CHECK THE CATHETER: ENSURE THAT THE CATHETER IS PATENT (OPEN) AND NOT KINKED OR BLOCKED.

STEP 3: DRAIN THE FLUID

1. POSITION THE DRAINAGE BOTTLE: PLACE THE DRAINAGE BOTTLE LOWER THAN THE CATHETER ENTRY POINT TO ALLOW GRAVITY TO ASSIST IN FLUID DRAINAGE.
2. OPEN THE VALVE: IF YOUR PLEURX KIT HAS A VALVE, OPEN IT CAREFULLY TO ALLOW FLUID TO FLOW INTO THE DRAINAGE BOTTLE.
3. MONITOR FOR FLUID RETURN: OBSERVE THE FLOW OF FLUID INTO THE BOTTLE. BE AWARE OF ANY CHANGES IN COLOR OR CONSISTENCY, AS THESE COULD INDICATE COMPLICATIONS.

STEP 4: COMPLETE THE DRAINAGE

1. CLOSE THE VALVE: ONCE THE DESIRED AMOUNT OF FLUID HAS BEEN DRAINED, CLOSE THE DRAINAGE VALVE SECURELY.
2. REMOVE THE CATHETER: IF APPLICABLE, GENTLY PULL THE CATHETER OUT WHILE BEING CAUTIOUS NOT TO APPLY EXCESSIVE FORCE.
3. SEAL THE SITE: APPLY A STERILE DRESSING OVER THE INSERTION SITE TO PREVENT INFECTION.

POST-DRAINAGE CARE

AFTER COMPLETING THE DRAINAGE PROCESS, FOLLOW THESE GUIDELINES FOR POST-CARE.

MONITORING AND SYMPTOMS

1. CHECK FOR COMPLICATIONS: MONITOR THE PATIENT FOR ANY SIGNS OF INFECTION, SUCH AS FEVER, REDNESS, OR SWELLING AT THE INSERTION SITE.
2. TRACK FLUID OUTPUT: KEEP A RECORD OF THE AMOUNT AND APPEARANCE OF THE DRAINED FLUID FOR FUTURE REFERENCE DURING MEDICAL CONSULTATIONS.

CLEANING UP

1. DISPOSE OF MATERIALS: SAFELY DISCARD USED GLOVES, ALCOHOL PADS, AND OTHER MATERIALS IN A DESIGNATED WASTE CONTAINER.
2. WASH HANDS AGAIN: AFTER COMPLETING THE PROCEDURE, WASH YOUR HANDS THOROUGHLY WITH SOAP AND WATER.

WHEN TO SEEK MEDICAL ATTENTION

IT'S CRITICAL TO UNDERSTAND WHEN TO CONTACT A HEALTHCARE PROVIDER AFTER USING THE PLEURX DRAINAGE KIT. SEEK IMMEDIATE MEDICAL ATTENTION IF YOU NOTICE:

- FEVER OR CHILLS
- INCREASED PAIN OR DISCOMFORT AT THE CATHETER SITE
- UNUSUAL OR EXCESSIVE BLEEDING FROM THE INSERTION SITE
- SIGNS OF INFECTION, SUCH AS PUS OR INCREASED REDNESS AROUND THE CATHETER

CONCLUSION

IN SUMMARY, **PLEURX DRAINAGE KIT INSTRUCTIONS** ARE VITAL FOR PATIENTS MANAGING PLEURAL EFFUSIONS OR ASCITES. BY FOLLOWING THE STEPS OUTLINED ABOVE, PATIENTS AND CAREGIVERS CAN ENSURE A SAFE AND EFFECTIVE DRAINAGE PROCESS, ENHANCING THE QUALITY OF LIFE FOR THOSE AFFECTED. ALWAYS CONSULT WITH A HEALTHCARE PROVIDER FOR PERSONALIZED ADVICE AND GUIDANCE TAILORED TO INDIVIDUAL HEALTH NEEDS.

FREQUENTLY ASKED QUESTIONS

WHAT IS A PLEURX DRAINAGE KIT USED FOR?

THE PLEURX DRAINAGE KIT IS USED TO MANAGE PLEURAL EFFUSIONS AND ASCITES BY ALLOWING PATIENTS TO DRAIN EXCESS FLUID FROM THE PLEURAL SPACE OR ABDOMINAL CAVITY AT HOME.

HOW DO I PREPARE FOR USING THE PLEURX DRAINAGE KIT?

BEFORE USING THE PLEURX DRAINAGE KIT, WASH YOUR HANDS THOROUGHLY, GATHER ALL NECESSARY SUPPLIES, AND ENSURE YOU HAVE A CLEAN AND COMFORTABLE SPACE TO PERFORM THE DRAINAGE.

WHAT STEPS ARE INVOLVED IN USING THE PLEURX DRAINAGE KIT?

THE STEPS INCLUDE: 1) POSITION YOURSELF COMFORTABLY; 2) CLEAN THE CATHETER SITE; 3) CONNECT THE DRAINAGE BAG; 4) OPEN THE VALVE TO ALLOW FLUID TO DRAIN; 5) MONITOR THE DRAINAGE PROCESS; 6) CLOSE THE VALVE AND STORE THE KIT PROPERLY AFTER USE.

HOW OFTEN SHOULD THE PLEURX DRAINAGE PROCEDURE BE PERFORMED?

THE FREQUENCY OF THE PLEURX DRAINAGE PROCEDURE SHOULD BE DETERMINED BY YOUR HEALTHCARE PROVIDER, TYPICALLY BASED ON THE AMOUNT OF FLUID ACCUMULATION AND YOUR SYMPTOMS.

WHAT SHOULD I DO IF I EXPERIENCE COMPLICATIONS WHILE USING THE PLEURX DRAINAGE KIT?

IF YOU EXPERIENCE COMPLICATIONS SUCH AS INCREASED PAIN, SIGNS OF INFECTION, OR SIGNIFICANT CHANGES IN FLUID OUTPUT, CONTACT YOUR HEALTHCARE PROVIDER IMMEDIATELY FOR GUIDANCE AND ASSISTANCE.

Find other PDF article:

<https://soc.up.edu.ph/21-brief/pdf?trackid=LdC47-9710&title=experiencing-god-leader-guide.pdf>

Pleurx Drainage Kit Instructions

Thoraxdrainage, mittels Mini-Thorakotomie angelegt: kleinlumig

Oct 2, 2011 · Sehr geehrtes Forum, ich bin derzeit mit einer Recherche zur Frage Thoraxdrainage: kleinlumig (8-144.2) vs. großlumig (8-144.0) beschäftigt. Wie ließe sich das ...

Kodierungsbeispiel 2020 für drainova ® & PleurX™ Katheter ...

Apr 20, 2020 · Kodierungsbeispiel 2020 für drainova ® & PleurX™ Katheter - Drainagesystem mydrg.de « Deutsche Kliniken melden mehr als 30.000 Intensivbetten | Kodierungsbeispiel ...

Drain care code — Home Care Coding and OASIS

Jun 14, 2016 · Can the drain care code Z48.03 be coded with z48.01 for dressing changes of the drains or is this integral to the Z48.03? Thanks :y)!!

PleuraX Katheter Entfernung - Fragen zu praktischen ...

Jan 25, 2010 · Der PleurX-Katheter ist jedoch über längere Strecken festgewachsen, so dass entlang des Katheters nach distal und proximal großflächiger Präpariert werden muß.

Pleurix Katheter Versorgung - Fragen zu praktischen ...

Feb 16, 2021 · Hallo zusammen, gibt es für die Versorgung eines liegenden Pleurix-Katheters einen passenden ICD-Code? Vielen Dank!

Aszitesdrainage kontra Aszitespunktion - myDRG - DRG-Forum ...

May 23, 2012 · Hallo Forum, ich habe heute einen von der Knappschaft eine Mitteilung bekommen, das eine Aszitesdrainage mit einer Aszitespunktion gleich zusetzen sei. Aus dem ...

Anlage einer großlumigen Pleuradrainage - Fragen zu praktischen ...

Jun 1, 2018 · Hallo zusammen, für die Anlage einer großlumigen Pleuradrainage gibt es 5-340.0 (Inzision von Brustwand und Pleura: Drainage der Brustwand oder Pleurahöhle, offen ...

Entfernung Pleurx-Katheter - Fragen zu praktischen ...

Feb 14, 2011 · Ich möchte um Ihre Hilfe bitten: Wie kodieren Sie die Entfernung eines Pleurex-Katheters (Pleura-Katheter) in der Thoraxchirurgie? Wir finden hier keinen adäquaten OPS ...

Thorax Drainage - DRGs for Beginners - myDRG - DRG-Forum ...

Jul 15, 2010 · Hallo Forumsmitglieder, Ich bin absolute Anfängerin und noch etwas orientierungslos im DRG Dschungel. Mein konkretes Problem: Wann kodiere ich die 5-340.0 ...

Thorakoskopie mit Ergussausträumung - myDRG - DRG-Forum ...

Jul 9, 2020 · Hallo, was kann in diesem Fall der passende OPS sein. Patient hat eine Pleuracarzinose mit Pleuraergüssen bei Lungen Ca. Ein PleurX Katheter soll implantiert ...

Thoraxdrainage, mittels Mini-Thorakotomie angelegt: kleinlumig

Oct 2, 2011 · Sehr geehrtes Forum, ich bin derzeit mit einer Recherche zur Frage Thoraxdrainage:

kleinlumig (8-144.2) vs. großlumig (8-144.0) beschäftigt. Wie ließe sich das gegeneinander ...

Kodierungsbeispiel 2020 für drainova ® & PleurX™ Katheter ...

Apr 20, 2020 · Kodierungsbeispiel 2020 für drainova ® & PleurX™ Katheter - Drainagesystem
mydrg.de « Deutsche Kliniken melden mehr als 30.000 Intensivbetten | Kodierungsbeispiel 2020 ...

Drain care code — Home Care Coding and OASIS

Jun 14, 2016 · Can the drain care code Z48.03 be coded with z48.01 for dressing changes of the drains or is this integral to the Z48.03? Thanks :)!!

PleuraX Katheter Entfernung - Fragen zu praktischen ...

Jan 25, 2010 · Der PleurX-Katheter ist jedoch über längere Strecken festgewachsen, so dass entlang des Katheters nach distal und proximal großflächiger Präpariert werden muß.

Pleurix Katheter Versorgung - Fragen zu praktischen ...

Feb 16, 2021 · Hallo zusammen, gibt es für die Versorgung eines liegenden Pleurix-Katheters einen passenden ICD-Code? Vielen Dank!

Aszitesdrainage kontra Aszitespunktion - myDRG - DRG-Forum ...

May 23, 2012 · Hallo Forum, ich habe heute einen von der Knappschaft eine Mitteilung bekommen, das eine Aszitesdrainage mit einer Aszitespunktion gleich zusetzen sei. Aus dem Dimdi gehe ...

Anlage einer großlumigen Pleuradrainage - Fragen zu praktischen ...

Jun 1, 2018 · Hallo zusammen, für die Anlage einer großlumigen Pleuradrainage gibt es 5-340.0 (Inzision von Brustwand und Pleura: Drainage der Brustwand oder Pleurahöhle, offen chirurgisch) ...

Entfernung Pleurx-Katheter - Fragen zu praktischen ...

Feb 14, 2011 · Ich möchte um Ihre Hilfe bitten: Wie kodieren Sie die Entfernung eines Pleurex-Katheters (Pleura-Katheter) in der Thoraxchirurgie? Wir finden hier keinen adäquaten OPS ...

Thorax Drainage - DRGs for Beginners - myDRG - DRG-Forum ...

Jul 15, 2010 · Hallo Forumsmitglieder, Ich bin absolute Anfängerin und noch etwas orientierungslos im DRG Dschungel. Mein konkretes Problem: Wann kodiere ich die 5-340.0 und wann die 8 ...

Thorakoskopie mit Ergussausräumung - myDRG - DRG-Forum ...

Jul 9, 2020 · Hallo, was kann in diesem Fall der passende OPS sein. Patient hat eine Pleuracarcinose mit Pleuraergüssen bei Lungen Ca. Ein PleurX Katheter soll implantiert werden. ...

Discover essential Pleurx drainage kit instructions for safe and effective use. Learn more to ensure proper drainage and manage your health confidently!

[Back to Home](#)