

Riemann Sum Worksheet With Answers

Big 10: Riemann Sums

Instructions: In the box below are the numbers 0 – 9. Complete the following and cross off the number for each answer. If you complete all problems correctly, you will cross off each number exactly once!

0	1	2	3	4	5	6	7	8	9
---	---	---	---	---	---	---	---	---	---

a. Given that $\int_1^6 x^3 dx = \lim_{n \rightarrow \infty} \sum_{i=1}^n \left(1 + \frac{bi}{n}\right)^3 \frac{c}{n}$, Find $c - b$.

Use the table below to answer problems b and c

x	1	2	4	7	8
$f(x)$	4	-2	1	5	-9

b. Use a left Riemann Sum with the four subintervals indicated by the data in the table to approximate $\int_1^8 f(x) dx$

c. Use a right Riemann Sum with the four subintervals indicated by the data in the table to approximate $\int_1^8 f(x) dx$

t	0	1	3	7	8
$v(t)$	0	2	0.5	-1	2

d. The velocity of a particle, in meters per second, is given in the table above for selected times (in seconds). Use a left Riemann Sum with the four subintervals indicated in the table to approximate the total distance the particle travels, in meters, over the eight seconds.

Riemann sum worksheet with answers is a valuable resource for students and educators alike, providing a structured approach to understanding the concept of Riemann sums, a fundamental idea in calculus. Riemann sums are used to approximate the area under a curve, and mastering this concept is essential for further studies in calculus and advanced mathematics. This article will explore Riemann sums in detail, including their definition, types, methods of calculation, and practical applications, as well as providing a worksheet with answers to reinforce learning.

Understanding Riemann Sums

Riemann sums involve partitioning a given interval into smaller subintervals

and summing up the areas of rectangles formed over those intervals. The concept is named after the German mathematician Bernhard Riemann, who contributed significantly to the field of analysis.

Definition

A Riemann sum approximates the integral of a function $f(x)$ over the interval $[a, b]$. The sum is calculated using the formula:

$$R = \sum_{i=1}^n f(x_i^*) \Delta x$$

where:

- n is the number of subintervals,
- $\Delta x = \frac{b - a}{n}$ is the width of each subinterval,
- x_i^* is a sample point in the i^{th} subinterval.

Types of Riemann Sums

There are three primary types of Riemann sums, each differing in how the sample points x_i^* are chosen:

1. Left Riemann Sum: The left endpoint of each subinterval is used as the sample point.

- Formula:

$$L_n = \sum_{i=0}^{n-1} f(a + i \Delta x) \Delta x$$

2. Right Riemann Sum: The right endpoint of each subinterval is used as the sample point.

- Formula:

$$R_n = \sum_{i=1}^n f(a + i \Delta x) \Delta x$$

3. Midpoint Riemann Sum: The midpoint of each subinterval is used as the sample point.

- Formula:

$$M_n = \sum_{i=1}^n f\left(a + \left(i - \frac{1}{2}\right) \Delta x\right) \Delta x$$

Calculating Riemann Sums

To effectively calculate Riemann sums, it is crucial to understand the steps involved in the process. Below are the steps for computing a Riemann sum.

Step-by-Step Process

1. Determine the Function and Interval: Identify the function $f(x)$ you want to integrate and the interval $[a, b]$.
2. Choose the Number of Subintervals (n): Decide how many subintervals you want to divide the interval into.
3. Calculate Δx : Use the formula
$$\Delta x = \frac{b - a}{n}$$
to find the width of each subinterval.
4. Choose Sample Points: Depending on the type of Riemann sum—left, right, or midpoint—decide the points x_i .
5. Compute the Sum: Substitute the chosen points into the appropriate sum formula and calculate the total.

Example Calculation

Let's consider the function $f(x) = x^2$ over the interval $[1, 3]$ using $n = 4$ subintervals.

1. Function and Interval: $f(x) = x^2$, interval $[1, 3]$.
2. Number of Subintervals (n): 4
3. Calculate Δx :
$$\Delta x = \frac{3 - 1}{4} = \frac{2}{4} = 0.5$$
4. Determine Sample Points:
 - Left: $x_0 = 1, x_1 = 1.5, x_2 = 2, x_3 = 2.5$
 - Right: $x_1 = 1.5, x_2 = 2, x_3 = 2.5, x_4 = 3$
 - Midpoint: $x_1 = 1.25, x_2 = 1.75, x_3 = 2.25, x_4 = 2.75$
5. Calculate the Riemann Sums:
 - Left Riemann Sum:
$$L_4 = f(1) \cdot 0.5 + f(1.5) \cdot 0.5 + f(2) \cdot 0.5 + f(2.5) \cdot 0.5$$

$$= 1^2 \cdot 0.5 + (1.5)^2 \cdot 0.5 + 2^2 \cdot 0.5 + (2.5)^2 \cdot 0.5 \\ = 0.5 + 1.125 + 2 + 3.125 = 6.75$$

- Right Riemann Sum:

$$R_4 = f(1.5) \cdot 0.5 + f(2) \cdot 0.5 + f(2.5) \cdot 0.5 + f(3) \cdot 0.5 \\ = (1.5)^2 \cdot 0.5 + 2^2 \cdot 0.5 + (2.5)^2 \cdot 0.5 + 3^2 \cdot 0.5 \\ = 1.125 + 2 + 3.125 + 4.5 = 10.75$$

- Midpoint Riemann Sum:

$$M_4 = f(1.25) \cdot 0.5 + f(1.75) \cdot 0.5 + f(2.25) \cdot 0.5 + f(2.75) \cdot 0.5 \\ = (1.25)^2 \cdot 0.5 + (1.75)^2 \cdot 0.5 + (2.25)^2 \cdot 0.5 + (2.75)^2 \cdot 0.5 \\ = 0.78125 + 1.53125 + 2.53125 + 3.78125 = 8.625$$

Riemann Sum Worksheet with Answers

To help reinforce the understanding of Riemann sums, here's a worksheet with problems followed by their answers.

Worksheet Problems:

1. Calculate the Left Riemann Sum for $f(x) = \sin(x)$ over the interval $[0, \pi]$ using $n = 4$.
2. Calculate the Right Riemann Sum for $f(x) = e^x$ over the interval $[1, 2]$ using $n = 3$.
3. Calculate the Midpoint Riemann Sum for $f(x) = 1/x$ over the interval $[1, 4]$ using $n = 3$.

Answers:

1. Left Riemann Sum for $f(x) = \sin(x)$ over $[0, \pi]$:
 - $\Delta x = \frac{\pi - 0}{4} = \frac{\pi}{4}$
 - Sample Points: $0, \frac{\pi}{4}, \frac{\pi}{2}, \frac{3\pi}{4}$
 - $L_4 = \sin(0) \cdot \frac{\pi}{4} + \sin\left(\frac{\pi}{4}\right) \cdot \frac{\pi}{4} + \sin\left(\frac{\pi}{2}\right) \cdot \frac{\pi}{4} + \sin\left(\frac{3\pi}{4}\right) \cdot \frac{\pi}{4}$
 - $= 0 + \frac{\sqrt{2}}{2} \cdot \frac{\pi}{4} + 1 \cdot \frac{\pi}{4} + \frac{\sqrt{2}}{2} \cdot \frac{\pi}{4}$
 - $= \frac{\pi}{4} \left(1 + \sqrt{2} \right)$
2. Right Riemann Sum for $f(x) = e^x$ over $[1, 2]$:
 - $\Delta x = \frac{2 - 1}{3}$

Frequently Asked Questions

What is a Riemann sum?

A Riemann sum is a method for approximating the integral of a function, calculated by dividing the area under the curve into rectangles, summing their areas, and taking the limit as the width of the rectangles approaches zero.

How do you calculate a Riemann sum using left endpoints?

To calculate a Riemann sum using left endpoints, divide the interval into 'n' subintervals, find the function values at the left endpoint of each subinterval, multiply each function value by the width of the subinterval, and sum these products.

What are the different types of Riemann sums?

The different types of Riemann sums include left Riemann sums, right Riemann sums, midpoint Riemann sums, and trapezoidal sums, each using different points within the subintervals to calculate the area.

What is the purpose of a Riemann sum worksheet?

A Riemann sum worksheet is designed to provide practice problems for students to learn how to calculate Riemann sums, reinforcing their understanding of integral approximations and the concept of area under a curve.

Where can I find Riemann sum worksheets with answers?

Riemann sum worksheets with answers can typically be found on educational websites, math resource platforms, and through academic institutions that provide study materials for calculus topics.

How can I check my answers on a Riemann sum worksheet?

You can check your answers on a Riemann sum worksheet by comparing your results with the provided answer key if available, or by using online calculators that can compute Riemann sums for verification.

What should I do if I struggle with Riemann sums?

If you struggle with Riemann sums, consider seeking help from a teacher or tutor, using online resources and video tutorials, and practicing more problems to build your understanding and skills.

Find other PDF article:

<https://soc.up.edu.ph/37-lead/pdf?trackid=sFw44-8360&title=leo-and-satan-algebra-aversion.pdf>

Riemann Sum Worksheet With Answers

Ziad Issam Hawa, M.D. | Saint Francis Health System

Warren Clinic physicians are contracted with the following health plans: *May be out-of-network for some products. Please confirm coverage with your insurance provider.

Cardiologists at St. Francis Hospital-Tulsa - US News Health

Search hundreds of doctors at St. Francis Hospital-Tulsa in the US News Doctor Finder.

Best Cardiologists Near Me in Tahlequah, OK | WebMD

Discover top Cardiologists in Tahlequah, OK - View 10 providers with an average of 41 years experience and 107 reviews.

13 Cardiologists in Tahlequah, OK Directory - Trustoria

Here is a complete list of most available Cardiologists in Tahlequah, OK. The Trustoria Directory provides everyone with all the resources needed to get the best person for every need. Be ...

About Dr. Ziad I. Hawa, Internist in Tulsa, OK - MD.com

Dr. Hawa specializes in diagnosing and treating cross-system illnesses that may affect multiple organ systems. Dr. Hawa can also refer patients to specialists when medically necessary. For ...

25 of the Best Cardiologists Near Me in Tahlequah, OK | MediFind

Find a top cardiologist near you in Tahlequah, OK who is an expert in your specific cardiovascular condition. A cardiologist is a doctor who treats diseases of the heart and blood vessels.

Saint Francis Health System's Post - LinkedIn

Hawa serves as a hospitalist at Saint Francis Hospital Muskogee and was honored at the recent Physician Leadership Retreat for his outstanding contributions to patient care and clinical...

Saint Francis Heart and Vascular Institute - Suite A100

Visit our Accepted Insurances page to view our up-to-date list of insurances accepted by Warren Clinic, Saint Francis Hospital, and Laureate locations, physicians, and providers.

Doctors at St. Francis Hospital-Tulsa in Tulsa, OK | Best Hospitals

Doctors at St. Francis Hospital-Tulsa The U.S. News Doctor Finder has compiled extensive information in each doctor ' s profile, including where he or she was educated and trained, ...

Cardiac Care - Saint Francis Health System

From congenital heart defects to coronary artery disease, heart failure, electrophysiology and more, our dedicated specialists work within all disciplines of cardiology.

Portal de Trámites y Servicios del SAT

El Servicio de Administración Tributaria (SAT) recauda con piso parejo, vocación humana y conciencia social para la transformación de México.

Portal de trámites y servicios - SAT

Accede al portal del SAT para realizar trámites y servicios fiscales en línea.

Servicio de Administración Tributaria - sat.gob.mx

Enero 31. Publica SAT nuevas reglas que facilitan la inscripción al Régimen de Incorporación Fiscal
Comunicado de prensa Enero 30. Logra SAT embargo de mercancía ilegal en bodegas ...

Citas

De acuerdo con las medidas sanitarias para la contención del virus COVID 19 y siguiendo los lineamientos propuestos por el Gobierno de México para proteger la salud de la población, en ...

Servicio de Administración Tributaria | Gobierno | gob.mx

SAT Móvil trámites y servicios a tu alcance Continuar leyendo 05 de febrero de 2025 Fecha de publicación

Trámites del RFC - Portal de trámites y servicios - SAT

Portal de trámites y servicios satRealiza tu inscripción o actualización en el RFC y en otros padrones

Buzón Tributario - SAT

Buzón Tributario es un canal de comunicación entre el SAT y los contribuyentes. Tiene como objetivo simplificar la notificación de actos administrativos y envío de mensajes de interés de ...

BUZÓN TRIBUTARIO - sat.mx

Portal de trámites y servicios satAdicionalmente, cada contenido cuenta con una sección de preguntas frecuentes y contenidos relacionados. Cada trámite podrás descargarlo, imprimirlo, ...

Portal de Trámites y Servicios a Contribuyentes

Para realizar tus trámites deberás ingresar al Portal del SAT en www.sat.gob.mx Aceptar

Otros trámites y servicios - Portal de trámites y servicios - SAT

Los más consultados SubastaSAT. Participa y adquiere bienes en las subastas del SAT

"Master Riemann sums with our comprehensive worksheet featuring answers! Enhance your calculus skills and boost your understanding. Learn more today!"

[Back to Home](#)