

Sensory Processing Measure Assessment

SPM Home Form Profile Sheet
Sensory Processing Measure
wps
L. Diane Farrow, Ph.D., OTOL, FAOTA, and Cheryl Eiken, M.A., OTR/L

Name (or ID#): _____ Age: _____ Grade: _____ Gender: ☐ M ☐ F

Date this form completed: _____ Reason for assessment: _____

Age	F	RSC	VS	HSA	TDS	RDS	BAL	PLA	TST	F	Tot
80	37-45	33-41	29-37	37-45	36-44	33-41	33-41	33-41	179-224	80	
78	36-38	32-34	27-29	36	34-38	31	31-32	31-32	164-189	78	
76	34	30	26	34-35	30	30	31-32	30	154-163	76	
74	32	28	24	32	28	28	29-30	29	145-163	74	
72	30	26-29	22	30	27-28	26	27-28	26	137-158	72	
70	28	27	20	28-31	26	26	26	26	125-136	70	
68	26	26	21	28-29	25	27	27	27	121-132	68	
66	24	25	20	27	25	26	26	26	119-130	66	
64	22	24	19	26	24	25	25	25	115-121	64	
62	20	23	18	25	24	23	24	24	110-118	62	
60	18	21-22	17	23-24	22	22	22	22	106-109	60	
58	16	20	16	22	21	21	21	21	102-105	58	
56	14	19	15	21	20	20	20	20	98-102	56	
54	12	18	14	20	19	19	19	19	94-98	54	
52	10	17	13	19	18	18	18	18	90-91	52	
50	8	16	12	18	17	17	17	17	86-87	50	
48	6	15	11	17	16	16	16	16	81-83	48	
46	4	14	10	16	15	15	15	15	77-79	46	
44	2	13	9	15	14	14	14	14	73-76	44	
42	0	12	8	14	13	13	13	13	70-74	42	
40	0	11	7	13	12	12	12	12	67-68	40	
38	0	10	6	12	11	11	11	11	64	38	
36	0	9	5	11	10	10	10	10	61	36	
34	0	8	4	10	9	9	9	9	58	34	
32	0	7	3	9	8	8	8	8	55	32	
30	0	6	2	8	7	7	7	7	52	30	
28	0	5	1	7	6	6	6	6	49	28	
26	0	4	0	6	5	5	5	5	46	26	
24	0	3	0	5	4	4	4	4	43	24	
22	0	2	0	4	3	3	3	3	40	22	
20	0	1	0	3	2	2	2	2	37	20	
18	0	0	0	2	1	1	1	1	34	18	
16	0	0	0	1	0	0	0	0	31	16	
14	0	0	0	0	0	0	0	0	28	14	
12	0	0	0	0	0	0	0	0	25	12	
10	0	0	0	0	0	0	0	0	22	10	
8	0	0	0	0	0	0	0	0	19	8	
6	0	0	0	0	0	0	0	0	16	6	
4	0	0	0	0	0	0	0	0	13	4	
2	0	0	0	0	0	0	0	0	10	2	
0	0	0	0	0	0	0	0	0	7	0	

Raw Score: _____ F Score: _____

SPM Interpretation:

- ☐ DEFINITE difference: More problems in Home than in Main Classroom
- ☐ PROBABLE difference: More problems in Home than in Main Classroom
- ☐ NO difference in amount of problems between Main Classroom and Home
- ☐ PROBABLE difference: More problems in Main Classroom than in Home
- ☐ DEFINITE difference: More problems in Main Classroom than in Home

Sensory processing measure assessment is a crucial tool utilized in understanding and evaluating how individuals perceive and respond to sensory stimuli in their environment. This assessment is particularly significant for children who may exhibit sensory processing issues, which can impact their daily functioning and overall development. The Sensory Processing Measure (SPM) is designed to identify sensory processing strengths and challenges in children, helping parents, educators, and therapists develop effective interventions. This article delves into the components, administration, interpretation, and significance of the sensory processing measure assessment.

Understanding Sensory Processing

Sensory processing refers to the way the nervous system receives and interprets sensory stimuli. This includes inputs from:

- Vision
- Hearing

- Touch
- Taste
- Smell
- Vestibular (balance)
- Proprioception (body awareness)

For many individuals, particularly those with sensory processing disorders (SPDs), these sensory inputs can be overwhelming or underwhelming, leading to difficulties in behavior, social interaction, and learning.

What is the Sensory Processing Measure (SPM)?

The Sensory Processing Measure is an assessment tool designed to evaluate sensory processing in children. It provides insights into how a child responds to sensory stimuli in various environments, such as home, school, and community settings. The SPM assesses sensory processing through caregiver and teacher questionnaires, focusing on the child's behavior in response to sensory experiences.

Components of the Sensory Processing Measure

The SPM consists of several components:

1. Questionnaires:

- The SPM includes different forms tailored for various respondents:
- Home Form: Completed by parents or guardians.
- Main Classroom Form: Completed by teachers.
- School Environment Form: For school staff to evaluate sensory processing in different contexts.

2. Domains Assessed:

- The SPM evaluates the following sensory processing domains:
- Social Participation: How well a child interacts with peers and participates in group activities.
- Vision: Responses to visual stimuli.
- Hearing: Responses to auditory stimuli.
- Touch: Reactions to tactile experiences.
- Balance and Motion: Responses to vestibular input.
- Body Awareness: How the child perceives their body in space.

3. Scoring:

- Each questionnaire is scored to reflect the child's sensory processing profile. Higher scores may indicate greater challenges in sensory processing, while lower scores suggest effective sensory integration.

Administration of the Sensory Processing Measure

Administering the SPM involves several steps to ensure accurate and reliable results.

Preparing for the Assessment

1. Select Respondents:

- Identify and recruit appropriate respondents, including parents, teachers, and caregivers who interact regularly with the child.

2. Gather Materials:

- Obtain the SPM forms and any necessary instructions for respondents.

3. Explain the Purpose:

- Clearly communicate the purpose of the assessment to respondents to ensure they understand the importance of their input.

Completing the Assessment

- Timing: The questionnaires can typically be completed in about 20-30 minutes.
- Environment: Ensure that respondents complete the forms in a quiet environment free from distractions.

Scoring the Assessment

- Once the forms are completed, scoring can be done manually or through software, depending on the resources available.
- Scores are compared against normative data to determine areas of strength and challenge in sensory processing.

Interpreting the Results

Interpreting the results of the sensory processing measure assessment is crucial for developing interventions. Key aspects to consider include:

Understanding the Sensory Profile

1. Strengths and Challenges:

- Identify areas where the child exhibits strengths in sensory processing, which can be utilized in interventions.
- Recognize challenges that may require targeted strategies or support.

2. Comparison to Norms:

- Compare the child's scores to normative data to determine how their sensory processing abilities align with those of peers.

Collaborative Approach

- Discuss the findings with parents, educators, and therapists to develop a comprehensive understanding of the child's needs.
- Collaboratively create individualized strategies and interventions based on the assessment results.

Importance of Sensory Processing Measure Assessment

The sensory processing measure assessment is vital for several reasons:

1. Early Identification:

- Identifying sensory processing difficulties early can lead to timely interventions, which are crucial for a child's development.

2. Informed Intervention Strategies:

- The assessment provides a roadmap for developing specific therapeutic strategies tailored to the child's unique sensory profile.

3. Enhancing Daily Functioning:

- By understanding a child's sensory processing strengths and challenges, caregivers can create supportive environments that enhance learning, social interaction, and self-regulation.

4. Supporting Families:

- The SPM empowers families by giving them insights into their child's behaviors and needs, helping them advocate for appropriate support and resources.

Conclusion

In conclusion, the sensory processing measure assessment is an essential tool for understanding how children interact with the sensory world around them. By identifying sensory processing strengths and challenges, this assessment not only aids in developing effective interventions but also fosters supportive environments for children to thrive. As awareness of sensory processing issues continues to grow, the SPM remains a pivotal resource for parents, educators, and therapists alike, ultimately contributing to improved outcomes for children with sensory processing disorders. Through a comprehensive understanding of sensory processing, we can better support children in navigating their environments and achieving their full potential.

Frequently Asked Questions

What is a Sensory Processing Measure (SPM)?

The Sensory Processing Measure (SPM) is an assessment tool designed to evaluate sensory processing abilities in children. It helps identify sensory processing issues through parent and teacher questionnaires, providing insights into how children respond to sensory stimuli in daily environments.

Who can benefit from the Sensory Processing Measure assessment?

Children with suspected sensory processing disorders, autism spectrum disorders, attention deficit hyperactivity disorder (ADHD), or developmental delays can benefit from the SPM assessment. It provides valuable information for parents, educators, and therapists.

How is the Sensory Processing Measure administered?

The SPM is typically administered through questionnaires filled out by parents and teachers. These questionnaires assess the child's sensory processing in various contexts, such as home and school, and take about 20-30 minutes to complete.

What areas does the Sensory Processing Measure assess?

The SPM assesses several areas of sensory processing, including tactile, auditory, visual, vestibular, and proprioceptive processing. It also evaluates self-regulation, social participation, and the overall impact of sensory processing on daily life.

How are the results of the Sensory Processing Measure interpreted?

Results from the SPM are scored and compared to normative data based on age groups. Higher scores may indicate sensory processing difficulties, while

lower scores suggest typical sensory processing. A comprehensive report can guide intervention strategies.

Can the Sensory Processing Measure be used for older children?

While the SPM is primarily designed for children ages 2 to 12, adaptations and related assessments are available for older children and adolescents. However, the SPM itself is best suited for younger populations.

What interventions can be suggested based on SPM results?

Interventions based on SPM results may include sensory integration therapy, occupational therapy, environmental modifications, and individualized sensory diets to help improve a child's sensory processing and self-regulation skills.

Is the Sensory Processing Measure supported by research?

Yes, the Sensory Processing Measure is supported by research demonstrating its reliability and validity in assessing sensory processing issues. It is widely used in clinical and educational settings to inform treatment and intervention strategies.

Find other PDF article:

<https://soc.up.edu.ph/49-flash/pdf?docid=KBY41-8236&title=pure-daily-care-nuderma-skin-therapy-wand.pdf>

Sensory Processing Measure Assessment

Where can I get materials to make textured stickers like this

You can actually buy the clear texture stickers on Amazon! I bought a pack of 50 “sensory” stickers for five bucks, and it had a few different shapes and textures. I print the picture I want ...

What does sensory overload feel like? : r/autism - Reddit

Nov 19, 2021 · Sensory overload to me, feels like everything gets too much to the point you can't think of anything else but that you need to run because this is too much. But the this, happens ...

Float Tank Reddit

This community discusses the uses and experience of float tanks, also known as isolation tanks, sensory deprivation tanks, sensory attenuation tanks, and think tanks, meditation tanks, or ...

Sensory Processing Disorder - Reddit

Sub is closed on Tuesdays. Sensory processing disorder is where you sense things differently than everyone else, whether that be light, touch, clothes, ect.

Sensory Profile Help : r/OccupationalTherapy - Reddit

Dec 15, 2023 · Looking for help interpreting scores for Sensory Profile School Companion as I am not very familiar with the assessment. I have a student who scored "Much More Than ...

Do sensory mechanites go away? Half my colony got it and I've

Jul 23, 2017 · Do sensory mechanites go away? Half my colony got it and I've lost all my 60 medicine Archived post. New comments cannot be posted and votes cannot be cast.

Autistic individuals, what are some examples of specific sensory ...

Sep 25, 2021 · Much of what I've read about autism seems to describe a few common sensory sensitivities or sensory sensitivities in very general terms (e.g. lights, sounds) and I'm unsure ...

Sensory adaptation vs Habituation : r/Mcat - Reddit

May 21, 2020 · Sensory adaption example: a stretch mechanoreceptor initially fires rapidly to a stretch but decays as stretch is held. Habituation example: becoming accommodated to a high ...

Wondering about "sensory symmetry" : r/autism - Reddit

Jan 28, 2023 · I heard about sensory symmetry as an autistic trait, like requiring that certain sensory inputs be equal on both left and right side. for me, it's stuff like having to step in ...

KEY AFTER KEY - (BETA) SENSORY OVERLOAD - PHIGHTING OST · ...

Aug 13, 2023 · osu! » beatmaps » KEY AFTER KEY - (BETA) SENSORY OVERLOAD - PHIGHTING OST

Where can I get materials to make textured stickers like this

You can actually buy the clear texture stickers on Amazon! I bought a pack of 50 "sensory" stickers for five bucks, and it had a few different shapes and textures. I print the picture I want ...

What does sensory overload feel like? : r/autism - Reddit

Nov 19, 2021 · Sensory overload to me, feels like everything gets too much to the point you can't think of anything else but that you need to run because this is too much. But the this, happens ...

Float Tank Reddit

This community discusses the uses and experience of float tanks, also known as isolation tanks, sensory deprivation tanks, sensory attenuation tanks, and think tanks, meditation tanks, or ...

Sensory Processing Disorder - Reddit

Sub is closed on Tuesdays. Sensory processing disorder is where you sense things differently than everyone else, whether that be light, touch, clothes, ect.

Sensory Profile Help : r/OccupationalTherapy - Reddit

Dec 15, 2023 · Looking for help interpreting scores for Sensory Profile School Companion as I am not very familiar with the assessment. I have a student who scored "Much More Than ...

Do sensory mechanites go away? Half my colony got it and I've

Jul 23, 2017 · Do sensory mechanites go away? Half my colony got it and I've lost all my 60 medicine Archived post. New comments cannot be posted and votes cannot be cast.

Autistic individuals, what are some examples of specific sensory ...

Sep 25, 2021 · Much of what I've read about autism seems to describe a few common sensory sensitivities or sensory sensitivities in very general terms (e.g. lights, sounds) and I'm unsure ...

Sensory adaptation vs Habituation : r/Mcat - Reddit

May 21, 2020 · Sensory adaption example: a stretch mechanoreceptor initially fires rapidly to a stretch but decays as stretch is held. Habituation example: becoming accommodated to a high ...

Wondering about "sensory symmetry" : r/autism - Reddit

Jan 28, 2023 · I heard about sensory symmetry as an autistic trait, like requiring that certain sensory inputs be equal on both left and right side. for me, it's stuff like having to step in ...

KEY AFTER KEY - (BETA) SENSORY OVERLOAD - PHIGHTING OST · ...

Aug 13, 2023 · osu! » beatmaps » KEY AFTER KEY - (BETA) SENSORY OVERLOAD - PHIGHTING OST

Discover how the sensory processing measure assessment can enhance understanding of sensory challenges in children. Learn more about its benefits and application!

[Back to Home](#)