Solubility Equilibrium Practice Problems



Solubility Equilibrium
- Practice Problems for Assignment 7

1. $PbCl_2(s)$ is precipitated from a solution containing Pb^{2+} (aq) and Cl^- (aq). Which one of the following describes the concentrations of the ions remaining in solution?
   (a) $[Pb^{2+}]^2[Cl^-] = K_{sp}$ of $PbCl_2$ (s)
   (b) $[Pb^{2+}][Cl^-]^2 = K_{sp}$ of $PbCl_2$ (s)
   (c) $[Pb^{2+}][Cl^-] = K_{sp}$ of $PbCl_2$ (s)
   (d) $[Pb^{2+}][Cl^-]^2 = K_{sp}$ of $PbCl_2$ (s)

2. Silver acetate, $AgCH_3COO$ (s), crystals are in equilibrium with a saturated solution. Which of the following could cause more silver acetate to dissolve?
   (a) The addition of a few crystals of silver nitrate.
   (b) The addition of a few drops of concentrated nitric acid.
   (c) The addition of a few crystals of sodium acetate.
   (d) The evaporation of some water from the solution with no temperature change.

3. In which of the following would solid AgCl be most soluble?
   (a) 1 M HCl
   (b) 1 M $MgCl_2$
   (c) 1 M $AgNO_3$
   (d) 1 M NH_4NO_3

4. Consider the following equilibrium system.
   PbI_2 (s) + heat $\rightleftharpoons$ Pb^{2+} (a) + 2 I^- (aq)
   Which of the following changes would result in more PbI_2 dissolving?
   (a) Add more PbI_2
   (b) Increase the pressure
   (c) Add $Pb(NO_3)_2$
   (d) Increase the temperature

5. A soluble magnesium salt is
   (a) $MgSO_3$
   (b) $MgCO_3$
   (c) $Mg(NO_3)_2$
   (d) $Mg_3(PO_4)_2$

6. Write the equation for the equilibrium involved in the solubility of barium phosphate.
7. Write the equilibrium law corresponding to K_{sp}.
8. The solubility of thalium (I) iodide in water at 20°C is 5.9×10^{-3} g/L. What is the K_{sp} for this compound?

Solubility equilibrium practice problems are an essential aspect of understanding chemical equilibria and solubility in various solutions. In chemistry, solubility refers to the maximum amount of solute that can dissolve in a given quantity of solvent at a specified temperature and pressure. The concept of equilibrium plays a crucial role in determining how much solute can dissolve and signifies a dynamic balance between the dissolved solute and the undissolved solute. This article will explore the principles behind solubility equilibria, formulate practice problems, and provide solutions to enhance comprehension of this critical area in chemistry.

Understanding Solubility Equilibrium

Solubility equilibrium occurs when the rate of dissolution of a solute equals the rate of precipitation of that solute in a saturated solution. At this point, the concentrations of the solute in solution remain constant. The equilibrium can be described by the following general equation:

$$
\text{Solid} \rightleftharpoons \text{Dissolved ions}
$$

For a salt such as AB, which dissociates into A^+ and B^-:

$$
\text{AB (s)} \rightleftharpoons \text{A}^+ (aq) + \text{B}^- (aq)
$$

The solubility product constant, K_{sp}, is a key concept in solubility equilibria. It represents the product of the molar concentrations of the dissolved ions, each raised to the power of their coefficients in the balanced equation:

$$
K_{sp} = [\text{A}^+]^m \cdot [\text{B}^-]^n
$$

Where m and n are the stoichiometric coefficients of the ions in the dissolution equation.

Factors Affecting Solubility

Several factors influence the solubility of a substance:

1. Temperature

- Generally, the solubility of solids in liquids increases with temperature.
- The solubility of gases in liquids typically decreases with increasing temperature.

2. Pressure

- Pressure has a more pronounced effect on the solubility of gases.
- An increase in pressure increases the solubility of a gas in a liquid (Henry's Law).

3. Common Ion Effect

- The presence of a common ion decreases the solubility of a salt due to Le Chatelier's Principle.
- For example, adding sodium chloride (NaCl) to a saturated solution of silver chloride (AgCl) will reduce the solubility of AgCl.

4. pH of the Solution

- The solubility of some salts is influenced by the pH of the solution.
- For example, metal hydroxides are more soluble in acidic solutions.

Practice Problems on Solubility Equilibrium

To solidify your understanding of solubility equilibria, let's work through some practice problems.

Problem 1: Finding Ksp

Given the dissolution of barium sulfate (BaSO_4):

$$
\text{BaSO}_4 (s) \rightleftharpoons \text{Ba}^{2+} (aq) + \text{SO}_4^{2-} (aq)
$$

If the concentration of Ba^{2+} in a saturated solution is $0.0020 \, \text{mol/L}$, calculate the K_{sp} for barium sulfate.

Solution 1:

From the dissolution equation, we can express the K_{sp}:

$$
K_{sp} = [\text{Ba}^{2+}][\text{SO}_4^{2-}]
$$

Let $x = [\text{Ba}^{2+}] = 0.0020 \, \text{mol/L}$.

Since BaSO_4 dissociates into equal amounts of Ba^{2+} and SO_4^{2-}:

$$
[\text{SO}_4^{2-}] = 0.0020 \, \text{mol/L}
$$

Thus,

$$
K_{sp} = (0.0020)(0.0020) = 4.00 \times 10^{-6}
$$

Problem 2: Common Ion Effect

Calculate the solubility of AgCl in a solution that is $0.10 \, \text{mol/L}$ in NaCl. The K_{sp} of AgCl is 1.77×10^{-10}.

Solution 2:

The dissolution of silver chloride is represented as:

$$
\text{AgCl (s)} \rightleftharpoons \text{Ag}^+ (aq) + \text{Cl}^- (aq)
$$

The K_{sp} expression is:

$$
K_{sp} = [\text{Ag}^+][\text{Cl}^-]
$$

Given that $[\text{Cl}^-] = 0.10 \, \text{mol/L}$, we can substitute this into the K_{sp} expression:

$$
1.77 \times 10^{-10} = [\text{Ag}^+](0.10)
$$

Solving for $[\text{Ag}^+]$:

$$
[\text{Ag}^+] = \frac{1.77 \times 10^{-10}}{0.10} = 1.77 \times 10^{-9} \, \text{mol/L}
$$

The solubility (s) of AgCl in the presence of NaCl is $1.77 \times 10^{-9} \, \text{mol/L}$.

Problem 3: Temperature and Solubility

A salt dissolves in water with a K_{sp} of 3.0×10^{-5} at $25^\circ C$. What will happen to the solubility of this salt if the temperature is increased to $50^\circ C$, assuming the K_{sp} increases to 5.0×10^{-5}?

Solution 3:

At $25^\circ C$:

If s_1 is the solubility at $25^\circ C$:

$$
K_{sp} = s_1^2 = 3.0 \times 10^{-5}
$$

Thus,

$$
s_1 = \sqrt{3.0 \times 10^{-5}} \approx 5.48 \times 10^{-3} \, \text{mol/L}
$$

At $50^\circ C$:

If s_2 is the solubility at $50^\circ C$:

$$
K_{sp} = s_2^2 = 5.0 \times 10^{-5}
$$

Thus,

$$
s_2 = \sqrt{5.0 \times 10^{-5}} \approx 7.07 \times 10^{-3} \, \text{mol/L}
$$

\]

The solubility of the salt increases from \(5.48 \times 10^{-3} \, \text{mol/L} \) to \(7.07 \times 10^{-3} \, \text{mol/L} \) when the temperature is raised, indicating that the salt is more soluble at higher temperatures.

Conclusion

Understanding solubility equilibrium practice problems is vital for students and professionals in chemistry. Mastery of these concepts allows for better predictions about how substances behave in various chemical environments. By working through the principles of solubility products, factors affecting solubility, and applying practical problems, one can gain a deeper appreciation of chemical equilibria and their significance in real-world applications. Engaging with these practice problems not only solidifies theoretical knowledge but also enhances analytical skills crucial for success in the field of chemistry.

Frequently Asked Questions

What is solubility equilibrium?

Solubility equilibrium is the state in which the rate of dissolution of a solute equals the rate of precipitation, resulting in a constant concentration of the solute in the solution.

How do you calculate the solubility product constant (Ksp) for a sparingly soluble salt?

To calculate Ksp, you write the equilibrium expression based on the balanced dissolution reaction, and then substitute the equilibrium concentrations of the ions into the expression.

What factors can affect the solubility of a salt in water?

Factors that affect solubility include temperature, pressure (for gases), the presence of common ions, and the pH of the solution.

Can you provide a practice problem involving Ksp and its solution?

Sure! If the Ksp of AgCl is 1.77 x 10^-10, find the solubility of AgCl in mol/L. Set up the equation: Ksp = [Ag+][Cl-] = s^2, where s is the solubility. Solve for s: s = √ (1.77 x 10^-10) = 1.33 x 10^-5 mol/L.

What is the common ion effect in solubility equilibrium?

The common ion effect refers to the decrease in solubility of a salt when a common ion is added to the solution, shifting the equilibrium position according to Le Chatelier's principle.

How can you determine if a precipitate will form when two solutions are mixed?

To determine if a precipitate will form, calculate the ion product (Q) by multiplying the concentrations of the ions in solution. If Q > Ksp, a precipitate will form; if Q < Ksp, no precipitate will form.

What role does temperature play in the solubility of salts?

Temperature can significantly affect solubility; for most salts, solubility increases with temperature, while for some salts, it may decrease. Always check specific salt behavior when considering temperature effects.

Solubility Equilibrium Practice Problems

Solubility - Wikipedia
In chemistry, solubility is the ability of a substance, the solute, to form a solution with another substance, the solvent. Insolubility is the opposite property, the inability of the solute to form …

Solubility | Solvent, Solutions & Concentration | Britannica
May 31, 2025 · Solubility, degree to which a substance dissolves in a solvent to make a solution (usually expressed as grams of solute per litre of solvent). Solubility of one fluid (liquid or gas) …

Solubility: Definition, Examples, and Factors Affecting it.
Solubility is the maximum concentration of a solute that can dissolve in a specific amount of a solvent at a given temperature. The process through which a solute in its solid, liquid, or …

What is Solubility? - ChemTalk
Solubility is the ability of a solute to dissolve in a solvent to form a solution. This is the property that allows things like sugar molecules to dissolve in a cup of coffee.

7.9: Solubility: Introduction - Chemistry LibreTexts
The solubility, which is also known as the solubility limit, of a solute corresponds to the maximum amount of that chemical that can dissolve in a given amount of solvent.

Solubility Definition in Chemistry - ThoughtCo
Jun 9, 2025 · Solubility is how much of a substance can dissolve in another before the solution becomes saturated. Solubility can change with temperature, pressure, and other chemical …

What is Solubility? - BYJU'S
What is Solubility? The maximum amount of solute that can dissolve in a known quantity of solvent at a certain temperature is its solubility. A solution is a homogeneous mixture of one or …

Solubility Basics - What is solubility? - Solubility of Things
In general, SOLUBILITY is an ability of a substance to dissolve. In the process of dissolving, the substance which is being dissolved is called a solute and the substance in which the solute is …

Solubility and Factors Affecting Solubility - Chemistry LibreTexts
Solubility is defined as the upper limit of solute that can be dissolved in a given amount of solvent at equilibrium. In such an equilibrium, Le Chatelier's principle can be used to explain most of …

What is solubility in GCSE Chemistry? - BBC Bitesize
Solubility is defined as the mass of a solid required to saturate 100 g of water at a given temperature. Solubility is measured in grams of a solute per 100 g of water. If the mass of …

Solubility - Wikipedia
In chemistry, solubility is the ability of a substance, the solute, to form a solution with another

substance, the solvent. Insolubility is the opposite property, the inability of the solute to form …

Solubility | Solvent, Solutions & Concentration | Britannica
May 31, 2025 · Solubility, degree to which a substance dissolves in a solvent to make a solution (usually expressed as grams of solute per litre of solvent). Solubility of one fluid (liquid or gas) …

Solubility: Definition, Examples, and Factors Affecting it.
Solubility is the maximum concentration of a solute that can dissolve in a specific amount of a solvent at a given temperature. The process through which a solute in its solid, liquid, or …

What is Solubility? - ChemTalk
Solubility is the ability of a solute to dissolve in a solvent to form a solution. This is the property that allows things like sugar molecules to dissolve in a cup of coffee.

7.9: Solubility: Introduction - Chemistry LibreTexts
The solubility, which is also known as the solubility limit, of a solute corresponds to the maximum amount of that chemical that can dissolve in a given amount of solvent.

Solubility Definition in Chemistry - ThoughtCo
Jun 9, 2025 · Solubility is how much of a substance can dissolve in another before the solution becomes saturated. Solubility can change with temperature, pressure, and other chemical …

What is Solubility? - BYJU'S
What is Solubility? The maximum amount of solute that can dissolve in a known quantity of solvent at a certain temperature is its solubility. A solution is a homogeneous mixture of one or …

Solubility Basics - What is solubility? - Solubility of Things
In general, SOLUBILITY is an ability of a substance to dissolve. In the process of dissolving, the substance which is being dissolved is called a solute and the substance in which the solute is …

Solubility and Factors Affecting Solubility - Chemistry LibreTexts
Solubility is defined as the upper limit of solute that can be dissolved in a given amount of solvent at equilibrium. In such an equilibrium, Le Chatelier's principle can be used to explain most of …

What is solubility in GCSE Chemistry? - BBC Bitesize
Solubility is defined as the mass of a solid required to saturate 100 g of water at a given temperature. Solubility is measured in grams of a solute per 100 g of water. If the mass of …

Master solubility equilibrium with our comprehensive practice problems! Boost your understanding and problem-solving skills. Discover how to excel today!

Back to Home