

# Sql Interview Queries With Answers

**SQL Quiz: Day #5 of 50**

**INPUT**

CustId	CustName	SaleDt	amount
1	Ihon	01-04-2024	100
2	Daniel	02-04-2024	110
3	Jade	03-04-2024	120
4	Khaled	04-04-2024	130
5	Winston	05-04-2024	110
6	Elvis	06-04-2024	140
7	Anna	07-04-2024	150
8	Maria	08-04-2024	80
9	Iaze	09-04-2024	110
1	Ihon	10-04-2024	130
3	Jade	10-04-2024	150

**OUTPUT**

SaleDt	totalamount	avg_amount
07-04-2024	860	122
10-04-2024	470	117

Write a SQL query to get month-week wise, total salary & avg salary?

**SQL interview queries with answers** are essential for candidates preparing for database-related job interviews. SQL, or Structured Query Language, is the standard programming language used for managing and manipulating relational databases. As organizations increasingly rely on data-driven decision-making, proficiency in SQL has become a highly sought-after skill. This article will provide a comprehensive overview of common SQL interview queries, categorized by their complexity, along with detailed explanations and answers to help you prepare effectively.

## Types of SQL Interview Queries

SQL interview queries can be broadly categorized into three types based on their complexity:

1. Basic SQL Queries
2. Intermediate SQL Queries
3. Advanced SQL Queries

Each category serves to test different levels of understanding and proficiency in SQL. Below, we explore each category in detail.

# 1. Basic SQL Queries

Basic SQL queries are designed to assess fundamental knowledge and skills in SQL. Here are some common queries you might encounter:

## Query 1: Select All Columns from a Table

Question: Write a SQL query to select all columns from a table named `employees`.

Answer:

```
```sql
SELECT * FROM employees;
```
```

This query retrieves all columns and rows from the `employees` table.

## Query 2: Select Specific Columns

Question: Write a SQL query to select the `first\_name` and `last\_name` columns from the `employees` table.

Answer:

```
```sql
SELECT first_name, last_name FROM employees;
```
```

This query fetches only the specified columns from the `employees` table.

## Query 3: Filtering Results with WHERE

Question: Write a SQL query to select all employees whose job title is 'Manager'.

Answer:

```
```sql
SELECT * FROM employees WHERE job_title = 'Manager';
```
```

The `WHERE` clause filters the results based on the specified condition.

## Query 4: Sorting Results

Question: Write a SQL query to select all employees and sort the results by `last\_name` in ascending order.

Answer:

```
```sql
SELECT FROM employees ORDER BY last_name ASC;
```
```

The `ORDER BY` clause sorts the results based on the `last\_name` column.

## 2. Intermediate SQL Queries

Intermediate SQL queries involve more complex operations and demonstrate a deeper understanding of SQL functions and concepts.

## Query 5: Using Aggregate Functions

Question: Write a SQL query to find the total number of employees in the `employees` table.

Answer:

```
```sql
SELECT COUNT() AS total_employees FROM employees;
```
```

The `COUNT()` function counts all rows in the `employees` table.

## Query 6: Grouping Results

Question: Write a SQL query to count the number of employees in each job title.

Answer:

```
```sql
SELECT job_title, COUNT() AS count FROM employees GROUP BY job_title;
```
```

The `GROUP BY` clause groups the results by `job\_title` and counts the number of employees in each title.

## Query 7: Joining Tables

Question: Write a SQL query to join the `employees` table with the `departments` table on `department\_id`.

Answer:

```
```sql
SELECT e.first_name, e.last_name, d.department_name
FROM employees e
JOIN departments d ON e.department_id = d.department_id;
```
```

This query retrieves employee names along with their respective department names using an inner join.

## Query 8: Using Subqueries

Question: Write a SQL query to find employees who earn more than the average salary.

Answer:

```
```sql
SELECT FROM employees
WHERE salary > (SELECT AVG(salary) FROM employees);
```
```

This query uses a subquery to calculate the average salary and filter employees earning above that average.

## 3. Advanced SQL Queries

Advanced SQL queries test your ability to handle complex scenarios and utilize advanced SQL features.

## Query 9: Using Window Functions

Question: Write a SQL query to assign a rank to employees based on their salary within their department.

Answer:

```
```sql
SELECT first_name, last_name, salary,
RANK() OVER (PARTITION BY department_id ORDER BY salary DESC) AS salary_rank
FROM employees;
```
```

The `RANK()` function assigns ranks to employees within their respective departments based on salary.

## Query 10: Conditional Aggregation

Question: Write a SQL query to count the number of employees in each department, categorizing them as 'High Salary' or 'Low Salary' based on a threshold of 50000.

Answer:

```
```sql
SELECT department_id,
SUM(CASE WHEN salary > 50000 THEN 1 ELSE 0 END) AS high_salary_count,
SUM(CASE WHEN salary <= 50000 THEN 1 ELSE 0 END) AS low_salary_count
FROM employees
GROUP BY department_id;
```
```

This query uses conditional aggregation to count employees based on their salary relative to a defined threshold.

## Query 11: Using Common Table Expressions (CTEs)

Question: Write a SQL query to find the department with the highest average salary using a CTE.

Answer:

```
```sql
WITH AverageSalaries AS (
SELECT department_id, AVG(salary) AS avg_salary
FROM employees
GROUP BY department_id
)
SELECT department_id, avg_salary
FROM AverageSalaries
WHERE avg_salary = (SELECT MAX(avg_salary) FROM AverageSalaries);
```
```

This query defines a CTE to calculate average salaries and then retrieves the department with the highest average salary.

## Query 12: Using Full Outer Join

Question: Write a SQL query to perform a full outer join between the `employees` and `departments` tables.

Answer:

```
``sql
SELECT e.first_name, e.last_name, d.department_name
FROM employees e
FULL OUTER JOIN departments d ON e.department_id = d.department_id;
``
```

A full outer join retrieves all records from both tables, displaying null values where there is no match.

## Conclusion

Preparing for SQL interviews requires a solid understanding of a wide range of queries and concepts. By practicing these SQL interview queries with answers, candidates can enhance their proficiency and confidence. Remember to not only memorize the queries but also understand the underlying principles, as this will help you tackle unexpected questions during interviews. With the right preparation, you can excel in your SQL interviews and secure the job you desire.

## Frequently Asked Questions

### What is SQL and why is it important in database management?

SQL, or Structured Query Language, is a standardized programming language used to manage and manipulate relational databases. It is important because it allows users to create, read, update, and delete data efficiently and securely.

### Can you explain the difference between INNER JOIN and LEFT JOIN?

INNER JOIN returns only the rows that have matching values in both tables, while LEFT JOIN returns all rows from the left table and the matched rows from the right table. If there is no match, NULL values will be returned for columns from the right table.

### What are aggregate functions in SQL? Can you give examples?

Aggregate functions perform a calculation on a set of values and return a single value. Common examples include COUNT(), SUM(), AVG(), MIN(), and MAX(). These functions are often used with the GROUP BY clause to group results based on one or more columns.



## What does the "@" symbol do in SQL? - Stack Overflow

The @CustID means it's a parameter that you will supply a value for later in your code. This is the best way of protecting against SQL injection. Create your query using parameters, rather than ...

## What does SQL Select symbol || mean? - Stack Overflow

Apr 29, 2014 · sql server: + (infix operator), concat ( vararg function ) Edit : Now Azure SQL also supports ANSI SQL standard || operator for string concatenation. Docs link.

## sql - Structured Query Language - Stack Overflow

SQL is a language for storing and retrieving data from a database. It is a standard language for relational databases. SQL stands for Structured Query Language.

## SQL: IF clause within WHERE clause - Stack Overflow

Sep 18, 2008 · Is it possible to use an IF clause within a WHERE clause in MS SQL? Example: WHERE IF IsNumeric(@OrderNumber) = 1 OrderNumber = @OrderNumber ELSE ...

## Should I use != or <> for not equal in T-SQL? - Stack Overflow

Apr 6, 2009 · Yes; Microsoft themselves recommend using <> over != specifically for ANSI compliance, e.g. in Microsoft Press training kit for 70-461 exam, "Querying Microsoft SQL ...

## What does the colon sign ":" do in a SQL query?

May 9, 2017 · What does ":" stand for in a query? A bind variable. Bind variables allow a single SQL statement (whether a query or DML) to be re-used many times, which helps security (by ...

## SQL - Structured Query Language - Stack Overflow

SQL is a language for storing and retrieving data from a database. It is a standard language for relational databases. SQL stands for Structured Query Language.

## What does <> (angle brackets) mean in MS-SQL Server?

Nov 8, 2013 · What does <> (angle brackets) mean in MS-SQL Server? Asked 11 years, 8 months ago Modified 3 years, 11 months ago Viewed 80k times

## sql - Not equal <> != operator on NULL - Stack Overflow

Apr 14, 2011 · 11 In SQL, anything you evaluate / compute with NULL results into UNKNOWN This is why SELECT \* FROM MyTable WHERE MyColumn != NULL or SELECT \* FROM MyTable WHERE MyColumn <> NULL gives you 0 results. To provide a check for NULL values, isNull function is provided. Moreover, you can use the IS operator as you used in the third query.

## SQL - Structured Query Language - Stack Overflow

SQL is a language for storing and retrieving data from a database. It is a standard language for relational databases. SQL stands for Structured Query Language.

## What does the "@" symbol do in SQL? - Stack Overflow

The @CustID means it's a parameter that you will supply a value for later in your code. This is the best way of protecting against SQL injection. Create your query using parameters, rather than concatenating strings and variables. The database engine puts the parameter value into where the placeholder is, and there is zero chance for SQL injection.

## What does SQL Select symbol || mean? - Stack Overflow

Apr 29, 2014 · sql server: + (infix operator), concat ( vararg function ) Edit : Now Azure SQL also supports ANSI SQL standard || operator for string concatenation. Docs link.



sql -

SQL SQL S Q L Structured Query Language SQL SQL ...

### SQL: IF clause within WHERE clause - Stack Overflow

Sep 18, 2008 · Is it possible to use an IF clause within a WHERE clause in MS SQL? Example:  
WHERE IF IsNumeric(@OrderNumber) = 1 OrderNumber = @OrderNumber ELSE OrderNumber  
LIKE '%' + @

### **Should I use != or <> for not equal in T-SQL? - Stack Overflow**

Apr 6, 2009 · Yes; Microsoft themselves recommend using <> over != specifically for ANSI compliance, e.g. in Microsoft Press training kit for 70-461 exam, "Querying Microsoft SQL Server", they say "As an example of when to choose the standard form, T-SQL supports two “not equal to” operators: <> and !=. The former is standard and the latter is not.

### **What does the colon sign ":" do in a SQL query?**

May 9, 2017 · What does ":" stand for in a query? A bind variable. Bind variables allow a single SQL statement (whether a query or DML) to be re-used many times, which helps security (by disallowing SQL injection attacks) and performance (by reducing the amount of parsing required). How does it fetch the desired value? Before a query (or DML) is executed by Oracle, your ...

Master your SQL skills with our comprehensive guide on SQL interview queries with answers. Boost your confidence and ace your next interview! [Learn more.](#)

[Back to Home](#)