

Subnet Masking Cheat Sheet



IPv4 subnet mask cheat sheet



Prefix	IP Addresses	Subnet Mask	Bits
/32	1	255.255.255.255	0
/31	2	255.255.255.254	1
/30	4	255.255.255.252	2
/29	8	255.255.255.248	3
/28	16	255.255.255.240	4
/27	32	255.255.255.224	5
/26	64	255.255.255.192	6
/25	128	255.255.255.128	7
/24	256	255.255.255.0	8
/23	512	255.255.254.0	9
/22	1,024	255.255.252.0	10
/21	2,048	255.255.248.0	11
/20	4,096	255.255.240.0	12
/19	8,192	255.255.224.0	13
/18	16,384	255.255.192.0	14
/17	32,768	255.255.128.0	15
/16	65,536	255.255.0.0	16
/15	131,072	255.254.0.0	17
/14	262,144	255.252.0.0	18
/13	524,288	255.248.0.0	19
/12	1,048,576	255.240.0.0	20
/11	2,097,152	255.224.0.0	21
/10	4,194,304	255.192.0.0	22
/9	8,388,608	255.128.0.0	23
/8	16,777,216	255.0.0.0	24
/7	33,554,432	254.0.0.0	25
/6	67,108,864	252.0.0.0	26
/5	134,217,728	248.0.0.0	27
/4	268,435,456	240.0.0.0	28
/3	536,870,912	224.0.0.0	29
/2	1,073,741,824	192.0.0.0	30
/1	2,147,483,648	128.0.0.0	31
/0	4,294,967,296	0.0.0.0	32

Subnet masking cheat sheet is an essential tool for network administrators, IT professionals, and anyone working with IP networks. Understanding subnet masks is crucial for efficient IP address management, as it helps in segmenting networks, improving performance, and enhancing security. This article will provide a comprehensive overview of subnetting, including basic concepts, types of subnet masks, CIDR notation, and practical examples. Additionally, we will offer a handy cheat sheet to simplify subnet calculations.

Understanding Subnet Masks

A subnet mask is a 32-bit number that divides an IP address into network and host portions. It is used to determine which part of the IP address identifies the network and which part identifies the device (host) on that network. Subnet masks are crucial for routing traffic

between different networks.

Components of an IP Address

An IP address is made up of two main components:

1. Network Portion: This identifies the specific network to which the device belongs.
2. Host Portion: This identifies the specific device within that network.

The subnet mask works by applying a bitwise AND operation to the IP address, allowing devices to determine whether another device is on the same network or a different one.

Subnet Mask Format

Subnet masks can be represented in two formats:

1. Dotted Decimal Notation: This is the most common format, consisting of four octets (e.g., 255.255.255.0).
2. CIDR Notation: Classless Inter-Domain Routing (CIDR) notation uses a slash followed by the number of bits in the network portion (e.g., /24).

Types of Subnet Masks

There are several standard subnet masks used in networking. The most common ones are associated with the three main classes of IP addresses: Class A, Class B, and Class C.

Class A Subnet Mask

- Default Subnet Mask: 255.0.0.0
- CIDR Notation: /8
- Number of Hosts: Approximately 16 million ($2^{24} - 2$ for network and broadcast addresses)
- Example: A Class A address might look like 10.0.0.1.

Class B Subnet Mask

- Default Subnet Mask: 255.255.0.0
- CIDR Notation: /16
- Number of Hosts: Approximately 65,000 ($2^{16} - 2$)
- Example: A Class B address might be 172.16.0.1.

Class C Subnet Mask

- Default Subnet Mask: 255.255.255.0
- CIDR Notation: /24
- Number of Hosts: 254 ($2^8 - 2$)
- Example: A Class C address could be 192.168.1.1.

Subnetting Basics

Subnetting is the process of dividing a larger network into smaller, manageable sub-networks. This can be particularly useful for:

- Efficient IP address usage
- Improved network performance
- Enhanced security through segmentation

Why Subnetting is Important

1. Efficient Use of IP Addresses: Subnetting allows for a more efficient allocation of IP addresses, reducing waste.
2. Improved Performance: Smaller networks tend to have less traffic, leading to better performance.
3. Enhanced Security: Subnetting can isolate sensitive data and applications by segmenting the network.

Subnetting Process

To subnet a network, follow these steps:

1. Determine the Number of Required Subnets: Identify how many subnets are needed.
2. Choose a Subnet Mask: Select an appropriate subnet mask based on the number of subnets and hosts required.
3. Calculate Subnet Addresses: Use the chosen subnet mask to find the subnet addresses.
4. Assign IP Addresses: Allocate IP addresses to devices within each subnet.

CIDR Notation Explained

CIDR notation is a shorthand method for denoting subnet masks. Instead of writing out the full dotted decimal format, CIDR notation provides a simpler way to specify the mask.

How to Read CIDR Notation

- The number after the slash (/) indicates how many bits are used for the network portion.
- Example: In the CIDR notation 192.168.1.0/24, the first 24 bits are used for the network, leaving 8 bits for host addresses.

CIDR and Subnetting

CIDR allows for more flexible subnetting compared to traditional classful addressing. It enables networks to be divided based on actual needs, rather than being limited to predefined classes.

Subnetting Cheat Sheet

Here's a quick reference cheat sheet for subnet masks, CIDR notation, and host capacity:

Subnet Mask	CIDR Notation	Number of Hosts
255.0.0.0	/8	16,777,214
255.255.0.0	/16	65,534
255.255.255.0	/24	254
255.255.255.128	/25	126
255.255.255.192	/26	62
255.255.255.224	/27	30
255.255.255.240	/28	14
255.255.255.248	/29	6
255.255.255.252	/30	2

Examples of Subnetting

Let's look at a practical example of subnetting a Class C network:

Scenario: You have a network with the address 192.168.1.0/24 and need to divide it into 4 subnets.

1. Determine New Subnet Mask:

- You need at least 4 subnets, which requires 2 bits ($2^2 = 4$).
- Original subnet mask: /24 + 2 = /26.
- New subnet mask: 255.255.255.192.

2. Calculate Subnet Addresses:

- Subnet 1: 192.168.1.0/26
- Subnet 2: 192.168.1.64/26
- Subnet 3: 192.168.1.128/26

- Subnet 4: 192.168.1.192/26

3. Available Host Addresses:

- Each subnet can accommodate 62 usable host addresses.

Conclusion

A subnet masking cheat sheet is an invaluable resource for anyone involved in networking. Understanding subnet masks, CIDR notation, and the principles of subnetting can greatly enhance your ability to manage and optimize networks. Whether you are a network administrator, an IT professional, or just an enthusiast, mastering these concepts will improve your networking skills and efficiency. Keep this cheat sheet handy for quick reference, and remember that practice is essential for mastering subnetting!

Frequently Asked Questions

What is a subnet mask and why is it important?

A subnet mask is a 32-bit number that divides an IP address into a network and host portion. It is important because it helps to determine which part of the IP address identifies the network and which part identifies the host, enabling efficient routing of traffic within and between networks.

What is the difference between a public and private subnet mask?

Public subnet masks are used for IP addresses that are reachable over the internet, while private subnet masks are used for internal networks. Private subnet masks are defined by specific ranges (e.g., 10.0.0.0/8, 172.16.0.0/12, 192.168.0.0/16) that are not routable on the internet.

What are some common subnet masks used in networking?

Some common subnet masks include 255.0.0.0 (/8), 255.255.0.0 (/16), 255.255.255.0 (/24), and 255.255.255.252 (/30). Each of these masks allows for different numbers of hosts per subnet.

How can I calculate the number of usable hosts in a subnet?

To calculate the number of usable hosts in a subnet, use the formula $2^{(\text{number of host bits})} - 2$. The '-2' accounts for the network and broadcast addresses that cannot be assigned to hosts.

What is CIDR notation and how does it relate to subnet masking?

CIDR (Classless Inter-Domain Routing) notation is a shorthand representation of a subnet mask. It specifies the number of bits used for the network part of the address, indicated by a slash followed by the number (e.g., 192.168.1.0/24). This notation simplifies subnetting and summarization.

Where can I find a reliable subnet masking cheat sheet?

Reliable subnet masking cheat sheets can be found on various tech websites, networking textbooks, and online resources like Cisco, CompTIA, or network engineering blogs. These cheat sheets typically summarize common subnet masks, CIDR notations, and the number of hosts per subnet.

Find other PDF article:

<https://soc.up.edu.ph/04-ink/Book?ID=usu57-4711&title=affirmative-cognitive-behavior-therapy.pdf>

Subnet Masking Cheat Sheet

□□□□□□□□□□“□□”□ - □□

Subnet Mask IP IP

32 1 0 ...

□□□□□□□□IP□□□□□□□□DNS□□□□□□...

Jun 19, 2023 · IP DNS ip? ...

[illegible]

Subnet Mask IP 32 1
0 ...

```
ip subnet [ip address][gateway][mask][ ][ ][ ][ ][ ][ ][ ][ ] ...
```

```
ip subnet IP ip address ip gateway mask  IP (ip address) 32
  203.202.100.132 ...
```

subnet servers 10.10.10.10 10.10.10.10

May 7, 2022 · subnet servers[microsoft]services[microsoft]
[services] ...

rustdesk 安装与使用

```

#####
RustDesk #####

```

```
win10 aspen10 wlmadmin ...
```

```
win10 aspen10 wlmadmin ASPEN 10
```

ip subnet ip address gateway mask ...

ip subnet ip address gateway mask ...
ip subnet ip address gateway mask ... "This subnet ..."

ip subnet ip address gateway mask ...
Aug 7, 2024 · ip subnet ip address gateway mask ... IP address ...
32 203.202.100.132 ...

IP Address Subnet Mask Default Gateway ...
IP Address IP Subnet Mask Default Gateway IP IP Internet
Protocol Address IP ...

Subnet Mask IP IP
32 1 0 32

IP DNS ...
Jun 19, 2023 · IP DNS ip ?
ip

Subnet Mask IP 32 1 0

ip subnet ip address gateway mask ...
ip subnet IP ip address ip gateway mask IP (ip address) 32
203.202.100.132 01001000.00000000.00000000.00000000 IP
IP ...

subnet servers ...
May 7, 2022 · subnet servers msc services
services C:\WINNDOWS\system32 C:\

rustdesk ? -
RustDesk

win10 aspen10 wlmadmin ...
win10 aspen10 wlmadmin ASPEN 10
ASPEN 10

ip subnet ip address gateway mask ...
ip subnet ip address gateway mask ... "This subnet ..."

ip subnet ip address gateway mask ...
Aug 7, 2024 · ip subnet IP address gateway mask IP address ...
32 203.202.100.132 IP (mask) 32
IP ...

IP Address Subnet Mask Default Gateway ...
IP Address IP Subnet Mask Default Gateway IP IP Internet

Protocol Address 192.168.1.1 IP Address 192.168.1.1 IP 192.168.1.1 ...

Unlock the essentials of networking with our subnet masking cheat sheet. Simplify your understanding of subnets and IPs today! Learn more for quick reference tips.

[Back to Home](#)